

FERNO® INTERNATIONAL GUIDE





OUR VALUES

Passion
Integrity
Respect

OUR VISION

Shaping the future
for those that care for
others with innovative
solutions that excel in
quality and safety.

Working together, to transform emergency care, for life.

We are with you on every call, providing
solutions to the EMS, Rescue,
and Mortuary communities to advance
patient care worldwide.

OUR MISSION



Dear Emergency Responder,

We are inspired by you. For over 65 years, FERNO has listened to you—our customer—and responded with unique solutions that meet the challenges you face every day.

You depend on your equipment to help you respond to each emergency situation. FERNO provides the high-performing, state-of-the-art products you need to deliver the best care and comfort to your patient and stay safe in the process.

FERNO's devotion to quality is our foundation, and it's exemplified by the high standards we set for ourselves. FERNO's complete line of patient transport equipment is the finest and most extensive in the industry.

Our dedication to you is uncompromising. FERNO's commitment is to provide everything you need to get the job done.

We appreciate your business and all you do for your fellow person. Thank you.

Joe Bourgraf, President

Contact Information

Direct contact information for products shown in this catalog is listed below. For orders, information, warranty, or training, please contact your local FERNO Distributor. To locate your nearest FERNO Dealer, please visit www.ferno.com.

Global Headquarters

70 Weil Way
Wilmington, OH 45177, USA
Tel: +937 382 1451
Fax: +937 382 6569
Email: intlsales@ferno.com
Website: www.fernointernational.com

FERNO Canada

Tel: +800 543 3766
Fax: +866 543 3766
Email: info@fernocanada.ca
Website: www.ferno.ca

FERNO (UK) Limited

Tel: +44 (0) 1274 851 999
Fax: +44 (0) 1274 851 111
Email: sales@ferno.co.uk
Website: www.ferno.co.uk

FERNO Australia

Tel: +61 7 3881 4999
Fax: +61 7 3881 1125
Email: info@ferno.com.au
Website: www.ferno.com.au

FERNO Japan

Tel: +81 3 5820 4649
Fax: +81 3 5820 4669
Email: info@ferno-jp.com
Website: www.ferno-jp.com

FERNO Italia s.r.l

Tel: +39 051 6860028
Fax: +39 051 6861508
Email: info@ferno.it
Website: www.ferno.it

FERNO France

Tel: +33 474 461 300
Fax: +33 474 383 433
Email: info@dumont-securite.fr
Website: www.dumont-securite.fr

FERNO Transportgeräte GmbH

Tel: +49 2241 94830
Fax: +49 02241 9483
Email: info@ferno.de
Website: www.ferno.de

FERNO Slovakia

Tel: +421 32 7708010
Email: sales@ferno.sk
Website: www.fernointernational.com

Spiracle Technology

Tel: +714 418 1091
Fax: +714 418 1095
Email: info@spiracle.com
Website: www.spiracle.com

Traverse Rescue

Tel: +1 866 998 7866
Fax: +905 615 1199
Email: info@traverserescue.com
Website: www.traverserescue.com

FERNO Aviation & Military

Tel: +770-521 1005
Fax: +770 521 0910
Email: info@fernoam.com
Website: www.fernomilitarysystems.com
Website: www.medevac.com

Disclaimer

We exercised tremendous effort to be correct with the information provided, flawless in our spelling, and accurate with the photographs shown. However, unintentional oversights and errors do occur. We apologize in advance and ask for your understanding if any inaccuracies are found. In some cases, we show the most representative image available to depict a product, even though it may not be the actual item. Contact your FERNO Dealer for the latest information and features for any FERNO/Saver product.

General specifications are rounded to the nearest whole number. Metric conversions are rounded to the nearest whole millimeter and are calculated before rounding the Imperial measurements. The displayed Imperial numbers do not always equal the displayed metric numbers.

Example: 2678.2 mm = 2678 mm or 268 cm (shown in catalog), 105.4 in = 105 in (shown in catalog)

For more information, contact FERNO Customer Relations or your FERNO distributor. FERNO reserves the right to change specifications without notice.

Table of Contents

EMERGENCY

6-55

PATIENT HANDLING

6-37

Cots, Transporters & Trolleys	6-28
Incubator Transporters	26-27
Stair Chairs & Carry Chairs	29-33
Stretchers & Litters	34-37

IMMOBILIZATION

38-47

Scoop Stretchers	38-39
Backboards & Extrication Boards	40-42
Head Immobilizers & Cervical Collars	43-44
Extrication Devices	44-46

SPLINTING

46-47

Traction Splints & Air Splints	46-47
Vacuum Mattresses & Transfer Mattresses	47
Vacuum Splints	47

PEDIATRICS

48-49

Pediatric Transport & Immobilization	48-49
--------------------------------------	-------

iNTRAXX

50-51

iNTRAXX Integrated Vehicle Component System	50-51
---	-------

BAGS & CASES

52-55

Trauma Bags	52
Airway Bags	53-54
Mini-Bags	55

OXYGEN

57-66

Regulators	57-58
Administrators, Masks, Valves, BVMs & Hoses	59-61
Oxygen Bottles & Holders	62-64
Airway Kits	64
Intubation & Accessories	65-66

RESCUE

68-81

Basket Stretchers, Rescue Litters & Rescue Stretchers	68-75
Belays, Bridles & Rope Accessories	76
Sea Scoopa	77
Recovery Pole & Rescue Retrieval	78
Tripods, Anchor Devices, Arachnipod	78-80
Harnesses & Backpacks	81

MORTUARY

83-88

Cots & Stretchers	83-85
Stretcher/Body Bags	85
Scoop, Disaster Pouch & Side Extension Panels	86-87
Operating Tables	87
Church Trucks	88

AVIATION & MILITARY

90-94

Transport Systems, Litters	90
Baby Pod	91
Medical Headwall Tripod Systems	91
Compact Treatment Station	92
Track	92
Litter Arms	92
Evacuation Board	93
Med Rail, Mounts & Clamps	93
UNI-ClipDoc System	94



iNX® Integrated Patient Transport & Loading System

Raise, lower, load, and unload patients with the push of a button. With a 700 lb/318 kg **unassisted** lift capacity, the iNX has your back on every call—including bariatric calls. It also offers infinite configurations, allowing you to navigate through diverse environments and provide clinical care in multiple positions.

- Integrated loading system effectively eliminates lifting
- Dual, powered actuators maximize tip stability and lift patients weighing up to 700 lb/318 kg
- Automatic high-speed extend & retract feature reduces load and unload time
- Simple, one-touch operation helps you stay focused on patient care
- Programmable load height adjusts to match the height of your ambulance's floor
- LCD display with battery level Indicator provides system status and operational cues
- Patient surface is level at all heights to enhance procedural care
- Infinite positioning allows you the flexibility to provide specialized clinical care
- Universal accessory rail enables you to attach accessories in any position
- Certifications: EN 1789, EN 1865, AS/NZS-4535:1999, IP56, SAE J3027, KKK-A-1822, IEC 60601-1, NFPA-1917, CAAS GVS v. 1.0, RoHS-2, CE



No-Lift Design allows you to load and unload with ease.



Independent Leg X-Frame design allows you to navigate obstacles with your thumb and not your back.

































Integrated Lighting System with continuous and flashing modes allows you to see and be seen in dark and hazardous conditions.

iNX for iNLINE with Directional Wheel LocksNo. 0000iNXiNLINEWL
iNX for iNLINE without Directional Wheel LocksNo. 0000iNXiNLINE

STANDARD FEATURES

- Equipment Hook
- Bolster Mattress
- Shock Frame
- Control-end Wheel Locks
- Control-end Pull Handle
- FERNO X-Restraints
- Fold-down Sidearms
- Antler and Rail Compatibility

ACCESSORIES

							
Three-Stage IV Pole No. LAIV3SCL	PacRac™ + Equipment Mount No. FWEPR	Directional Wheel Lock No. FWEDCL	SX Surface Xtender™ No. 1590159	Load Frame Handles No. FWESLH	Equipment Mount (backrest) No. 0822451	Equipment Mount No. 0822452	Storage Net Telescoping Frame No. 0822453
							
Storage Net Head-End Leg No. 0822454	Storage Net Foot-End Leg No. 0822455	iNX Mattress No. 0374904	iNX Restraints, Shoulder/Waist No. 0374890	430 Restraints No. 0313892 (black 5')	iNX Restraints Shoulder No. 0314114	Oxygen Holder Head-End No. 0905963	Transfer Board No. 0107992
							
ScoopEXL™ No. 00065EXL (yellow) No. 00065EXLRED (red)	ScoopEXL™ Patient Surface Extender Kit No. 009008250	Pedi Mate™ + Pediatric Restraint System No. 0314115	NeoMate™ Pediatric Restraint System No. 0314116	KangooFix™ Neonatal Restraint System No. 0374906	Adapter Bracket for Pedi Mate™ + & NeoMate™ Pediatric Restraint System No. MANU000140	Replacement Battery No. 0822480	Patient Shield No. 0822097
							
LBS Jr. Bariatric Board No. 0822184	Adaptor Kit for iNX No. FA911A600	LBS Jr. Mattress No. 0314050	LBS Jr. IV Pole No. 0087173	Equipment Pole System No. FA889A050			

Scan the QR code to learn more

FASTENER

iNLINE® Fastening System

The iNLINE Cot Fastening System is designed to protect your crews and patients in the event of an accident, as it is fully compliant with ambulance safety standard SAE J3027. It is compatible with the iNX Integrated Patient Transport & Loading System and the PRO 28Z Chair Cot.

- iNLINE, Small (86 in | 2184 mm) No. ILFS86
iNLINE, Medium (95 in | 2424 mm) No. iLFM95
iNLINE, Large (102 in | 2584 mm) No. iLFL102



	LENGTH (MAX)	LENGTH (MIN)	WIDTH	HEIGHT (MIN)	HEIGHT (MAX)	LOADING HEIGHT	WEIGHT	LOAD LIMIT
IMPERIAL	81 IN	63 IN	24 IN	14 IN	49 IN	35 IN	203 LB	700 LB
METRIC	205 CM	159 CM	60 CM	37 CM	125 CM	89 CM	92 KG	318 KG



POWER X1™ Cot

The POWER X1 Ambulance Cot offers power, stability, maneuverability, and speed. With an **unassisted** lift capacity of 700 lb/317 kg, the POWER X1 is the ultimate solution for both everyday and bariatric transport. Its industry-leading battery technology provides high-powered, reliable performance on every call. The POWER X1 is cross-compatible, as it can be used with a range of fastener systems.

- ENDURACharge Power System delivers 113 cycles per charge
- 36-volt lithium ion battery is UL certified and offers longer charge cycle life
- RAPIDLift Retraction System enables faster leg retraction and extension
- TipRESIST Advanced Stability Technology provides more stability at transport height
- ERGOFrame® Flexible Positioning provides more maneuverability
- 5-position articulating ERGOFrame enables optimal ergonomic positioning for operators
- Certifications: EN 1865, EN 1789, SAE J3027, CAAS-GVS v1.0, IP56, KKK-A-1822F, NFPA 1917, AMD 004, IEC 60601-1-2, ISTA 1B, AMD, Alberta, Ontario, AS/NZS 4535:1999, RoHS-2, BCAS, CE

POWER X1 Base ModelNo. 0015807



ENDURACharge® Power System delivers 113 cycles per charge.



RAPIDLift® Retraction System achieves one full cycle in just 3.4 seconds.



ERGOFrame® Flexible Positioning shortens the frame by as much as 22 in/558 mm.

PATIENT HANDLING

STANDARD FEATURES

- Equipment Hook
- Bolster Mattress
- Shock Frame
- Control-end Wheel Locks
- Control-end Pull Handle
- FERNO X-Restraints
- Fold-down Sidearms
- Antler and Rail Compatibility

OPTIONAL FEATURES

- Knee Gatch (for contour position)



ACCESSORIES



Three-Stage IV Pole
No. 1590160



PacRac+ Equipment Mount
No. 1590161



SX Surface Xtender™
No. 1590159



Storage Net Head-End
No. 0822482



Replacement Battery
No. 0822483



Cycle Tracker
No. 0906053



Backrest Storage Pouch
No. 0374907



Directional Wheel Lock
No. 0900632



Patient Shield
No. 0822097



Oxygen Bottle Holder (head-end)
No. 0822485



Oxygen Bottle Holder (foot-end)
No. 0822486



LBS Jr. Bariatric Board
No. 0822184




LBS Jr. Bariatric Mattress
No. 0314050



POWER X1™ Mattress
No. 0374926



X Restraint System
No. 0822489



430 Restraints
No. 0313892
(2 pc. black 5')



Transfer Board
No. 0107992



Pedi Mate+ Pediatric Restraint System
No. 0314115



NeoMate™ Pediatric Restraint System
No. 0314116



KangooFix™ Neonatal Restraint System
No. 0374906



Equipment Pole System
No. FA908A915



Scan the QR code to learn more

FASTENERS

PRO F1™

The PRO F1 Universal Cot Fastener is the first truly crash-test standard compliant cross-compatible cot fastener. It is designed for use with the FERNO POWER X1, Stryker Power-PRO™ XT, and Stryker Performance-PRO™ XT ambulance cots. With the PRO F1, you can easily exchange cots between the vehicles in your fleet as needed, knowing that they will be safely secured in compliance with worldwide crash-test standards.


Base Model without ICSNo. 0567065
With ICS and DC cableNo. 0567066




Model 175 Fasteners

Available for both Universal Floor Plate installations and Standard Floor Plate installations. Universal Floor Plate installations require additional kit.

Universal Floor Plate Kit.....No.0800643




175 Universal Floor Mount
No. 000175UF



175 Universal Wall Mount
No. 000175UW



175 Standard Floor Mount
No. 000175SF



175 Standard Wall Mount
No. 000175SW



	LENGTH (MAX)	LENGTH (MIN)	WIDTH	HEIGHT (MIN)	HEIGHT (MAX)	LOADING HEIGHT	WEIGHT	LOAD LIMIT LOAD POSITION	LOAD LIMIT LOWEST POSITION
IMPERIAL	80 IN	58.5 IN	24 IN	16.2 IN	44 IN	35.5 IN	143 LB	700 LB	1,100 LB
METRIC	203 CM	148 CM	60MM	61 CM	112 CM	91 CM	65 KG	318 KG	498 KG

POWER X1: Available in USA, UK, Australia, France, Italy, Transportgeräte GmbH, and Japan.



POWERX™ Cot

Designed for use in vehicles with a tail-lift or ramp, POWERX is ergonomically designed for enhanced handling and maneuverability, making it easier and safer to operate. It is configurable to differing needs, feature-rich in design, and boasts a range of features and benefits.

- Reduced weight makes it easier to maneuver and contributes to a reduction in overall vehicle weight and subsequent fuel consumption
- Lighter in design, easier to clean and to maintain
- Simple-to-use controls ensure easier operation and handling
- Easy to store push poles
- Quick recharge, long-lasting lithium-ion battery technology
- Enhanced infection control with wipe-clean mattress & restraints using anti-bacterial materials
- Offering configurability and flexibility; from frontline EMS use, to specialist care, to bariatric, POWERX is configurable to many different applications and needs
- Surface extends to 37.2 in (945 mm) with Scoop attached
- Certifications: EN 1789, EN 1865, CE, AS/NZS 4535:1999

POWER X Base Model Contact for Options

Order from FERNO UK T: +44 (0) 1274 851 999 | E: sales@ferno.co.uk



Push-Poles with grip handles provide improved maneuverability, and can be conveniently stowed.



Configurability is quickly achieved with the integrated side-rail interface, allowing a host of options and accessories to be easily attached to the cot



Simple to Operate Controls offer color coded buttons allow up and down height adjustments with the touch of a button.

PATIENT HANDLING

STANDARD FEATURES

- Push-Poles head & foot-end
- Directional Wheel Locks head-end
- Wheel Brakes on all 4 corners
- Anti-Bacterial Pressure-Reducing Mattress
- Wipe-Clean Biosafe Restraints or Webbing Restraints
- MCF Winch-Link Connection
- Manual Release Handle


ADDITIONAL OPTIONS



Lateral-folding Cot Sides



SX Surface Xtender™



Side Lighting



Latching Backrest Monitor Hook



CD/ZA O2 Cylinder Holder

ACCESSORIES



Three-Stage IV Pole
No. 1590160 OR
LAIV35CL



Side Lift Handles
No. FWELFH



Storage Net Head-End
No. 038288499



ABPR Adjustable Winged Headrest
No. 0800-3185



Transfer Board
No. 0107992



Patient Shield
No. 0822097



PacRac™+ Equipment Mount & Fixing Kit
PacRac™ No. FWEPR+IT
Fixing Kit No. 009010150



SX Surface Xtender™ Pads
No. 038288525



Scoop® EXL with Pins
No. 00065EXLBLK



Patient Surface Extender Kit for Scoop® EXL
No. 009008250



Mattress Side-pads for Surface Extender Kit
No. 0450-0576



Inflatable Side-pads & Pump for Surface Extender Kit
No. 23271000802



Battery
No. 75-0710-001



12v DC Battery Charger
No. 60-0600-001



240v AC Battery Charger
No. 75-0710-002



Pedi Mate™+ Pediatric Restraint System
No. 0314115



NeoMate™ Pediatric Restraint System
No. 0314116



KangooFix™ Neonatal Restraint System
No. 0374906



Biosafe 4-point Restraint
No. 038387550



Biosafe Leg Restraint Strap
No. 038387600

ACCESSORIES NOT PICTURED

- Webbing 4-point Restraint - No. 038387525
- Webbing Leg Restraint Strap - No. 038387650

FASTENERS/LOCKS

SlideLock™ Locking Device provides quick reconfigurability of an ambulance to allow bariatric cots to extend the cot sides to easily and safely transport without the need to physically remove and refit the cot floor lock to the center position in the vehicle floor. Utilizing a linear slide that is mounted into the vehicle floor, SlideLock can be moved from one position to another with speed and with ease, without the need for tools.

Certifications: EN 1789, CE



SlideLock™ 150 mmNo. 056172475

SlideLock™ 225 mm No. 056172480

2-Part Lock directly mounted to the vehicle floor, the Standard 2-Part Lock is designed to hold a range of ambulance trollies in vehicles with a tail-lift or ramp. The locks ensure safe fixing of the trolley to the vehicle, with easily operated disengagement. Certifications: EN 1789, CE



Standard 2-part Lock
No. 056172400/S



NMI 2-part Lock
No. 056173500



Unwin 2-part Lock
No. 056173800

FASTENERS/LOCKS NOT PICTURED

LHS Operated Standard 2-part Lock.....No. 056172700
LHS Operated NMI 2-part Lock.....No. 056173550
LHS Operated Unwin 2-part LockNo. 056173875



	LENGTH (MAX)	LENGTH (MIN)*	HEIGHT (MAX)	HEIGHT (MIN)	WIDTH	WIDTH (SCOOP SPLIT)	WEIGHT	LOAD LIMIT RAISED POSITION	LOAD LIMIT LOWEST POSITION
IMPERIAL	75.9 IN	57.1 IN	34.7 IN	18.9 IN	22.4 IN	37.2 IN	172 LB	771.6 LB	881.8 LB
METRIC	193 CM	145 CM	88 CM	48 CM	57 CM	95 CM	78 KG	350 KG	400 KG

*Max shortening, 1450 mm with no stowage net and not in locked position, 1540 mm when in locked telescoping position



Model 35X PROFlexx® Cot

FERNO's 35X PROFlexx® X-frame ambulance cot provides industry-leading stability and safety. A longer, fixed front leg in the X-frame and carefully engineered geometry create a low center of gravity and minimal flex.

- Rigid C-channel and fixed front legs provide stability when rolling patient
- Locked-on mattress provides easy patient transfer and security during roadside or aeromedical response
- Built-in shock frame and control-end lead handle
- 6 in / 150 mm U-Tread wheels with two wheel locks
- Safety U-bar and hook hold cot inside ambulance as undercarriage is lowered when unloading
- One-hand swing-down sidearms
- Gas-assist backrest
- Nine height positions and three loading heights
- Certifications: NFPA 1917, CAAS GVS v.1.0, KKK-A-1822F, SAEJ3027

- 1 Five-Position Articulating Load Frame** provides optimal ergonomic positioning for operators and accommodates movement in confined spaces
- 2 Wider Bed Surface and Head Frame** provide comfort and support for patients of any size and extra elbow room during intubation and CPR.
- 3 All-Metal Frame Construction** provides strength, long service life, and exceptional performance with heavy patients.
- 4 Telescoping Side Lift Handles** provide extra lifting points and ease navigation over rough terrain.
- 5 EZ-Pull™ Release System** reduces wrist strain and helps you position yourself before assuming the weight of the cot, allowing you to maintain optimum lifting posture.
- 6 Complete Bariatric Solution** with load frame handlebar, 500 kg (1100 lb) Load Limit in the lowest position, and optional LBS Jr. Bariatric Board.

35X, Red, Mattress and Restraints..... 0015690

ACCESSORIES



513-13 IV Pole
No. 0087172



513-10 IV Pole Non-magnetic
No. 0087156



514 Oxy-Clip™
No. 0085500



274 PacRac™
No. 0818933



Oxygen Holder Foot-End
No. 0819958



Backrest Oxygen Holder
No. 0822111



Lower Tray Storage
No. 08159607



Equipment Bracket
No. CA5250



Sof-Net™ Drop-frame Storage Net
No. 082model 1996



Patient Shield
No. 0822097



Cycle Tracker
No. 0832159



Mattress
No. 0313920




Mattress with Transfer Board Pocket
No. 0314028



Transfer Board
No. 0107992



417-1 Restraints
No. 0313915 (black)



430 Restraints
No. 0313892 (2 pc. black 5')
No. 0313911 (2 pc. black 7')



Dialysis Kickstand
No. 0822116



Pedi Mate+ Pediatric Restraint System
No. 0314115



NeoMate™ Pediatric Restraint System
No. 0314116



KangooFix™ Neonatal Restraint System
No. 0374906



Patient Shield
No. 0822097



LBS Jr. Bariatric Board
No. 0822184



LBS Jr. Mattress
No. 0314050



Bariatric Tow Package
No. 0822121



Restraint Extenders
No. 0313942 (1' / 305 mm)
No. 0313659 (2' / 610 mm)
No. 0313670 (3' / 914 mm)



Bariatric Push Pull Handles
Angled (head or foot end).....No. 0822147
Straight (head or foot end).....No. 0822148
Angled, for LBS Jr.....No. 0822112
Straight for LBS Jr.....No. 0822146

FASTENERS

Model 185 StatTrac® Fastener

- Heavy-duty track system constructed of aluminum
- Straight-in track design eliminates cot drift
- Can be installed in side or center position inside an ambulance

Model 185 StatTrac® Short (2184 mm/86 in).....No.0567025

Model 185 StatTrac® Medium (2438 mm/96 in).....No. 0567038

Model 185 StatTrac® Long (2616 mm/103 in).....No.0567032



Model 175 Fasteners



175 Universal Floor Mount
No. 000175UF



175 Universal Wall Mount
No. 000175UW



175 Standard Floor Mount
No. 000175SF



175 Standard Wall Mount
No. 000175SW

Model 175 Fastener for Universal Floor Plate installations require additional kit.

Universal Floor Plate Kit.....No.0800643



	LENGTH (MAX)	LENGTH (MIN)	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	LOAD HEIGHT (MAX)	WEIGHT	LOAD LIMIT
IMPERIAL	79 IN	64 IN	24 IN	40 IN	14 IN	35 IN	92 LB	700 LB
METRIC	201 CM	162 CM	61 CM	102 CM	35 CM	89 CM	42 KG	317 KG

Mondial® Transporter

The Mondial® features FERNO's Smart-Load™ system to make your job easier with smooth, simple, ergonomic operation when loading and unloading or lifting and lowering.

- Reduce wrist strain and set body position before lifting or lowering the patient with the EZ-Pull™ Release Handle
- Leg lock indicator provides visual feedback of whether the legs are locked or unlocked
- Loading-end swivel wheel locks
- Certifications: EN 1865, EN 1789, TUV, CE



- Smart-Load™ Auto-Release System**, featuring loading-end leg automatic release mechanism and optional control-end leg automatic release mechanism, provides smooth, safe, and easy loading and unloading.
- All-Metal Frame Construction** provides strength, long service life, and exceptional performance with patients weighing up to 270 kg.
- Swivel-Lock Release Mechanism** provides maximum maneuverability in tight spaces.



Large 150 mm Soft-Ride Wheels with wheel locks provides easy rolling over all terrains. (Options 1 and 2 include two conductive wheels with an antistatic feature.)



Color-Coded Controls and Automatic Leg Release provide easy, intuitive operation.



Eight Height Positions provide easy patient transfer from different surface levels.

PACKAGE INCLUSIONS

	Auto Loading-End Leg Release	Leg Lock	SmartLoad™ Control-End Auto Release	Conductive Wheels	Safety Lock Device	Tracker Bracket
Base Package	●					
Option 1	●	●	●	●		
Option 2	●	●	●	●	●	●

ACCESSORIES



Cycle Tracker
No. 0832165

	BASE PACKAGE		OPTION 1		OPTION 2	
	ST64	ST70	ST64	ST70	ST64	ST70
MONDIAL ST RED	0054222	0054219	0054229	0054231	0054238	0054241



	LENGTH	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	FOLDING HEIGHT	LOADING HEIGHT	WEIGHT	LOADING LIMIT
ST64 IMPERIAL	77.5 IN	22 IN	39 IN	14 IN	14 IN	27-29 IN	62 LB	600 LB
ST64 METRIC	197 CM	55 CM	99 CM	36 CM	35 CM	67-73 CM	28 KG	270 KG
ST70 IMPERIAL	77.5 IN	22 IN	41 IN	14 IN	14 IN	29-31 IN	62 LB	600 LB
ST70 METRIC	197 CM	55 CM	105 CM	35 CM	34 CM	73-79 CM	28 KG	270 KG

Mondial® Lift-Off Stretchers

- Anodized tubing prevents oxidation for clean hands and clothing
- Features shock position and contour position
- Swing-down sidearms
- Infinitely-adjustable gas-assist backrest, adjusts up to 80°
- Four wheels (100 mm/4 in)
- Two telescoping side lift handles
- Two Model 430 restraints and one 417-EFX restraint included
- Reversible patient loading: Head first or feet first
- Compatible with the Mondial® Transporter
- External bolster mattress (sold separately)
- Certifications: TUV, CE



Mondial® RS2 Lift-Off Stretcher

- Stationary footrest included as standard
- Telescoping head and foot end lifting handles

Mondial® RS2.2 with Extending Backrest & Storage TrayNo. 0153233

Mondial® RS2.3 with Airway Management & Storage TrayNo. 0153234

DIN Pin Kit AccessoryNo. 0832167



ACCESSORIES



Three Stage IV Pole

No. 0090016



514 Oxy-Clip™

No. 0085500



Storage Tray

No. 0832166



Bolstered Mattress

No. 0374874



417 Restraints

No. 0313996



430 Restraints

No. 0313892
(2 pc. 5' blk)
No. 0313910
(1 pc. 7' blk)



Patient Shield

No. 0822097



	LENGTH	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
RS2 IMPERIAL	77 IN	22 IN	6 IN	50.4 LB	500 LB
RS2 METRIC	195 CM	55 CM	15 CM	22.9 KG	230 KG
RS3 IMPERIAL	77 IN	22 IN	6 IN	49.8 LB	500 LB
RS3 METRIC	195 CM	55 CM	15 CM	22.6 KG	230 KG
RS4 IMPERIAL	77 IN	22 IN	6 IN	46.4 LB	500 LB
RS4 METRIC	195 CM	55 CM	15 CM	21 KG	230 KG

Mondial® Monobloc

The Mondial® Monobloc has been designed with Ferno's Smart-Load™ system technology to make your job easier with smooth, simple, ergonomic operation of the cot when loading and unloading from an ambulance, and when lifting or lowering the patient load at the scene.

- Positive visual feedback when the legs are locked or unlocked using the leg lock indicator
- Easy patient transfer from different surface levels using multiple height positions
- Provide additional safety on uneven surfaces with control-end wheel locks
- Certifications: EN 1865, EN 1789, TUV, AS/NZS 4535:1999, CE

1 Smart-Load™ Auto-Release System, featuring loading-end leg automatic release mechanism and optional control-end leg automatic release mechanism, provides smooth, safe, and easy loading and unloading.

2 All-Metal Frame Construction provides strength, long service life, and exceptional performance with patients weighing up to 270 kg.

3 Swivel-Lock Release Mechanism provides maximum maneuverability in tight spaces.



4 Large 150 mm Soft-Ride Wheels with wheel locks provides easy rolling over all terrains. (Options 1 and 2 include two conductive wheels with an antistatic feature).

5 Color-Coded Controls and Automatic Leg Release provide easy, intuitive operation.

All options include Base Package, which includes: restraints, sidearms, scuff strip rollers, recline backrest, shock/contour foot panel & auto loading-end leg release.

	Telescoping Side Handles	Telescoping Foot-End Handles	Leg Lock	Contour-end Leg Auto Release	Conductive Wheels	Extending Headrest	Side Lift Handles	Storage Tray	Safety Lock Device	Cycle Tracker	Airway Management Headrest
Option 1	●	●	●	●	●	●	●	●			
Option 2	●	●	●	●	●	●	●	●	●	●	

	BASE PACKAGE		OPTION 1		OPTION 2	
	MB64	MB70	MB64	MB70	MB64	MB70
MONDIAL MB RED	0054246	0054249	0054252	0054255	0054258	0054261

ACCESSORIES & FASTENER



Three-stage IV Pole
No. 0832197



PacRac™+ Equipment Mount
No. 1590161



Bolstered Mattress
No. 0374874



Cycle Tracker
No. 0832165



Telescoping Foot-End Handles
No. 0832216



Telescoping Side Handles
No. 0832191



430 Restraints
No. 0313892
(2 pc. black 5')
No. 0313911
(2 pc. black 7')



Harness Restraint
No. 1204016



Storage Tray
No. 0832166



Patient Shield
No. 0822097



Mondial FL1 Fastener
No. 0573080



	LENGTH	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	FOLDING HEIGHT	LOADING HEIGHT	WEIGHT	LOADING LIMIT
MB64 IMPERIAL	77.5 IN	22 IN	37 IN	13 IN	12 IN	27-29 IN	98 LB	620 LB
MB64 METRIC	197 CM	55 CM	95 CM	33 CM	31 CM	67-73 CM	44.4 KG	280 KG
MB70 IMPERIAL	77.5 IN	22 IN	40 IN	12 IN	13 IN	29-31 IN	98 LB	620 LB
MB70 METRIC	197 CM	55 CM	101 CM	31 CM	33 CM	73-79 CM	44.4 KG	280 KG

F2 Monobloc

- Independent leg operation provides safe loading into the ambulance, legs unfold automatically for easy unloading
- Color-coded controls are easy to use and require minimal training
- Large 200 mm (8 in) wheels easily roll over any terrain
- Control-end swivel-lock wheels and loading-end fixed wheels with wheel locks
- Shock frame and contour frame
- Four telescoping carrying handles with three locking positions
- Adjustable backrest with seven positions up to 85°
- Standard fold-down sidearms
- 100% mechanical, low-maintenance cot
- Built-in footrest
- Certifications: EN 1789 and EN 1865, CE



F2 Stretcher 4 part..... No. 600303001
F2 Stretcher 5 part..... No. 600304001

ACCESSORIES




IV Pole
No. 0838451




Mattress for F2 Monobloc
No. 0314193



Patient Shield
No. 0822097



417-1 Restraints
No. 0313915 (black)
No. 0313914 (orange)



430 Restraints
No. 0313892 (2 pc. black 5')
No. 0313891 (2 pc. orange 5')
No. 0313911 (2 pc. black 7')
No. 0313912 (2 pc. orange 7')

FASTENERS



Antler SLAM Fastener F2 Monobloc
No. 600253002



Three-Point Fastener
No. 600150003

F2 Transporter & Stretcher

- The F2 Transporter & Stretcher includes all of the features of the F2 Monobloc with the inclusions of a lift-off stretcher with reversible patient loading capability
- Standard Sidearms
- Conforms to International Standards EN 1789 and EN 1865

F2 Transporter..... No. 600300001
F2 Stretcher 4-section top..... No. 600301001
F2 Stretcher 5-section top..... No. 600302001



ACCESSORIES & FASTENERS



Instrument Tray
No. 0832158



IV Pole
No. 0838451



Three-Point Fastener
No. 600150003



	LENGTH (MAX)	LENGTH (MIN)	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	LOADING HEIGHT 1	LOADING HEIGHT 2	WEIGHT	LOAD LIMIT
F2 MONOBLOC IMPERIAL	89 IN	76 IN	22 IN	32 IN	11 IN	22 IN	24 IN	95 LB	550 LB
F2 MONOBLOC METRIC	227 CM	192 CM	57 CM	82 CM	27 CM	56 CM	60 CM	43 KG	250 KG
TRANSPORTER IMPERIAL	78 IN	78 IN	23 IN			20 IN	22 IN	61 LB	551 LB
TRANSPORTER METRIC	197 CM	197 CM	58 CM			50 CM	56 CM	27.5 KG	250 KG
STRETCHER IMPERIAL	89 IN	75 IN	22 IN			—	—	41 LB	551 LB
STRETCHER METRIC	227 CM	190 CM	57 CM			—	—	18.4 KG	250 KG

Model 35A Cot

- X-frame undercarriage is easily raised or lowered by second EMT when loading or unloading
- Eight bed positions provide easy patient transfer from different surface levels when loading or unloading
- Control-end lead handle and side release handle
- Two loading heights
- One-hand swing-down sidearms
- Safety U-bar and hook to hold cot inside ambulance as undercarriage is raised or lowered
- Built-in shock frame
- Black restraints
- Mattress available in orange or burgundy
- Certifications: CE



1 Fold-Down Drop Frame allows better maneuverability in confined spaces.

2 Gas-Assist Backrest adjusts from 0° to 75° for optimal patient comfort.

3 Tubular Aluminum Construction makes the cot durable yet lightweight.

4 Lubrication-Free, Easy-Roll Wheels provide smooth transport on most surfaces.

Model 35A Kit, Wheel Locks, Restraints, Orange 460 Mattress..... No. 0000379

Model 35A Kit, Restraints, Orange 460 Mattress..... No. 0000406

Model 35A-NM Non-Magnetic Cot with Restraints No. 0015612

ACCESSORIES & FASTENER



Equipment Bracket
No. CA5250



513-10 IV Pole Non-magnetic
No. 0087156



513-13 IV Pole
No. 0087172



514 Oxy-Clip™
No. 0085500




360 Mattress
No. 0313691



460 Bolstered Mattress
No. 0312720



417-1 Restraints
No. 0313915 (black)
No. 0313914 (orange)



430 Restraints
No. 0313892 (2 pc. black 5')
No. 0313891 (2 pc. orange 5')
No. 0313911 (2 pc. black 7')
No. 0313912 (2 pc. orange 7')



274-S PacRac™
No. 0818933



Patient Shield
No. 0822097



Storage Net Head-End
No. 0819503



Oxygen Holder Foot-End
No. 0819761



Pedi Mate™ Pediatric Restraint System
No. 0314115



NeoMate™ Pediatric Restraint System
No. 0314116



KangooFix™ Neonatal Restraint System
No. 0374906



Transfer Board
No. 0107992



175 Universal Floor Mount
No. 000175UF



175 Universal Wall Mount
No. 000175UW



175 Standard Floor Mount
No. 000175SF



175 Standard Wall Mount
No. 000175SW

Model 175 Fastener for Universal Floor Plate installations require additional kit.

Universal Floor Plate Kit.....No.0800643



	LENGTH (MAX)	LENGTH (MIN)	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	LOADING HEIGHT 1	LOADING HEIGHT 2	WEIGHT	LOAD LIMIT
35A IMPERIAL	79 IN	61 IN	24 IN	35 IN	10 IN	28 IN	32 IN	74 LB	500 LB
35A METRIC	201 CM	155 CM	61 CM	88 CM	26 CM	71 CM	81 CM	34 KG	227 KG

Model 25 Cot

The Model 25 ambulance cot is simple to operate. It features legs that fold as the cot is loaded into the ambulance and unfold as the cot is removed.

- Simple to use roll-in cot with two levels of height adjustment: Fully elevated or ground level
- Independent folding legs
- Lightweight tubular aluminum construction provides durability and strength
- Swing-down sidearms enable convenient patient transfer from bed to cot
- Two stationary and two 360° swivel wheels
- Adjustable backrest angles from 0° to 75°
- Now includes two roll-out wheels at operator end
- Certifications: CE

Model 25 Cot Only (610 mm Load Height) No. 0054082
Model 25, Restraints, Orange 460 Mattress No. 0000381
Model 25, Restraints, Orange 360 Mattress No. 0000444
Model 25, Restraints, Burgundy 460 Mattress..... No. 0000445



CE

Model 25i Cot

- Nine-position backrest
- Two-position shock frame (raised and folded)
- Independent folding legs
- Fold-down drop frame shortens the length of the cot
- Lightweight tubular aluminum construction
- Swing-down sidearms
- Two stationary and two 360° swivel wheels
- Compatible with SLAM-25 Fastening System

Model 25i Cot Only No. 0052500



Model 26 Cot

- Simple to use roll-in cot with two levels of height adjustment
- Fully elevated or ground level
- Independent folding legs
- Fold-down drop frame shortens the length of the cot
- Lightweight tubular aluminum construction
- Swing-down sidearms
- Two stationary and two 360° swivel wheels
- Adjustable backrest angles from 0° to 75°
- Includes footrest, leg lock, and safety lock for patient comfort and safety
- Includes two roll-out wheels at the operator end
- Certifications: CE

Model 26 Cot OnlyNo. 0012600
Model 26 Cot Kit, Restraints, Orange 460 Mattress No. 0000360
Model 26 Cot Kit, Restraints, Burgundy 460 Mattress..... No. 0000388



CE

See following page for specifications, accessories & fastener options

Model 26S

- Roll-in cot with two levels of height adjustment: Fully elevated or ground level
- Main frame features shock position
- Two stationary wheels, two load wheels, and two 360° swivel wheels with wheel locks
- Independent folding legs
- Available with bolster mattress, restraints, and shoulder harness for patient comfort and safety
- Lightweight tubular aluminum construction
- Swing-down sidearms
- Adjustable backrest angles from 0° to 75°
- Includes footrest, leg lock, and safety lock
- Now includes two roll-out wheels at the operator end
- Fold-down drop frame
- Certifications: CE



Model 26S

Model 26S Cot Only (shock frame, 2 wheel locks.....No. 0053976

Model 26S Cot Kit, Restraints, Orange 460 MattressNo. 000026SO460

ACCESSORIES & FASTENERS



417-1 Restraints

No. 0313915
(black)
No. 0313914
(orange)



430 Restraints

No. 0313892
(2 pc. black 5")
No. 0313891
(2 pc. orange 5")
No. 0313911
(2 pc. black 7")
No. 0313912
(2 pc. orange 7")



360 Mattress

No. 0313691
(orange)
No. 0313692
(burgundy)



460 Bolstered Mattress

No. 0312720
(orange)
No. 0313063
(burgundy)



514 Oxy-Clip™

No. 0085500



513-13 IV Pole

No. 0087172



Patient Shield

No. 0822097




175 Universal Floor Mount

No. 000175UF



175 Universal Wall Mount

No. 000175UW



175 Standard Floor Mount

No. 000175SF



175 Standard Wall Mount

No. 000175SW

Model 175 Fastener for Universal Floor Plate installations require additional kit.

Universal Floor Plate Kit.....No.0800643



	LENGTH	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	LOADING HEIGHT	WEIGHT	LOAD LIMIT
25 IMPERIAL	76 IN	22 IN	32 IN	9.5 IN	24 IN	49 LB	400 LB
25 METRIC	192 CM	55 CM	81 CM	24 CM	61 CM	22 KG	181 KG
25I IMPERIAL	71 IN	23 IN	32 IN	9.5 IN	24 IN	56 LB	400 LB
25I METRIC	181 CM	59 CM	81 CM	24 CM	61 CM	25 KG	181 KG
26 IMPERIAL	77 IN	23 IN	32 IN	9 IN	24 IN	56 LB	400 LB
26 METRIC	195 CM	58 CM	81 CM	22 CM	61 CM	25 KG	181 KG

Model 26-B Heavy Load® Cot

New bariatric cot with reinforced structure and heavy load frame.

- Lightweight reinforced structure with a Load Limit of 280 kg
- Intuitive handles for easy control during the unloading phase
- Can be reduced in length if needed
- Adjustable multi-position backrest
- Collapsible side rails
- Large wheels with ergonomic brakes
- Certifications: EN 1865, EN 1789, TUV, CE

26-B Bariatric Self-loading Stretcher26-B-R
Mattress0374857

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it



ACCESSORIES & FASTENERS



**ITC-thermo
Cradles Interface**
No. ITC



IV Pole
No. 513-10E



Pac-Rac
No. 0818933



417-1 Restraints
No. 0313915
(black)
No. 0313914
(orange)



**430-1-N
Restraints**
No. 430-1-N



**430-2-N
Restraints**
No. 430-2-N



Mattress
No. 0374857



**SLAM-26 Fastener
for Model 26-B
PRO Flexx**
No. Slam 26



	LENGHT (MAX)	LENGHT (MIN)	HEIGHT (MAX)	LOAD HEIGHT (MAX)	LOAD HEIGHT (MIN)	WIDTH	WEIGHT	LOAD LIMIT
26-B IMPERIAL	80 IN	66 IN	31 IN	25 IN	24 IN	21.65 IN	77 LB	617 LB
26-B METRIC	192 CM	167 CM	80 CM	64 CM	61 CM	55 CM	35 KG	280 KG

Model 5126EL Cot

The 5126EL Cot has been designed with an internal frame stiffener for strength and stability that is unmatched in the industry.

- Seven levels of height adjustment
- Ergonomic height adjustment handle provides an improved, comfortable grip
- EZ-Load™ front leg automatic release mechanism
- Anodized tubing prevents oxidation for clean hands and clothing
- Footrest included
- Swing-down sidearms
- Shock frame
- Certifications: EN 1789 and EN 1865, CE



Model 5226EL, 70 cm Load Height, with EZ-LoadNo. 0054213

Model 5126EL, 64 cm Load Height, with EZ-Load..... No. 0054209

Model 5126 Cot Only, without EZ-Load..... No.

Order from FERNO SLOVAKIA T: +421 32 7708010 | E: sales@ferno.sk

ACCESSORIES & FASTENER



514 Oxy-Clip™
No. 0085500



513-13 IV Pole
No. 0087172



**513-10 IV Pole
Non-magnetic**
No. 0087156



5126EL Mattress
No. 65-0560-001



5126 EL Restraints
No. 65-4500-001



417-1 Restraints
No. 0313915
(black)
No. 0313914
(orange)



430 Restraints
No. 0313892
(2 pc. black 5')
No. 0313891
(2 pc. orange 5')



**SLAM T -5026/EFX
Fastener**
No. 0573082



	LENGTH	HEIGHT (MAX)	HEIGHT (MIN)	LOADING HEIGHT	WIDTH	WEIGHT	LOAD LIMIT
MODEL 5126EL IMPERIAL	78 IN	22.6 IN	10 IN	25 IN	22 IN	95 LB	400 LB
MODEL 5126EL METRIC	197 CM	89 CM	25 CM	64 CM	55 CM	43 KG	181 KG

PRO 28Z™ Chair Cot

The PRO 28Z Chair Cot—a modern redesign of the classic 28Z PROFlexx®—provides exceptional maneuverability and stability. With its specialized ZFrame™ Advanced Positioning, the PRO 28Z transforms from a cot to a chair so that you can easily navigate tight hallways, narrow staircases, and elevators—all without transferring the patient. The PRO 28Z is compatible with the FERNO iNLINE® Fastening System for SAE-compliant safety in the ambulance.

- Most compact chair cot on the market, with a footprint of only 47 in x 25 in (1194mm x 635mm) in the chair position
- One-hand release mechanism quickly and easily switches the PRO 28Z between three locked positions: Chair, intermediate, and cot
- All-metal frame construction provides strength, durability, and performance with heavy patients
- Cross-Compatible: When paired with the iNLINE Cot Compatibility Kit, the PRO 28Z is compatible with the SAE-compliant iNLINE Cot Fastening System
- Certifications: EN 1865, EN 1789

PRO 28Z Base Model.....No. 0012826

STANDARD FEATURES

- Swing-Down Sidearms
- FERNO X-Restraints
- Two-Piece Locking Mattress
- Backrest Equipment Hook

1 Swing-Up Undercarriage allows easy roll-in loading and roll-out unloading.

2 Easily Transitions From Cot to Chair Position with ZFrame Advanced Positioning.



Scan the QR code to learn more

ACCESSORIES & FASTENERS



274-S PacRac™ Equipment Platform
No. 0818952



Backrest Storage Pouch
No. 0374907



SX Surface Xtender™
No. 0822497



Lower Hard Tray
No. 0822494



Short Load Frame Handles
No. 0822137



Storage Net
No. 0822501



Pedi Mate™+ Pediatric Restraint System
No. 0314115



NeoMate™ Pediatric Restraint System
No. 0314116



KangooFix™ Neonatal Restraint System
No. 0374906



Mattress
No. 0822498



X-Restraint System
No. 0822489



430 Restraints
No. 0313892 (2 pc. 5')



iNLINE® Fastening System (SAE Compliant)
No. ILFS86
Small (86 in | 2184 mm)
No. ILFM95
Medium (95 in | 2424 mm)
No. ILFL102
Large (102 in | 2584 mm)



173 Universal Mount Kit
No. 0567079



173 Standard Mount Kit
No. 0567080

Model 173 Fastener for Universal Floor Plate installations require additional kit.

Universal Floor Plate Kit.....No.0800643

NOT PICTURED
• iNLINE Compatibility Kit



	LENGTH (FOLDED)	LENGTH (RAISED)	WIDTH	HEIGHT (MIN)	HEIGHT (MAX)	LOADING HEIGHT	WEIGHT	LOAD LIMIT
IMPERIAL	81 IN	76 IN	25 IN	8 IN	33 IN	26 IN	96 LB	700 LB
METRIC	206 CM	192 CM	64 CM	20 CM	83 CM	66 CM	43.5 KG	318 KG

Model 28Z PROFlexx® Chair Cot

The 28Z PROFlexx® Chair Cot provides maximum versatility in confined areas. The maneuverability and flexibility of transforming from cot to chair allows you to respond in confined spaces such as tight hallways, narrow staircases, and small elevators without transferring the patient. The 28Z's light weight, superior stability, and Load Limit reduce situations that may cause injury to you or your patient.

- 3 positions with easy transition from cot to chair
- Locked-on mattress provides easy patient transfer and security during roadside or aeromedical response
- All-metal aluminum frame construction provides strength, long service life, and better performance with heavy patients
- Only 1220 mm (48 in.) length in chair position provides high maneuverability
- Certifications: CE



Pictured with optional Lift Handles

28Z, Red, Mattress and Restraints.....No. 0012805
28Z, Red, Mattress, Restraints, Lower TrayNo. 0012810



ACCESSORIES & FASTENERS



28Z Mattress Set
No. 0314031



417-1 Restraints
No. 0313915



430 Restraints
No. 0313892
(2 pc. black 5')



**513-11, IV Pole
HD,
Non-Magnetic**
No. 0087157



514-1 Oxy-Clip™
No. 0085520



274-S PacRac™
No. 0818952



**Long Load Frame
Handles**
No. 0822136



**Short Load Frame
Handles**
No. 0822137



Lead Handle
No. 0822139



Folding Sidearms
No. 0822135



**173 Universal
Mount Kit**
No. 0567079



**173 Standard
Mount Kit**
No. 0567080

Model 175 Fastener for Universal Floor Plate installations require additional kit.

Universal Floor Plate Kit.....No.0800643



	COT HEIGHT (MAX)	COT HEIGHT (MIN)	LOAD HEIGHT	LENGTH FOLDED	LENGTH RAISED	WIDTH	CHAIR HEIGHT	CHAIR DEPTH	WEIGHT	LOAD LIMIT
IMPERIAL	33 IN	9 IN	27 IN	80 IN	75 IN	25 IN	55 IN	48 IN	82 LB	700 LB
METRIC	84 CM	23 CM	69 CM	203 CM	191 CM	64 CM	140 CM	122 CM	37.2 KG	318 KG

Model 28 FERNO-Flex™ Roll-In Chair Cot

The heavy-duty Model 28 FERNO-Flex™ Roll-In Chair Cot quickly converts to any of five positions for easy maneuvering in narrow hallways, elevators, and other confined spaces.

- Single-release mechanism changes cot into one of five locked positions
- Legs automatically lock in place when unloading cot
- All-metal frame construction provides strength, long service life, and exceptional performance with heavy patients.
- Lubrication-free rotating components for easy movements
- Swing-down sidearms
- Two 127 mm (5 in) stationary and two 127 mm (5 in) swivel wheels
- Loading wheels provide easier loading and unloading
- Leg lock clip
- Black restraints
- Mattress available in orange or burgundy
- Certifications: CE

- 1 Versatile Patient Transport** with easy transition from cot to chair. Provides maneuverability and flexibility in challenging structural environments without the need to transfer patients to other carrying devices.
- 2 Unparalleled Maneuverability** with 1140 mm length in chair position, the shortest length of any cot in the market. Ideal for working in confining areas such as tight hallways, small elevators, and narrow staircases.
- 3 Lightest-Weight** roll-in style chair cot on the market at 30 kg (67 lb).
- 4 Adjustable Backrest** with eight positions, angles from 0° to 75°.

Model 28, Cot Only* No. 0012801
 Model 28 Kit, Restraints, Burgundy Mattress No. 0000401
 Model 28 Kit, Restraints, Orange Mattress No. 0000402



ACCESSORIES & FASTENER



359-8 Mattress
 No. 0311220
 (orange)
 No. 0313099
 (burgundy)



417-1 Restraints
 No. 0313915
 (black)
 No. 0313914
 (orange)



430 Restraints
 No. 0313892
 (2 pc. black 5')
 No. 0313891
 (2 pc. orange 5')



513-11, IV Pole HD, Non-Magnetic
 No. 0087157



514-1 Oxy-Clip™
 No. 0085520



274-S PacRac™
 No. 0818952



Long Load Frame Handles
 No. 0822136



Short Load Frame Handles
 No. 0822137



173 Universal Mount Kit
 No. 0567079



173 Standard Mount Kit
 No. 0567080

Model 175 Fastener for Universal Floor Plate installations require additional kit.
Universal Floor Plate Kit.....No.0800643



	CHAIR DEPTH	BED HEIGHT (MIN)	BED HEIGHT (MAX)	WIDTH	LOAD HEIGHT	LENGTH FOLDED	LENGTH UNFOLDED	WEIGHT	LOAD LIMIT
IMPERIAL	45 IN	8 IN	32 IN	23 IN	26 IN	78 IN	75 IN	67 LB	650 LB
METRIC	114 CM	20 CM	81 CM	58 CM	65 CM	198 CM	191 CM	30 KG	295 KG

iNX® Incubator Transporter

Combining the revolutionary technology of the iNX Integrated Transport & Loading System and the incubator of your choice, the iNX Incubator Transporter offers industry-leading safety for both patient and provider during neonatal transport.

- Maintains a level patient surface at all heights during loading and unloading
- Dual powered actuators provide 700-lb **unassisted** lift capacity, effectively eliminating lifting
- Customizable to carry most brands or models of incubator
- Simple one-touch operation
- Integrated Charging System available with iNLINE® Fastening System, eliminates battery management
- Certifications: EN 1789, AS/NZS-4535, IP56, SAE J3027, KKK-A-1822, IEC 60601-1, NFPA-1917, CAAS GVS v. 1.0

Order from FERNO Aviation T: +1-770-521-1005 | www.fernoaviation.com



POWER X1™ Incubator Transporter

The POWER X1 Ambulance Cot offers power, stability, maneuverability, and speed. With an **unassisted** lift capacity of 700 lb/317 kg, the POWER X1 offers transport versatility. The POWER X1 is cross-compatible, as it can be used with a range of fastener systems.

- ENDURACharge Power System delivers 113 cycles per charge
- 36-volt lithium ion battery is UL certified and offers longer charge cycle life
- **RAPIDLift® Retraction System** achieves one full retraction and extension cycle in just 3.4 seconds.
- TipRESIST Advanced Stability Technology provides industry-leading stability at transport height
- Certifications: SAE J3027, CAAS-GVS v1.0, IP56, KKK-A-1822F, NFPA 1917, AMD 004, IEC 60601-1-2, ISTA 1B

Order from FERNO Aviation T: +1-770-521-1005 | www.fernoaviation.com



	LENGTH (MIN)	LENGTH (MAX)	WIDTH	HEIGHT (MIN)	HEIGHT (MAX)	LOADING HEIGHT (MAX)	WEIGHT	LOAD LIMIT
INX INCUBATOR TRANSPORTER IMPERIAL	63 IN	81 IN	24 IN	14 IN	49 IN	35 IN	208 LB	700 LB
INX INCUBATOR TRANSPORTER METRIC	1594 MM	2045 MM	597 MM	356 MM	1245 MM	889 MM	94 KG	318 KG
POWER X1 INCUBATOR TRANSPORTER IMPERIAL	58.5 IN	80 IN	24 IN	16.2 IN	44 IN	44 IN	143 LB	700 LB
POWER X1 INCUBATOR TRANSPORTER METRIC	1483 MM	2020 MM	607 MM	412 MM	1120 MM	1120 MM	65 KG	318 KG
35X INCUBATOR TRANSPORTER IMPERIAL	64 IN	79 IN	24 IN	14 IN	40 IN	35 IN	92 LB	700 LB
35X INCUBATOR TRANSPORTER METRIC	1626 MM	2007 MM	609.5 MM	356 MM	10216 MM	889 MM	41.7 KG	318 KG

35X Incubator Transporter

The 35X PROFlexx X-Frame Ambulance Cot offers a wider surface area and exceptional safety and stability when transporting and transferring the patient and incubator.

- Lower center of gravity and minimal flex due to longer fixed front leg in the X-frame, and a rigid C-channel running the length of the cot
- Nine height positions provide incubator transfer flexibility
- Three loading heights
- 6 in/ 150 mm U-tread wheels with two wheel locks
- Wider surface area
- Built-in shock frame and control-end lead handle
- Certifications: SAE J3027

Order from FERNO Aviation T: +1-770-521-1005 | www.fernoaviation.com



ITU-PX Incubator Transporter

Speed and safety are of paramount importance when incubators are transported between hospitals. The ITU-PX is designed for transporting an incubator and all required medical equipment, ensuring that everything is safely secured to the trolley base frame. For use in vehicles with a tail-lift or ramp and compatible with the 2-Part Lock System, assuring the safety of the baby and medical team throughout the transfer.

- Various versions of the ITU-PX available for different makes and models of incubator
- Equipment fixing poles located at the base of the trolley allow pole-clamp mounted equipment such as syringe drivers, and monitors to be attached to the base of the trolley
- 'E' size oxygen cylinder holders with adapter kit to hold 'CD' size cylinders
- Trolley base designed and configured according to specific medical equipment that needs to be carried
- Optional 'CD' cylinder tray that will also hold Nitric cylinder
- Push/pull handles at each end for easy maneuvering of trolley
- IPC compliant, incorporating anti-microbial paint finish
- Certifications: EN 1789, CE

Order from FERNO UK T: +44 (0) 1274 851 999 | www.ferno.co.uk
See following page (CCT-PX) for lock information.



	LENGTH (MIN)	LENGTH (MAX)	WIDTH	HEIGHT (MIN)	HEIGHT (MAX)	LOADING HEIGHT (MAX)	WEIGHT	LOAD LIMIT
35X INCUBATOR TRANSPORTER IMPERIAL	64 IN	79 IN	24 IN	14 IN	40 IN	35 IN	92 LB	700 LB
35X INCUBATOR TRANSPORTER METRIC	1626 MM	2007 MM	609.5 MM	356 MM	1016 MM	889 MM	41.7 KG	318 KG
ITU-PX INCUBATOR TRANSPORTER IMPERIAL	—	72 IN	21 IN	—	24 IN	—	106 LB	309 LB
ITU-PX INCUBATOR TRANSPORTER METRIC	—	1830 MM	545 MM	—	610 MM	—	48 KG	140 KG

CCT-PX Critical Care Trolley

The FERNO CCT-PX Critical Care Trolleys provide safe transportation of patients and equipment for critical care transfers. The CCT-PX offers the features and benefits of POWERX (see pages 10-11) but with a fixed-frame base, allowing medical devices and equipment to be safely fixed to the trolley frame and base. Configurability and flexibility afforded by the POWERX range allows the CCT-PX to be configured according to differing clinical, medical and patient needs.

Configuration features include:

- Equipment fixing-poles on the base of trolley allow pole clamp mounted equipment such as syringe drivers and monitors to be safely and easily attached
- Brackets for a wide range of makes and models of medical devices such as ventilators, suction pumps etc. available according to individual needs
- 'E' size Oxygen cylinder holders with adapter kit to hold 'CD' size cylinders
- Top-fixing PacRac+ equipment table for mounting of equipment that need to be easily visible
- Lockable storage cabinet
- ECMO and Balloon pump configurations also available
- Dedicated CD oxygen cylinder tray that also holds Nitric Oxide cylinders
- IPC compliant, incorporating anti-microbial paint finish, Biosafe harness restraints, and an easy-to- clean, Anti-Bacterial Pressure-Relief (ABPR) mattress
- Certifications: EN 1789, CE

CCT-PX Baseline Trolley **005103900**
Order from FERNO UK T: +44 (0) 1274 851 999 | www.ferno.co.uk

FASTENERS/LOCKS

SlideLock™ Locking Device provides quick reconfigurability of an ambulance to allow bariatric cots to extend the cotsides to easily and safely transport without the need to physically remove and refit the cot floor lock to the center position in the vehicle floor. Utilizing a linear slide that is mounted into the vehicle floor, SlideLock can be moved from one position to another with speed and with ease, without the need for tools.

Certifications: EN 1789, CE



SlideLock™ 150 mm **No. 056172475**
SlideLock™ 225 mm **No. 056172480**



ACCESSORIES



Three-Stage IV Pole
 No. LAIV3SCL



PacRac™ + Equipment Mount
 No. FWEPR



Load Frame + Handles
 No. FWESLH



SX Surface Xtender™
 No. 1590159



Storage Net Head-End
 No. 0822453

2-Part Lock directly mounted to the vehicle floor, the Standard 2-Part Lock is designed to hold a range of ambulance trollies in vehicles with a tail-lift or ramp. The locks ensure safe fixing of the trolley to the vehicle, with easily operated disengagement. Certifications: EN 1789, CE



Standard 2-part Lock
 No. 056172400/S



NMI 2-part Lock
 No. 056173500



Unwin 2-part Lock
 No. 056173800

FASTENERS/LOCKS NOT PICTURED

LHS Operated Standard 2-part Lock.....**No. 056172700**
LHS Operated NMI 2-part Lock.....**No. 056173550**
LHS Operated Unwin 2-part Lock**No. 056173875**



	LENGTH	WIDTH (MIN)	WIDTH (WITH SX SURFACE XTENDERS)	HEIGHT	WEIGHT	LOAD LIMIT
IMPERIAL	75.9 IN	22.4 IN	36.2 IN	31.4 IN	143.3 LB	551 LB
METRIC	193 CM	57 CM	92 CM	80 CM	65 KG	250 KG

PATIENT HANDLING

EZ-Glide® with POWERTraxx® Stair Chair

- Assists patient loads up to 500 lb/227 kg **up and down** stairs without the need for carrying or lifting
- Provides maximum safety when going up and down stairs, using an electronically controlled motor and direct drive transmission
- Fast climbs and descents using a variable-speed system
- Easily stop, climb, or descend stairs with just a push of a paddle button
- Maximum performance on every call with intelligent microprocessor electronics
- Superior maneuverability in confined spaces and over carpet with 25.4 mm (1 in) track-to-ground clearance and front swivel-wheels
- Full control of operation with a manual override that allows medics to use in unpowered mode
- Smooth 100 mm (4 in) front swivel wheels and 150 mm (6 in) rear wheels provide maneuverability in confined spaces such as stair landings (and do not collect debris)
- Certifications: EN 1789, SAE J3403 (with Secure Lock™+), CE

Red, 120VNo. 0731374
 Red, 240VNo. 0731383
 Blue, 120VNo. 0731375
 Blue, 240VNo. 0731384
 120V Retrofit Kit.....No. 0832195
 240V Retrofit Kit.....No. 0832196



- 1 **Easy-to-Use Paddle Style Controls** are intuitive and provide easy operation when climbing or descending stairs.
- 2 **Motor and Direct Drive Transmission** provide maximum safety on stairs.
- 3 **Rechargeable Lithium-Ion Battery** is easy to remove.

ACCESSORIES



Oxy-Clip2® Spring Loaded Oxygen Bottle Holder
 No. 0821977




EZ-Glide® Wall Mount
 No. 0822073




Locking Rear Lift Handles
 No. 0821975



IV Pole
 No. 0821976



Kwik-Klip Restraint System
 No. 0314002



430 Restraints
 No. 0313892 (2 pc. 5')
 No. 0313911 (2 pc. 7')



430-P Restraints
 No. 0313797 (2 pc. 5')
 No. 0313801 (2 pc. 7')



44 Rescue Seat
 No. 0313030 (orange)
 No. 0313070 (burgundy)



EZ-Glide® Head Rest w/ Pouch
 No. 0822430



Headrest Pouch
 No. 0314117



Battery
 No. 0832198
Charger
 No. 0832199



Secure Lock™+ (SAE J3403 Compliant)
 No. 600251006



EZ-Glide Secure Mount
 No. 0822072

SPECIFICATIONS




	HEIGHT (MIN)	HEIGHT (MAX)	OVERALL WIDTH	WIDTH (SEAT)	DEPTH-TRACKS CLOSED (FRONT TO BACK)	FOLDED L W D	WEIGHT	LOAD LIMIT
IMPERIAL	37.5 IN	63.5 IN	20.3 IN	16.5 IN	28.5 IN	37.5 X 20.3 X 10 IN	56.6 LB	500 LB
METRIC	95 CM	161 CM	52 CM	42 CM	72 CM	95 X 52 X 254 CM	25.67 KG	227 KG

Model 59T EZ-Glide® Stair Chair

The EZ-Glide® Chair can be used as a stair chair, evacuation chair, and transport chair.

- Two rear tracks contact the lip of stairs, allowing the tracks to glide over the edge of each step and eliminating the need to lift the chair and patient
- All-metal frame construction carries up to 227 kg (500 lb) to accommodate a wide range of patient sizes
- Two 100 mm (4 in) front swivel wheels and two 150 mm (6 in) rear wheels with locks do not collect debris and provide maneuverability in confined spaces such as stair landings
- Superior maneuverability in confined spaces and over carpet with 25.4 mm (1 in) track-to-ground clearance and front swivel-wheels
- Five-position rear control bar (from 950 to 1613 mm/37.5 to 63.5 in)
- Five-position front telescoping handles (from 137 to 483 mm/5.4 to 19 in)
- Snap-on ABS plastic panels are easily removed for cleaning
- Extending footrest
- Available in red and blue
- Certifications: EN 1789, CE

EZ-Glide with Restraints, Red.....No. 0731335
EZ-Glide with Restraints, BlueNo. 0731338



- 1 Extending Footrest** and lower track angle increase patient sense of security.
- 2 Folding Design** provides compact storage.
- 3 5-Position Rear Lift Bar** and front telescoping handles reduce the strain of lifting and provide maximum control for operators of various heights.

ACCESSORIES



Oxy-Clip2™ Spring Loaded Oxygen Bottle Holder
No. 0821977



EZ-Glide® Wall Mount
No. 0822073




Locking Rear Lift Handles
No. 0821975



IV Pole
No. 0821976



Kwik-Klip Restraint System
No. 0314002



430 Restraints
No. 0313892 (2 pc. 5')
No. 0313911 (2 pc. 7')



430 -P Restraints
No. 0313797 (2 pc. 5')
No. 0313801 (2 pc. 7')



44 Rescue Seat
No. 0313030 (orange)
No. 0313070 (burgundy)



EZ-Glide® Head Rest w/ Pouch
No. 0822430




Headrest Pouch
No. 0314117



Secure Lock™+ (SAE J3403 Compliant)
No. 600251006



EZ-Glide Secure Mount
No. 0822072



	HEIGHT (MIN)	HEIGHT (MAX)	OVERALL WIDTH	WIDTH (SEAT)	DEPTH-TRACKS CLOSED (FRONT TO BACK)	FOLDED L W D	WEIGHT	LOAD LIMIT
IMPERIAL	37.5 IN	63.5 IN	20.3 IN	16.5 IN	28.5 IN	37.5 X 20.3 X 10 IN	37 LB	500 LB
METRIC	95 CM	161 CM	52 CM	42 CM	72 CM	95 X 52 X 25 CM	17 KG	227 KG

PATIENT HANDLING

EZ-Glide® LBS Bariatric Stair Chair

The EZ-Glide® LBS offers all of the benefits of the EZ-Glide tracked chair, with the addition of a strengthened chair frame, extended seat and enhanced 4-point restraint harness for transferal of bariatric patients downstairs.

- Non-folding fixed frame chair
- Swivel wheels for enhanced maneuverability
- Wide seat panel (595 mm/23 in), providing more seat area and comfort
- Max Load Limit of 318 kg (700 lb)
- 4-point patient restraint harness adjustable to differing size and shapes of patient
- Adjustable brake for controlling speed downstairs according to stair angle and patient weight
- Strengthened and extended foot plate for enhanced patient comfort and safety
- Cushion for improved comfort
- Headpad for further support during transfer
- Can be used as patient or medic seat in a vehicle with special bracket and used in conjunction with NMI Saferider and NMI Pocket Lock or floor straps

1 Extended Seat Panel is 6.5 in/175 mm wider than the standard EZ-Glide®

2 5-Position lift bar

EZ-Glide LBS **No. 073132930**

EZ-Glide® LBS with POWERTraxx® Bariatric Powered Stair Chair

The EZ-Glide® LBS with POWERTraxx® Bariatric Powered Stair Chair offers the benefits of the EZ-Glide LBS, with the addition of powered tracks that transport patients up and down the stairs under controlled power.

- Automatic braking system
- Strengthened, extended foot plate for patient comfort
- In-vehicle mounting options

1 Adjustable Speed Control for safe and convenient operator use

2 Detachable Battery stays charged for 20 full flights of steps with a 60 minute charge time

EZ-Glide LBS with POWERTraxx® **No. 073132940**

ACCESSORIES & FASTENERS



Oxy-Clip™ 2 Spring Loaded Oxygen Bottle Holder
No. 0821977



Battery 5Ah for POWERTraxx®
No. 75-0710-001



Battery Charger 240v
No. 75-0711-002 (UK)
No. 75-0711-001 (Euro)



Seat Cushion
No. 0311402600



EZ-Glide® Head Rest w/ Pouch
No. 0822430



Dust Cover
No. 038300000



Saferider Restraint & Pocket Lock
No. SAF-B-P



Order from FERNO UK T: +44 (0) 1274 851 999 | E: sales@ferno.co.uk

	HEIGHT (MIN)	HEIGHT (MAX)	OVERALL WIDTH	WIDTH (SEAT)	DEPTH-TRACKS CLOSED (FRONT TO BACK)	WEIGHT	LOAD LIMIT
EZ-GLIDE LBS IMPERIAL	24 IN	37.4 IN	23.4 IN	23.4 IN	33.8 IN	68.3 LB	700 LB
EZ-GLIDE LBS METRIC	61 CM	95 CM	60 CM	60 CM	85 CM	31 KG	318 KG
EZ-GLIDE LBS WITH POWERTRAXX IMPERIAL	24 IN	37.4 IN	23.4 IN	23.4 IN	33.8 IN	83.5 LB	500 LB
EZ-GLIDE LBS WITH POWERTRAXX METRIC	61 CM	95 CM	60 CM	60 CM	85 CM	37.9 KG	227 KG

Model 40 Stair Chair

- Easy to maneuver by two EMTs in confined quarters
- Two 127 mm (5 in) stationary rear wheels
- Telescoping front handles with two positions and two rear handles
- Vinyl-coated nylon cover is simple to clean and resists stains, blood, and bodily fluids
- Two 2134 mm (7 ft) quick-release patient restraints and leg restraints hold the patient securely
- Chair can be mounted to interior or exterior walls
- Ideal for high-rise buildings or industrial settings
- Available in burgundy and orange
- Certifications: CE



Model 40 with Vinyl Cover, OrangeNo. 0714865
Model 40 with Vinyl Cover, BurgundyNo. 0714864

Model 42/48 Stair Chairs

- Designed to be stored in small spaces
- Function well in confined spaced such as narrow hallways and multiple-landing stairways
- Two 102 mm (4 in) rear stationary wheels and two 51 mm (2 in) low-profile, front guide wheels
- Roll over most carpeted or hard surfaces
- Four lifting handles with non-slip hand grips
- Soft vinyl-coated cover is simple and easy to clean, resists blood, stains, and bodily fluids
- Feature a locking safety latch
- Two 2134 mm (7 ft) quick-release patient restraints and leg restraints hold the patient securely
- Certifications: CE

Model 42

Stair Chair comes with durable, easy-to-clean, soft vinyl cover. Available in burgundy and orange.

Model 42 with Vinyl Cover, OrangeNo. 0714867
Model 42 with Vinyl Cover, BurgundyNo. 0714868

Model 48

Stair Chair is nearly identical to the Model 42 but is three inches narrower. Comes with soft vinyl cover. The Model 48 is ideal for use in airplanes, boats, restaurants, and all areas where access is severely limited.

Model 48 with Vinyl Cover, OrangeNo. 0714800
Model 48 with Vinyl Cover, BurgundyNo. 0714803



	HEIGHT	WIDTH	DEPTH (HANDLES EXT.)	DEPTH (HANDLES FOLDED)	LENGTH (FOLDED)	DEPTH (FOLDED)	WEIGHT	LOAD LIMIT
40 IMPERIAL	36 IN	20 IN	46 IN	27 IN	36 IN	7 IN	19 LB	350 LB
40 METRIC	91 CM	51 CM	115 CM	69 CM	91 CM	18 CM	8.6 KG	159 KG
42 IMPERIAL	37 IN	19 IN	34 IN	24 IN	25 IN	6 IN	19 LB	350 LB
42 METRIC	95 CM	49 CM	86 CM	61 CM	63 CM	16 CM	9 KG	159 KG
48 IMPERIAL	37 IN	16 IN	34 IN	24 IN	25 IN	6 IN	18 LB	350 LB
48 METRIC	95 CM	40 CM	86 CM	61 CM	63 CM	16 CM	8 KG	159 KG

Compact 2 Carry Chair

The Compact 2 Carry Chair is manufactured from stainless steel for strength and durability and is designed to enhance patient transfers in confined areas.

- The one-piece back and seat cover allows the patient to sit in a comfortable position
- The flame-retardant, vinyl-coated nylon can be wiped clean for maximum hygiene and can be removed for cleaning or replacement
- Weighing only 19.8 lbs (9 kg), it is easy to carry and folds neatly into a compact size for easy in-vehicle storage
- Large 178 mm (7 in) wheels and axle bar help provide stability when wheeling the patient over uneven ground
- Certifications: EN 1865, CE

Compact 2 Carry Chair with Webbing RestraintsNo. 071481401/S
Compact 2 Carry Chair with BioSafe RestraintsNo. 071481401/BIO
Compact 2 Carry Case..... No. 031350600
Compact 2 Wall BracketNo. 081931400
Compact 2 Dust Cover No. 038299401

Order from FERNO UK T: +44 (0) 1274 851 999 | www.ferno.co.uk



CE

Compact 2 Track Chair

With all of the features of the Compact 2 carry chair, the Compact 2 Track also has an attachable track for transporting a patient down stairs.

- Lightweight carry chair and track chair, all in one
- Improved geometric frame design compared to Compact 2 chair, with improved body position for patient and operators
- Track which quickly and easily attaches when required to move a patient down stairs
- Track must be removed from frame before folding up, to minimize the weight of equipment needed to be carried by operators
- Adjustable-height rear handle, accommodating operators of differing stature and preference
- Stores in vehicle within same space envelope as Compact 2 chair
- Anti-bacterial wipe-clean Biosafe patient restraints & leg straps
- In-vehicle storage bracket for storage of chair and track
- Certifications: EN 1865, CE

Compact 2 Track ChairNo. 071481450
In-Vehicle Storage BracketNo. 009103800

Order from FERNO UK T: +44 (0) 1274 851 999 | www.ferno.co.uk



CE

	HEIGHT (MIN)	HEIGHT (MAX)	WIDTH	DEPTH	DEPTH (FOLDED)	TOTAL WEIGHT	LOAD LIMIT
COMPACT 2 IMPERIAL	—	37 IN	18 IN	17 IN	11 IN	20 LB	441 LB
COMPACT 2 METRIC	—	94 CM	45 CM	42 CM	29 CM	9 KG	200 KG
COMP. 2 TRACK IMPERIAL	42 IN	57 IN	18 IN	37 IN	12 IN	33 LB	441 LB
COMP. 2 METRIC	106 CM	145 CM	45 CM	95 CM	30 CM	14.9 KG	200 KG

Model 11 Emergency Stretcher with Wheels

- Folding 102 mm (4 in) wheels and posts can be used on the street and then placed directly onto a squad bench equipped with Model 533 Wheel Cups and Model 534/535 Post Cups
- Includes two 1524 mm (5 ft) quick-release patient restraints
- Heavy-duty vinyl-coated nylon cover
- Can be used with Model 385-A Storage/Carrying Case
- Certifications: CE

Model 11, Burgundy No. 0101110
 Model 11, Orange No. 0101100
 Storage Case, Burgundy Lettered No. 0311640
 Storage Case, Orange Unlettered No. 0311670
 Storage Case, Orange Lettered No. 0311630



CE

Model 9 Emergency Stretcher with Backrest and Wheels

- Telescoping loading-end frame section shortens the stretcher
- Backrest is adjustable to eight angles (0° to 75°)
- Heavy-duty vinyl coated cover
- Two 102 mm (4 in) wheels at loading-end
- Stationary posts at control-end
- Folds in half for compact storage
- Can be used with Model 385-A Storage/Carrying Case
- Includes two 1524 mm (5 ft) quick-release patient restraints
- Certifications: CE

Model 9, Burgundy No. 0107731
 Model 9, Orange No. 0100900
 Storage Case, Burgundy Lettered No. 0311762
 Storage Case, Orange Lettered No. 0311760



CE

	LENGTH (UNFOLDED)	LENGTH (FOLDED)	WIDTH	HEIGHT (UNFOLDED)	HEIGHT (FOLDED)	WEIGHT	LOAD LIMIT
11 IMPERIAL	74 IN	37 IN	20 IN	8 IN	3 IN	13 LB	350 LB
11 METRIC	187 CM	94 CM	50 CM	20 CM	8 CM	6 KG	159 KG
9 IMPERIAL	74 IN	38 IN	19 IN	6 IN	—	17 LB	350 LB
9 METRIC	187 CM	95 CM	40 CM	15 CM	—	8 KG	159 KG

Model 107 Series Stretcher Chairs

- Vinyl-coated nylon cover
- Folds in half for compact storage
- High-back chair design
- Folding control-end handles provide excellent grip
- Stationary or hinged 102 mm (4 in) wheels
- Fits squad bench post-and-wheel cups for use as a second stretcher
- Includes two 1524 mm (5 ft) quick-release patient restraints

Model 107

- Folding loading-end posts double as lift handles and support legs
- Legs fold underneath the stretcher for compact storage
- Control-end wheels fold flat for storage and snap back into place

Model 107, Burgundy No. 0107714

Model 107, Orange..... No. 0101070

Model 107-C

- Fixed control-end posts provide stability when the stretcher is used flat
- Fixed wheels at both ends permit it to be rolled like a chair or loaded into a specialty ambulance
- Folding handles at both ends enable it to be used as a standard pole stretcher

Model 107-C, Burgundy No. 0107716

Model 107-C, Orange..... No. 0101072

Storage Case, Lettered, Burgundy 385-F No. 0311762

Storage Case, Lettered, Orange 385-F..... No. 0311760



CE



CE

Model 12 Emergency Stretcher

- Slimline center hinges enable stretcher to fold for compact storage
- Heavy-duty vinyl-coated nylon cover
- Lightweight aluminum frame
- Can be used with Model 385-A Storage/Carrying Case
- Includes two 1524 mm (5 ft) quick-release patient restraints

Model 12, Burgundy No. 0107922

Model 12, Orange No. 0101200

Storage Case, Burgundy Lettered No. 0311640

Storage Case, Orange Unlettered..... No. 0311670

Storage Case, Orange Lettered..... No. 0311630



CE

Model 12-C Emergency Breakaway Stretcher

- Stretcher halves separate for easy removal without moving the patient
- Frame adjusts to align with ambulance-cot backrest, enabling patient to have head elevated during transport
- Includes two 1524 mm (5 ft) quick-release patient restraints
- Heavy-duty vinyl-coated nylon cover

Model 12-C, Burgundy No. 0107743

Model 12-C, Orange..... No. 0107744



CE

	LENGTH (UNFOLDED)	LENGTH (FOLDED)	DEPTH (OPEN)	DEPTH (FOLDED)	WIDTH	HEIGHT	HEIGHT (FOLDED)	HEIGHT (CHAIR)	WEIGHT	LOAD LIMIT
107 IMPERIAL	73 IN	—	30 IN	5 IN	20 IN	9 IN	39 IN	53 IN	24 LB	350 LB
107 METRIC	185 CM	—	76 CM	13 CM	51 CM	23 CM	98 CM	135 CM	11 KG	159 KG
107-C IMPERIAL	82 IN	—	26 IN	6 IN	20 IN	6 IN	40 IN	54 IN	25 LB	350 LB
107-C METRIC	208 CM	—	65 CM	16 CM	50 CM	14 CM	101 CM	137 CM	11 KG	159 KG
12 IMPERIAL	74 IN	37 IN	—	—	20 IN	1 IN	2 IN	—	8 LB	350 LB
12 METRIC	187 CM	94 CM	—	—	50 CM	3 CM	6 CM	—	4 KG	159 KG
12-C IMPERIAL	74 IN	47 IN	—	—	9 IN	1 IN	3 IN	—	10 LB	350 LB
12-C METRIC	187 CM	119 CM	—	—	22 CM	30 CM	6 CM	—	5 KG	159 KG

Model 108-AF Double-Fold Pole Stretcher

- Heavy-duty aluminum poles for easy handling
- Heavy-duty vinyl-coated nylon covers
- Nonslip hand grips
- Folds lengthwise and crosswise for compact storage
- Rugged spreader bars and legs provide support and comfort
- Certifications: CE

Model 108-AF, 81 in Orange No. 0101083
Storage Case for 108-AF-81, Lettered 383-B No. 0311470



CE

Model 108-F Single Fold-Pole Stretcher

- Heavy-duty aluminum poles for easy handling
- Heavy-duty vinyl-coated nylon covers
- Nonslip hand grips
- Rugged spreader bars and legs provide support
- Folds lengthwise and rolls for compact storage
- Certifications: CE

Model 108-F, Orange No. 0101086



CE

	LENGTH (OPEN)	LENGTH (FOLDED)	WIDTH (OPEN)	HEIGHT	WEIGHT	LOAD LIMIT
108-AF IMPERIAL	90 IN	81 IN	22 IN	6 IN	12 LB	350 LB
108-AF METRIC	229 CM	206 CM	56 CM	12 CM	5.4 KG	159 KG
108-F IMPERIAL	83.5 IN	—	22.5 IN	2 IN	8 LB	350 LB
108-F METRIC	212 CM	—	57 CM	4 CM	4 KG	159 KG

Model 108-D Disaster Litter

- Ideal for use in situations that require a sturdy, compact, and economical litter for mass-casualty response
- Sturdy aluminum frame
- Easy-to-decontaminate polypropylene mesh cover
- Includes two attached polypropylene restraints
- Folds in half for storage

Model 108-D, Disaster LitterNo. 0107969



Model 108-T Tactical Litter

- Designed for tactical, HazMat-CBRN Decon, USAR, and disaster use
- Heavy-duty, lightweight poles, hinges, legs, and spreader bars
- Rubber end plugs keep contaminants from penetrating the poles
- Cover is durable, flame retardant, nonslip, chemical- and mildew-resistant polypropylene mesh
- Easy-to-decontaminate
- Fluids flow freely away from patient during decontamination
- Includes two attached polypropylene restraints
- Follows US Military Spec MIL-L-49511B

Model 108-T, Olive Drab Green OnlyNo. 0107970



Model 132 Manta™ Transfer Sheet

- Folds like a blanket for compact and easy storage
- Can be used to transfer bariatric patients, evacuate patients, or cover patients during extrication
- Ideal for rescue from confined areas
- Pockets at both ends hold backboard, patient's feet and head
- Fire retardant with holes at each end to allow water drainage
- Certifications: CE

Model 132 Manta, BurgundyNo. 0382969



	LENGTH (OPEN)	LENGTH (FOLDED)	WIDTH (OPEN)	WIDTH (FOLDED)	HEIGHT (OPEN)	HEIGHT (FOLDED)	WEIGHT	LOAD LIMIT
108-D IMPERIAL	90 IN	45 IN	22 IN	9 IN	6 IN	4 IN	13 LB	350 LB
108-D METRIC	229 CM	114 CM	55 CM	23 CM	15 CM	11 CM	6 KG	159 KG
108-T IMPERIAL	92 IN	46.5 IN	23 IN	8 IN	6 IN	7 IN	17 LB	1200 LB
108-T METRIC	234 CM	118 CM	57 CM	19 CM	14 CM	18 CM	8 KG	544 KG
132 IMPERIAL	79 IN	12 IN	46 IN	9 IN	—	3 IN	5 LB	800 LB
132 METRIC	200 CM	31 CM	107 CM	23 CM	—	8 CM	2.2 KG	363 KG

Scoop EXL® Stretcher

FERNO's Scoop EXL™ Stretcher provides superior comfort and safety to patients who require spinal immobilization. The Scoop EXL eliminates the need for log-roll maneuvers, significantly decreasing movement of the cervical spine.

- Uncouple at both ends of the stretcher to gently scoop up the patient, or uncouple only one end to use a scissor-type closing motion
- The concave shapes is perfect for the patient comfort and guarantees more contact points between the body and other immobilization aid
- Designed and manufactured according to the most advanced ergonomics criteria
- The patented Twin Safety Lock (TSL) system prevents accidental opening of the SCOOP EXL stretcher
- Head section is recessed for proper cervical alignment
- Scoop EXL is easy to sanitise as all its component are easy to reach
- Scoop EXL can be used during X-ray imaging examinations necessary for the urgent treatment of traumatized patients. The absence of ferromagnetic materials allows its use in magnetic resonance imaging
- Stretcher adaptability to any patient thanks to the possibility of length adjustment up to a maximum of 2010 mm, folded length is 1194 mm (47 in) for compact storage
- TSL expander kit designed to handle and transport corpulent patient
- Certifications: EN 1865, EN 1789, CE



CE

	0006EXLMB	0006EXL7	0006EXL	0006EXLSPCLP	0006EXLPSPCLP	0313916
Restraint	Model 430	Model 430	Model 430-P	Model 436	Model 436	Model 770
Color	Black	Black	Black	Black	Black	Color coded
Buckle	Metal	Metal	Plastic	Metal	Plastic	Plastic
Length	1524 mm	2134 mm	1524 mm	1524 mm	1524 mm	1150 mm
# Pieces	2	1	2	2	2	1
Speed-Clip	No	No	No	Yes	Yes	No

	YELLOW	RED	GREEN	GREY
Scoop EXL with pin	No. 0108002	No. 0108038*	No. 0108008*	/
Scoop EXL no pin	No. 0107956	No. 0108039*	No. 0107999*	No. 0107996*

*require a minimum order of 50 pcs

ACCESSORIES



TSL Expander Kit
Metal
No. 0832274
Plastic
No. 0838456




Model 561 Scoop™ Wall Bracket
No. 0819876



Head Immobilizer
No. 0314044



Model 561 Scoop™ Wall Bracket
No. 0819876



Locking System*
No. 561-V



Easy Lift*
No. PS0765EXL



Emergency Bag for Scoop EXL*
No. FBI 300000



	LENGTH (MAX)	LENGTH (MIN)	LENGTH (FOLDED)	WIDTH	DEPTH (OPEN)	DEPTH (FOLDED)	WEIGHT	LOAD LIMIT
IMPERIAL	79 IN	64 IN	47 IN	17 IN	3 IN	3 IN	18 LB	500 LB
METRIC	201 CM	165 CM	119 CM	43 CM	7 CM	8 CM	8 KG	227 KG

Model 65 Scoop™ Stretcher

- Uncouples at both ends of the stretcher to gently scoop up the patient, or uncouple only one end to use a scissor-type closing motion
- Supports patient in the position found, reducing risk of further injury
- Narrow control-end frame improves handling in confined areas
- Telescoping tubes provide adjustable length for patients of various heights
- Folds for compact storage
- Can be used with Model 385-C Storage/Carrying Case (0311700)
- Lightweight, easy to carry
- Certifications: CE

Model 561 Scoop™ Wall Bracket.....No. 0819876

Model 65 Scoop™ Mount Bracket.....No. 0832259



CE

	0000452	0000451	0000450	0000449	0000448	0000447	0000325
Restraint	Model 430	Model 430	Model 430	Model 430-P	Model 430-P	Model 430-P	Model 436
Color	Black	Black	Orange	Black	Orange	Black	Black
Buckle	Metal	Metal	Metal	Plastic	Plastic	Plastic	Plastic
Length	1524 mm	2134 mm	2134 mm	1524 mm	2134 mm	2134 mm	2134 mm
# Pieces	2	1	1	2	1	1	2
Speed-Clip	No	No	No	No	No	No	Yes

Model 60 Aluminum Backboards

- Sturdy sheet aluminum is permanently fastened to a tubular aluminum frame, forming a lightweight backboard
- Multiple restraint and handhold openings enable easy handling and various restraint configurations
- Folds in half to store in a variety of ambulance compartments
- Includes three nine-foot nylon patient restraints with quick-release metal buckles
- Available with three full-width runners mounted permanently to the underside of the backboard for convenient handling grip
- Additional restraint openings allow greater flexibility in restraint configurations for using cravats to immobilize the patient
- Certifications: CE

Model 60 with restraints.....No. 0106000

Model 60-2 with runners and restraintsNo. 0106020

Model 60-4 with runners and restraints.....No. 0106040



CE

	LENGTH (MAX)	LENGTH (MIN)	LENGTH (FOLDED)	WIDTH	OPEN DEPTH	FOLDED DEPTH	WEIGHT	LOAD LIMIT
65 IMPERIAL	79 IN	65 IN	47 IN	17 IN	3 IN	4 IN	16 LB	350 LB
65 METRIC	200 CM	165 CM	119 CM	43 CM	8 CM	10 CM	7 KG	159 KG
60 IMPERIAL	71.25 IN	—	36 IN	18 IN	1.5 IN	2.5 IN	17.5 LB	350 LB
60 METRIC	181 CM	—	91 CM	46 CM	4 CM	6 CM	8 KG	159 KG
60-2 IMPERIAL	72.25 IN	—	36 IN	18 IN	2.25 IN	2.5 IN	14 LB	350 LB
60-2 METRIC	184 CM	—	91 CM	46 CM	6 CM	6 CM	6 KG	159 KG
60-4 IMPERIAL	78 IN	—	39 IN	18 IN	2.25 IN	2.5 IN	15 LB	350 LB
60-4 METRIC	198 CM	—	99 CM	46 CM	6 CM	6 CM	7 KG	159 KG

Millennia™ Backboards

- Lightweight, foam-filled, ABS plastic construction
- Minimal deflection provides improved patient stabilization
- Wider, longer handholds provide greater control
- Compact, tapered design provides better maneuverability in confined spaces
- Sealed construction resists fluids, chemicals, and extreme temperatures
- Radiolucent and buoyant for water rescue
- Includes speed-clip pins arranged for various strapping configurations
- Special mounting slots for the FERNO® Model 445 Head Immobilizer
- Available in 16 in (406 mm) and 18 in (457 mm) widths
- Certifications: EN 1865, CE



18 in Millennia Board, White No. 0107915
 18 in Millennia Board, Orange No. 0107917
 18 in Millennia Board, Burgundy No. 0107928
 16 in Millennia Board, Orange No. 0107913
 16 in Millennia Board, Yellow No. 0107914
 16 in Millennia Board, Burgundy No. 0107927



Carbon Fiber Spineboard

- Light 11 lb (5 kg) yet incredibly strong with a 220 kg Load Limit
- 14 large, comfortable raised handholds
- Integrated speed clips
- Floats
- Features an easy to clean, fluid-safe surface
- Radiolucent
- Certifications: CE

FERNO Carbon Fibre Spineboard..... No. DHS-390CF
 Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



	LENGTH	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
MILLENNIA 16 IN IMPERIAL	72 IN	16 IN	2 IN	13 LB	350 LB
MILLENNIA 16 IN METRIC	180 CM	41 CM	5 CM	6 KG	159 KG
MILLENNIA 18 IN IMPERIAL	72 IN	18 IN	2 IN	14 LB	350 LB
MILLENNIA 18 IN METRIC	180 CM	46 CM	5 CM	6 KG	159 KG
SPINEBOARD IMPERIAL	72 IN	17 IN	2.4 IN	11 LB	485 LB
SPINEBOARD METRIC	183 CM	43 CM	7 CM	5 KG	220 KG

IMMOBILIZATION

AquaBoard

The AquaBoard is designed and developed for the rescue of casualties with suspected spinal injuries from swimming pools and leisure centers. Requiring 4 lifeguards to operate, it allows casualties to be carefully immobilized and extracted from the water whilst minimizing the risk of causing any further injury.

- Specially designed board buoyancy, allowing it to be fully submerged, then floated up and under the patient
- Incorporating 5 restraint straps plus an adjustable Y-strap head restraint ensures effective full body immobilization
- Easy to use color-coded strapping system
- Casualties can be left on the AquaBoard whilst X-rays are being taken
- Also capable of salt-water rescue
- Certifications: CE

AquaBoard Complete Spinal SystemNo. 010776501
Wall Mount Bracket for AquaBoard..... No. 010776400

Order from FERNO UK T: +44 (0) 1274 851 999 | E: sales@ferno.co.uk



CE

PXB Pool eXtrication Board

The PXB board, developed in conjunction with RLSS UK, is designed for the quick removal of swimmers that have got in difficulty or taken ill whilst in the pool, but can also be used for the safe immobilization and extraction of suspected spinal injury casualties.

- Provides significantly faster rescue times with only 2 operators required, 2 for a deck level pool or low freeboard, 3 recommended for high-freeboard pools
- Minimal manual handling required
- Color-coded X-strap system gives effective immobilization of casualty
- Includes head-restraint system for use with suspected spinal or head injury casualties
- Neoprene anti-slip mat covering the length of the board, also giving a level of comfort to the casualty
- Specially designed runners underneath the board aids the process of dragging the board out of the pool
- Certifications: CE

PBX Board, including wall bracketNo. 010776700

Order from FERNO UK T: +44 (0) 1274 851 999 | E: sales@ferno.co.uk



CE



	LENGTH	WIDTH	DEPTH	WEIGHT	LOAD LIMIT
AQUABOARD IMPERIAL	72 IN	16.9 IN	1.9 IN	17.6 LB	392 LB
AQUABOARD METRIC	183 CM	43 CM	5 CM	8 KG	182 KG
PBX IMPERIAL	79 IN	15.7 IN	1.58 IN	22 LB	400 LB
PBX METRIC	200 CM	40 CM	4 CM	10 KG	182 KG

NAJO® Backboards

- Lightweight, one-piece, high-density polyethylene plastic construction with polyurethane foam fill
- Impervious to bodily fluids and bloodborne pathogens
- Radiolucent
- Buoyant for floating a patient in water
- All NAJO backboards have a limited lifetime warranty under normal use

NAJO® RediHold®

- Two hand holds at tapered end provide stable transport
- Head area is smooth to ensure all head immobilization devices adhere to the board
- Angled edges for log-rolling
- Capable of floating 62 kg/136 lb

	YELLOW	ORANGE
No pin	No. 275101105	No. 275101108
10 pin	No. 275101205	No. 275101208
18 pin	No. 275101305	No. 275101308

NAJO® RediWide®

- 457 mm (18 in) wide for rescuers who need "more backboard"
- 45 mm (1.75 in) thick with angled edges for smooth log-rolls and painless patient placement
- Rectangular shape allows patient placement in either direction
- Capable of floating 78 kg/172 lb

	YELLOW	ORANGE
No pin	No. 275301105	No. 275301108
10 pin	No. 275301205	No. 275301208
18 pin	No. 275301305	No. 275301308

NAJO® Lite Board

- Lightest NAJO series backboard
- Two handholds at the tapered end provide more stable transport
- Angled edges for log-rolling
- Central slot in the lower half of board for immobilizing a patient's legs independently
- Capable of floating 69 kg/154 lb

	YELLOW	ORANGE
No pin	No. 275201105	No. 275201108
10 pin	No. 275201205	No. 275201208
18 pin	No. 275201305	No. 275201308


NAJO® Sports Board

- Specially designed for athletes
- Large size allows athletes to be immobilized with athletic equipment still on
- Capable of floating 163 kg/360 lb

	ORANGE
No pin	No. 275801108
10 pin	No. 275801208
18 pin	No. 275801308

	LENGTH*	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
NAJO REDIHOLD	72 IN / 183 CM	16 IN / 41 CM	1.75 IN / 5 CM	16 LB / 7 KG	600 LB / 272 KG
NAJO REDIWIDE	72 IN / 183 CM	18 IN / 46 CM	1.75 IN / 5 CM	16 LB / 7 KG	600 LB / 272 KG
NAJO LITE	72 IN / 183 CM	16 IN / 41 CM	1.75 IN / 5 CM	14.5 LB / 6.6 KG	450 LB / 204 KG
NAJO SPORTS BOARD	80 IN / 203 CM	20 IN / 51 CM	2.25 IN / 6 CM	27 LB / 12 KG	1000 LB / 454 KG

*Length may vary +/- 38 mm (1.5 in) due to shrinking of the material in the manufacturing process




16 in

CE



18 in

CE



16 in

CE



20 in

CE

IMMOBILIZATION

Model 445 Universal Head Immobilizer

- Composed of two plastic-coated, closed-cell foam head supports, one universal attachment base, and two durable head straps
- Head supports can be used on standard backboards or turned around for use on the Scoop Stretcher
- Head strap is designed to conform to the patient's forehead
- Large side openings for monitoring the patient's ear canal
- Minimal interference with X-ray, MRI, or CT scan procedures
- Waterproof coating makes it easy to clean and prevents bacterial growth within components
- Will not absorb blood or bodily fluids and is easy to sanitize
- Compatible with Scoop stretchers and FERNO backboards (except NAJO® Sports Board)
- Meets FMVSS 302 flammability rating

Model 445 Universal Head Immobilizer No. 0313855



CE

CHI - Combi Head Immobilizer

- Uniquely designed base-pad and strapping system provide optimum fitting on all backboards and Scoop stretchers
- Fully infection control compliant, using antimicrobial Velcro and PU molded head blocks that contain antibacterial additives throughout
- Accidental surface damage to head blocks does not affect integrity of product; can still be reused, unlike dipped or disposable head blocks
- Compact in design and can be stored while on a backboard or separately in a cabinet
- Radiolucent and MRI compatible
- Easy to apply

CHI - Combi Head Immobilizer No. 031271300

Order from FERNO UK T: +44 (0) 1274 851 999 | E: sales@ferno.co.uk



CE

Model 365-E Head Immobilizer

The FERNO® 365-E Head Immobilizer provides all the great features of the Universal Head Immobilizer with a unique shape specifically designed to fit the FERNO Scoop EXL™.

Model 365-E..... No.0314044



CE

Model 455 HeadHugger® Head Immobilizer

- Low-cost solution for effective head immobilization
- Heavy-duty, water-resistant corrugated plastic
- Independent support panels fold around the patient's head and are held in place with hook-and-loop fasteners
- Does not interfere with CT scanners or MRIs
- Ideal for use in mass-casualty incidents
- Easy access to monitor blood loss or fluid drainage
- Dual head supports can be molded to fit the contour of each patient
- Single-use head immobilizers, sold in sets of 10

Model 455 HeadHugger, Set of 10 No.0832092



CE

Model 449 WizLoc® Cervical Collar

- The WizLoc® cervical collar fits 90% of patients
- Unique self-centering mandibular support allows custom fit
- Designed for use on patients 2 years old through adult
- On-patient sizing for greater accuracy
- Three-position occipital support with keyhole lockpin
- Can be decontaminated and reused up to 10 times
- High-visibility colors for safety and identification
- Radiolucent and MRI compatible

WizLoc Cervical Collar, set of 3 No.0822074



CE

WizLoc® Jungle

FERNO's WizLoc Jungle collar is a multi-sized cervical immobilizer specifically designed for traumatized patients from 2 to 10 years. The pediatric WizLoc Jungle collar allows you to manage all types of injuries resulting from head trauma.

Pediatric Cervical Collar No.21-0140-020

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it



KED® Series

- The wrap-around design provides vertical rigidity for maximum support when immobilizing the spine, neck, and head during extrication
- Heavy-duty, vinyl-coated nylon is durable and easy to clean
- Built-in handles help the operator manage the patient during extrication

KED® PRO

- Designed for extrication from confined spaces using rope-rescue techniques
- Features metal buckles on leg straps and lateral straps for secure restraint
- One-piece leg strap runs through the spine of the KED PRO and forms a continuous loop for connection to ropes and carabiners
- Two lower and one upper rear-carrying handle rated for vertical and confined space rescue
- Deceleration shoulder strap assists in proper positioning and prevents movement of the patient within the KED PRO in the event of vehicle deceleration

KED PRONo.0314063

KED Lifting Bridle* No.BRB-KED

* Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



CE

CE

Model 125 KED®

- Proven means of immobilizing and extricating patients from auto accidents or confined spaces
- Radiolucent
- Case is enlarged to accommodate extrication collars
- Adapts to a hip and pelvic splint by simple inversion
- Adjustable fold-back sides permit easy access to patient's chest
- Adapts for multiple patient sizes, including children and pregnant women

Model 125 KEDNo.0313676



CE

	OPEN LENGTH	ROLLED LENGTH	OPEN WIDTH	ROLLED WIDTH	OPEN THICKNESS	ROLLED THICKNESS	WEIGHT	LOAD LIMIT
KED IMPERIAL	33 IN	35 IN	32 IN	11 IN	1 IN	6 IN	8 LB	500 LB
KED METRIC	83 CM	89 CM	80 CM	28 CM	3 CM	15 CM	3.5 KG	227 KG
KED PRO IMPERIAL	33 IN	33 IN	32 IN	10 IN	1 IN	8 IN	10 LB	550 LB
KED PRO METRIC	83 CM	84 CM	82 CM	25 CM	4 CM	20 CM	4.5 KG	250 KG

IMMOBILIZATION

FERNO® XT

The FERNO XT is a revolutionary utility board designed for rapid extrication and spinal immobilization in confined-space areas and critical situations. It can accommodate a wide range of patients and clinical protocols, bariatric, and pregnant women.

XT for rapid extrication

XT Pro for vertical extraction in confined spaces (human lift)

XT Floating for water rescues

- Each version of the Extrication Device allows for the correct immobilization of the spine, and can be upgraded with the supplementary kits at any time for other applications/use
- Fast car extrication: Less than 20 seconds with simplified application procedure
- Easy application with four high-visibility color-coded restraints and buckles, QHI Quick Head Immobilizer, and a smooth surface that slips behind the patient
- Maximum safety with total patient spinal immobilization
- Convenient extrication with four carrying handles
- Lightweight composite fiber board
- 100% radiolucent
- Easy to decontaminate
- If you already have an XT, you can update it to the PRO and FLOATING version thanks to the special kits

XT PRO: Pursuant to EASA Regulatory requirement(s) CS-27.865(a) and CS-29.865(a) "External loads" – and in accordance to the EASA CM-CS-005 Issue 01 - "Helicopter External Loads Personnel Carrying Device System" - EN 1498:2006

Kit XT Complete **No.kit xt complete-B**

XT Pro Kit*:

XT Board, QHI, 4 Black Restraints With Certified Metal Buckles,

Lift Belt, 2 Pads **No.XT PRO**

XT Floating Kit*:

XT Board, QHI, Carrying Bag, Floating Tubes..... **No.XT FLOATING**

Kit PRO*:

4 Black Restraints With Certified Metal Buckles, 2 Handling Rings, 2 Paddings for restraints (leg hoop), 1 Snap Hook, 1 Lifting Tape **No. kit PRO**

Kit FLOATING*:

4 Handling Rings, 3 Floating Tubes, 2 Transverse Retaining Strips (Yellow and Red), 1 Longitudinal Retaining Strips **No. kit FLOATING**

*Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it

NATO NUMBER: **XT Complete-B** **XT Pro** **XT Floating**
 6530150200590 6530150200591 6530150200592



XT



XT Pro



XT Floating



Kit PRO



Kit FLOATING

	LENGTH	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
XT IMPERIAL	32.7 IN	11.8 IN	2.4 IN	4.4 LB	352.7 LB
XT METRIC	83 CM	30 CM	6 CM	2 KG	160 KG
XT PRO IMPERIAL	32.7 IN	11.8 IN	2.4 IN	7.5 LB	352.7 LB
XT PRO METRIC	83 CM	30 CM	6 CM	3.4 KG	160 KG
XT FLOATING IMPERIAL	47.2 IN	13.8 IN	4.3 IN	7.3 LB	352.7 LB
XT FLOATING METRIC	120 CM	35 CM	11 CM	3.3 KG	160 KG

SPED II - Spinal Protection Extrication Device

- Low friction material provides easier application between patient and seat
- Color-coded strapping system of buckles and straps, stored within the device, ensures easy deployment by avoiding tangling of loose straps
- Vacuum immobilization technology enables the device to become rigid within seconds, molding to the patient's body
- Integral spinal stiffening ribs gives maximum support during extrication
- Integrated head immobilization provides superior C-spine immobilization and helps reduce risk of injury while moving the patient
- Seven lifting handles provide more points of access for better lifting and maneuverability

SPED II with introducer, restraint strap re-locator, repair kit, carrying bagNo. 23005001001



CE

Model 441, 443, 444 FERNOTrac™ Traction Splints

- Provide in-line mechanical traction
- Relieves pain and reduces the possibility of further vascular and nerve damage
- Simple, adjustable, wrap-around ankle hitch designed to allow medics to check pedal pulses
- Low-profile ischial pad permits splint to be applied with minimum movement of the patient's leg
- Heel stand folds flat for storage and instantly locks into place for support of the injured leg

Model 444 Adult Traction Splint with CaseNo. 0822182
Model 443 Pediatric Traction Splint with CaseNo. 0822181
Model 441 Combination 443 plus 444 with Case.....No. 0822183
Model 441-1 Combination Carrying Case OnlyNo. 0314046

Adult Model 444



Pediatric Model 443

CE



	LENGTH (MIN)	LENGTH (MAX)	WIDTH	WIDTH (ROLLED)	HEIGHT (MIN)	HEIGHT (MAX)	WEIGHT	LOAD LIMIT
SPED II IMPERIAL	28 IN	39 IN	25.5 IN	9.8 IN	—	—	5.9 LB	441 LB
SPED II METRIC	70 CM	100 CM	65 CM	25 CM	—	—	2.7 KG	200 KG
443 IMPERIAL	31 IN	46 IN	8 IN	—	2 IN	8 IN	3 LB	—
443 METRIC	79 CM	117 CM	20 CM	—	5 CM	20 CM	1 KG	—
444 IMPERIAL	35 IN	54 IN	9 IN	—	3 IN	9 IN	5 LB	—
444 METRIC	89 CM	137 CM	23 CM	—	8 CM	23 CM	2 KG	—

IMMOBILIZATION

Model 663 Air Splint Kit

- Simultaneously splint and stop superficial bleeding
- Inflates with simple air pressure
- Radiolucent
- Can be used on children by resizing half-leg or full-leg splints
- Zippers allow quick application
- Splints also available individually
- Kit includes one each of the following splints: Hand/wrist, half-arm, full-arm, foot/ankle, half leg, full-leg, and carry case

Air Splint Kit with carry case, set of 6 splintsNo. SP7645
 Hand-and-Wrist SplintNo. SP7700
 Half-Arm SplintNo. SP7701
 Full-Arm SplintNo. SP7702
 Foot-and-Ankle Splint.....No. SP7703
 Half-Leg SplintNo. SP7704
 Full-Leg SplintNo. SP7705



CE



Model 192 Full-Body Vacuum Mattress

- Conforms to any body shape to fully immobilize the patient
- Three patient restraints with buckles provide maximum patient security
- Six carry handles allow the vacuum mattress to be used as a stretcher
- Includes removable, contoured pillow and compact vacuum pump

Model 192 Full Body Vacuum Mattress, OrangeNo. 0374865
 Carry CaseNo. 0374878
 Foot PumpNo. 0832181



CE

Model AS190 Vacuum Splint Extremity Kit

- Ideal for dislocated shoulders, suspected fractures of arms, legs, and joints, or infant immobilization
- Kit includes three splints (small, medium, and large), compact vacuum pump, repair kit and carrying case
- Splints also available individually

Model AS190 Complete Extremity Kit, orangeNo. 0374861
 Model AS100 Short Arm (small) OrangeNo. 0374862
 Model AS120 Long Arm (medium) OrangeNo. 0374863
 Model AS140 Leg (large) OrangeNo. 0374864
 Replacement Vacuum PumpNo. 0831965
 Carry Case Only, for Model 190No. 0382916



CE

	LENGTH	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
192 IMPERIAL	79 IN	27 IN	4 IN	15 LB	275 LB
192 METRIC	201 CM	69 CM	10 CM	6.8 KG	125 KG

Pedi Mate® +

The Pedi Mate + Pediatric Restraint System quickly adapts an ambulance cot for the safe transport of children ranging in size from 10-100 lb (4.5-45.4 kg).

- Fully-adjustable, five-point harness system securely holds patients, providing safe restraint for transport
- Rolls compactly for convenient storage and easy deployment
- Vinyl construction is nontoxic and easy-to-clean
- Three restraint straps easily attach to any cot

Pedi Mate + No. 0314110



CE

NeoMate®

The NeoMate® Pediatric Restraint System adapts an ambulance cot to safely transport children ranging in size from 5-14 lb (2.3-6 kg).

- Halo Pad™ keeps infant's head stable
- Fully-adjustable, five-point harness system fits children firmly and provides safe restraint during transport
- Three restraint straps easily attach to any cot
- Rolls up compactly for efficient storage and deployment

Neo-Mate® No. 0314116



CE

KangooFix™

The KangooFix™ Neonatal Restraint System was developed to safely and effectively cradle and secure a newborn during ambulance transportation, allowing the baby between 3.5-11.1 lb (1.6-5 kg) to travel with their parent. Not only does this eliminate the need to use two vehicles and crews for transfers, but it also ensures a safer and improved environment for both parent and baby throughout the journey.

KangooFix™ No. 0374906



CE

MEDkids® Pediatric System

Maintain cervical neutral alignment in neonates, infants, and children with the self-contained Pneumatic Positioning Device (PPD). Accommodates the wide range of thoracic-elevation requirements without extra padding. Features a palm-style pump with an air-release valve for precise inflation and deflation. Offers versatile strap configurations with its adjustable three-point harness system. Made of durable Dupont® Cordura®. The MEDkids® Baby Board and Pedi-Sleeve are radiolucent.

Model 676 MEDkids® Baby Board

- The MEDkids® Baby Board is designed to maintain cervical neutral alignment for pre-term neonates and larger infants ranging from 0.9 to 6.4 kg (2 to 15 lb)
- Crescent-shaped head blocks secure cervical spine in infants too small for standard size cervical collars
- Versatile strap configurations with adjustable three-point harness
- Unique design accommodates all central lines, umbilical lines, chest tubes, urinary catheters, and other invasive and non-invasive equipment
- Compatible with most EMS cots and isolettes to provide safe and secure transport

Model 676 MEDkids Baby Board No. 0313922

Model 677 MEDkids® Pedi-Sleeve

- The MEDkids® Pedi-Sleeve is designed to fit over standard adult backboards and provide cervical neutral alignment for infants and children ranging from 5 to 27 kg (12 to 60 lb)
- Crescent shaped compressible head blocks allow access and visual monitoring of the ears while maintaining immobilization
- Versatile strap configurations with the adjustable three-point harness
- Rolls into self-contained carrying case to store in ambulance compartments, drawers, or under bench seats

Model 677 MEDkids Pedi-Sleeve No. 0313923

Model 78 Pedi-Pac®

- Designed for spinal immobilization of children from 711-1372 mm (28-54 in) tall, weighing 9-41 kg (20-90 lb)
- Built-in fastening loops connect to existing cot straps for safety during transport
- Individual leg restraints allow one leg to be immobilized while EMT attends to other leg
- Adjustable head support with ear openings for monitoring fluid drainage
- Sewn-in lifting handles at both ends for easy handling in confined areas
- Replaceable color-coded straps provide fast, easy identification
- Unit comes complete with head and chin straps and carrying case

Model 78 Pedi-Pac No. 0313065

**Model 676
Baby Board**



**Model 677
Pedi-Sleeve**



	LENGTH	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
676 IMPERIAL	23 IN	11 IN	1 IN	6 LB	2-15 LB
676 METRIC	58 CM	28 CM	3 CM	2.5 KG	0.9-6.4 KG
677 IMPERIAL	40 IN	20 IN	1 IN	3 LB	12-60 LB
677 METRIC	101 CM	50 CM	3 CM	1.5 KG	5-27 KG
78 IMPERIAL	48 IN	9 IN	1 IN	7 LB	90 LB
78 METRIC	122 CM	23 CM	3 CM	3 KG	41 KG



iN/TRAXX modularity supports better workflows and inventory management which lowers operating costs

The iN/TRAXX Integrated Vehicle Component System™ provides crash-ready safety for providers and patients, and efficiency that reduces operating costs for emergency services.

The iN/TRAXX system has been designed to secure loose equipment and supplies inside the ambulance and to allow medics to deliver patient care from a seated, safe and restrained position. This reduces the risk of death and injury during crashes, sudden stops or hard manoeuvres.

This modular system features wall-mounted tracks to which all manner of storage solutions, equipment and accessories, seating options and oxygen systems are attached.

WINNING BENEFITS

CRASH TESTED SAFETY

- **Crash-ready** Dynamically crash-tested to AS/NZS 4535 and SAE J3043 requirements that keep equipment secure during 26G impacts
- **Seated, Safe and Restrained Delivery of Care** Reach supplies and deliver care without standing in a moving vehicle
- **Soft-Sided Storage** SafePaks are soft-sided, eliminating potential strike hazards during aggressive vehicle manoeuvres or crashes

IMPROVED FLEXIBILITY

- **Inter-operability** Supplies and equipment are interchangeable across vehicles and vehicle types
- **Mission-Specific Customisation** Equipment and supplies can be removed or repositioned to adapt a vehicle to different response scenarios e.g.: a viral outbreak or mass casualty features
- **Expandable System** Components can be added as your needs change

WINNING BENEFITS

REDUCED PROCESSING TIME & MAINTENANCE

- **Faster Turn Around Time** SafePaks and pouches are easy to remove and clean, making restocking fast and easy
- **Reduced Downtime** Damaged or out-of-service equipment and components can be quickly removed and replaced without taking a vehicle out of service

REDUCED SYSTEM WASTE

- **Improved Inventory Control** SafePaks and Pouches make inventory control easier with better visibility of supplies, reducing duplication, waste and expired supplies

IMPROVED ERGONOMICS

- **Easy Access** Modularity allows supplies and equipment to be placed next to the paramedic in the delivery of care position, eliminating the need to get up in a moving vehicle to access supplies
- **Provider-Specific Configuration** Quickly reposition equipment and supplies exactly where you want them, or to suit the job

IMPROVED INFECTION CONTROL

- **Cleaning and Decontamination** Components are removable and power washable for thorough, easy cleaning
- **Containment** Individual pouches isolate potential contamination to specific areas, limiting the exposure of expensive supplies

REDUCE COST OF OWNERSHIP

- **Reduced Space Requirements** iN|TRAXX system requires less space for storage and equipment, allowing use of smaller, less expensive vehicles



MODULAR SYSTEM FITS ANY VEHICLE TYPE



CERTIFIED
EN 1280 COMPLIANT
10g

CERTIFIED
SAE J2917 COMPLIANT
22g

CERTIFIED
SAE J2956 COMPLIANT
26g

EMERGENCY

OXYGEN

RESCUE

MORTUARY

AVIATION

FERNO® Trauma Bags

- Constructed of durable DuPont® Cordura® with dual-density Plastazote® structural foam and YKK® Zippers
- Includes removable stiffeners and inserts for custom configuration
- Replaceable bottom protects the bag from wet ground
- Limited lifetime warranty

FERNO® Model 5103 Trauma Responder II Bag

- Enhanced outside pocket with elastic loops and pouch
- Full-opening top compartment
- Elastic loops, dividers, and interior pouch
- Molded feet on bottom for extra protection
- Available in red or blue
- Dimensions (L, W, H) 432 x 229 x 394 mm (17 x 9 x 15.5 in)

RedNo. 0819775

BlueNo. 0819776



FERNO® Model 5107 Professional Trauma Bag

- Nonslip shoulder strap
- Elastic pouches in front pocket keeps supplies organized
- External easy-access top pocket
- Tuck-away backpack harness system
- Compatible with FERNO Mini-Bags
- Available in red and blue
- Dimensions (L, W, H) 559 x 305 x 38 cm (22 x 12 x 15 in)

RedNo. 0819787

BlueNo. 0819788

Replacement BottomNo. 0819866



FERNO® Model 5113 First-In Trauma Bag

- Enhanced front pocket with elastic loops
- External pocket on lid
- Compatible with FERNO Mini-Bags
- Available in red and blue
- Dimensions (L, W, H) 381 x 292 x 37 cm (15 x 11.5 x 14.5 in)

RedNo. 0819809

BlueNo. 0819810



FERNO® Model 5108 Professional ALS Bag

- Same design as 5107 bag with the addition of 4 Mini-Bags:
 - One Medication Mini-Bag 5114
 - One Intubation Mini-Bag 5115
 - Two Intravenous Mini-Bag 5116
- Available in red and blue
- Dimensions (L, W, H) 559 x 305 x 38 cm (22 x 12 x 15 in)

RedNo. 0819790

BlueNo. 0819791

Replacement BottomNo. 0819866



FERNO® Airway Bags

- Constructed of durable DuPont® Cordura® with dual-density Plastazote® structural foam and YKK® Zippers
- Includes removable stiffeners and inserts for custom configuration
- Replaceable bottom protects the bag from wet ground
- Limited lifetime warranty



Emergency Respiratory Care Backpack (ERC)

- Quick-access flap to oxygen regulator
- Hands-free operation with convenient backpack straps
- Carry the ERC like a duffel bag with an extra strap
- Reflective strips for better night visibility
- Five custom hook-and-loop labels to designate compartments
- Holds Jumbo D cylinder or Spiracle® DD-Lite carbon fiber cylinder
- Available in green only
- Dimensions (L, W, H): 572 x 305 x 24 cm (22.5 x 12 x 9.5 in)

ERC Backpack, GreenNo. 0819634



FERNO® Model 5110 Trauma/Airway Management Bag II

- Tuck-away backpack harness system
- Access oxygen through end pocket or from main compartment
- Adjustable storage in main compartment
- Compatible with FERNO Mini-Bags
- Available in red and blue
- Dimensions (L, W, H): 584 x 305 x 38 cm (23 x 12 x 12.5 in)

Red.....No. 0819797

Blue.....No. 0819798

Replaceable BottomsNo. 0819865



FERNO® Model 5111 Trauma/Airway Management Bag III

- Removable back pocket for WizLoc™ or cervical collars
- Oxygen access through end pocket or from main compartment
- Front pocket includes pouch and elastic loops for organizing supplies
- Carries D and Jumbo D size cylinders
- Compatible with FERNO Mini-Bags
- Available in red and blue
- Dimensions (L, W, H): 635 x 381 x 32 cm (25 x 15 x 12.5 in)

Red.....No. 0819801

Blue.....No. 0819802

Replaceable BottomsNo. 0819864



FERNO® Model 5100 Airway Management / Oxygen Bag

- Oxygen access through outside pocket
- D and Jumbo D compatible
- Outside pocket organized with pouch and elastic loops
- Includes two 5137 utility pouches, one 5131 pouch, and O₂ bag with handle as shown
- Tuck-away backpack harness system
- Compatible with FERNO Mini-Bags
- Available in red and blue
- Dimensions (L, W, H): 584 x 241 x 33 cm (23 x 9.5 x 13 in)

RedNo. 0819769

Blue.....No. 0819770



FERNO® Model 5120 Oxygen Carry Bag

- Single-piece design carries a D size cylinder
- Square aluminum frame prevents it from rolling to one side
- Padded for protection
- Double-zip opening for easy access to regulator
- Integrated hooks allow it to hang from cot
- Available in red and blue
- Dimensions (L, W, H): 559 x 159 x 23 cm (22 x 6.25 x 9 in)

RedNo. 0819826

Blue.....No. 0819827

Green.....No. 0819828



FERNO® Model 5121 Oxygen Carry Bag

- Same features as 5120
- Carries an E size cylinder
- Available in red and blue
- Dimensions (L, W, H): 851 x 114 x 23 cm (33.5 x 4.5 x 9 in)

RedNo. 0819830

Blue.....No. 0819831



FERNO® Model 5122 Oxygen Carry Bag

- Same features as 5120
- Carries a Jumbo D size cylinder
- Available in blue only
- Dimensions (L, W, H): 851 x 114 x 23 cm (33.5 x 4.5 x 9 in)

Blue.....No. 0819835



BAGS

FERNO® Model 5115 Intubation Mini-Bag

- Displays airway supplies for ease of use
- Removable internal pouch for miscellaneous supplies
- Removable card for additional storage
- Available in red and blue
- Dimensions (L, W, H): 330 x 76 x 24 cm (13 x 3 x 9.5 in)

Red.....No. 0819815

Blue.....No. 0819816



FERNO® Model 5116 Intravenous Mini-Bag

- Provides organization for IV supplies
- Billow pocket for small sharps container
- Easily stores away in larger kits
- Available in red and blue
- Dimensions (L,W,H): 229 x 114 x 28 cm (9 x 4.5 x 11 in)

Red.....No. 0819818

Blue.....No. 0819819



FERNO® Model 5117 Trauma Mini-Bag

- Organizes trauma supplies with elastic loops and mesh pockets
- Durable mesh windows for easy identification of supplies
- Available in red or blue
- Dimensions (L, W, H): 343 x 76 x 24 cm (13.5 x 3 x 9.5 in)

Red.....No. 0819821

Blue.....No. 0819822



FERNO® Model 5130 Intubation Ultra Mini-Bag

- Holds a variety of emergency airway supplies and accessories
- Fits into any larger bag
- Available in blue only
- Dimensions (L, W, H): 292 x 140 x 5 cm (11.5 x 5.5 x 2 in)

Blue.....No. 0819847



FERNO® Model 5114 Medication Mini-Bag

- A modernized approach to organizing drugs
- Compact design for easy storage in any kit
- Eight removable medication cards (four 5118 Ampoule Cards and four 5119 Vial Cards)
- Available in red and blue
- Dimensions (L,W,H): 229 x 90 x 22 cm (9 x 3.5 x 8.5 in)

Red.....No. 0819812

Blue.....No. 0819813



FERNO® Model 5118 Ampoule Card/5119 Vial Card

- High-density foam
- Contained in special plastic cassette
- Organizes and protects ampoule medications
- Pre-cut foam for easy set up
- Used with model MB-5114 (shown above)
- Available in black only

Model 5118, Ampoule Card, Black.....No. 0819823

Model 5119, Vial Card, Black.....No. 0819824



EMERGENCY

OXYGEN

RESCUE

MORTUARY

AVIATION



Oxygen is the most commonly used drug in emergency medicine and high quality, precision equipment is crucial to the safe delivery of oxygen treatment.

Spiracle Technology – a FERNO Group Company – is experienced in the development and manufacture of emergency oxygen and airway equipment for all scenarios in-the-field or within a hospital or home.

From resuscitation systems and airway kits to multi-administrators and self-contained portable solutions, Spiracle Technology's respiratory care devices will make a positive difference in the treatment and care of patients.

ORO2 Oxygen Regulators

- Strong uni-constructed body
- CGA 870 pin index connection
- 0-3,000 psig gauge
- Fixed-orifice flow control with window-style flow reading
- Flow specifications range from 0-25 lpm
- Settings of ¼, ½, 1, 2, 3, 4, 6, 8, 10, 15, and 25
- Regulator provides a gas-regulated pressure of 57 psig at 2000 psi
- Flow accuracy: Plus or minus 10% of reading at lpm setting > 1
- C-ring clamp aids in retaining the tee-handle
- Warranty varies



CE

Model 818-Aluminum Body, Brass Component *

ORO₂ Oxygen Regulator, 0-25 lpm, 12-position flow control with barbed outlet only, low profile, booted gauge.

Model 818-Aluminum Body, Brass ComponentNo. 818-0



Model 819-Aluminum Body, Brass Component *

ORO₂ Oxygen Regulator, same as model 818, except with international 0-4000 psi booted pressure gauge.

Model 819-Aluminum Body, Brass ComponentNo. 819-0



Model 804-Aluminum Body, Brass Component

ORO₂ Oxygen Regulator, CGA 540 DISS inlet for H and M size cylinders, one DISS 40 to 60 psi outlet with safety check valve UL listed 0-4000 psi pressure gauge with boot.

Model 804-Aluminum Body, Brass Component.....No. 804-0



*Minimum quantity required/special order

EMERGENCY

OXYGEN

RESCUE

MORTUARY

AVIATION

BRAVO2 Brass Oxygen Regulators

- Strong uni-constructed body
- CGA 870 pin index connection
- 0-3,000 psig Gauge
- Fixed-orifice flow control with window-style flow reading
- Flow specifications range from 0-25 lpm
- Settings of ¼, ½, 1, 2, 3, 4, 6, 8, 10, 15, and 25
- Regulator provides a gas-regulated pressure of 57 psig at 2000 psi
- Flow accuracy: Plus or minus 10% of reading at lpm setting > 1
- C-ring clamp aids in retaining the tee-handle
- Warranty varies



CE

Model 830-Brass Oxygen Regulator

BRAVO₂ Oxygen Regulator, 0-25 lpm, 12-position flow control with barbed outlet, and two DISS outlets with safety check valves, low profile, booted gauge.

Model 830 **No. 830-0**



Model 831-Brass Oxygen Regulator

BRAVO₂ Oxygen Regulator, same as Model 830, except with international 0-4000 psi booted pressure gauge.

Model 831 **No. 831-0**



Model 832-Brass Oxygen Regulator

BRAVO₂ Oxygen Regulator, 0-25 lpm, 12-position flow control with barbed outlet only, low profile, booted gauge.

Model 832 **No. 832-0**



Model 833-Brass Oxygen Regulator

BRAVO₂ Oxygen Regulator, same as Model 832, except with international 0-4000 psi booted pressure gauge.

Model 833 **No. 833-0**



ORO₂ Flow Control Valves

- 12-position flow control settings ranging from the OFF position to ¼, ½, 1, 2, 3, 4, 6, 8, 10, 15, and 25 lpm
- Accuracy of plus or minus 10% to reading. 1/4 and 1/2 lpm +/-20%
- The brass, nickel-plated DISS outlet allows precise connection using standard DISS or BARB connections
- Accommodates nebulizers, humidifiers, or nipple/nut connectors
- All-metal construction. Single number display. Forward facing.

Model 900A ORO₂ w/ DISS Male Outlet & BARB OutletNo. T21900A

Model 901A ORO₂ w/ BARB Outlet.....No. T21901A



O₂ E-Class Flowmeter

- Polycarbonate tube, nickel-plated brass
- Agion™ knob material, inhibits growth of odor-causing micro-bacteria
- Precise and adjustable needle valve assembly, for accurate flows
- Stainless steel ball float and clear scale provide easy to set flow

E-Class FlowmeterNo. T21EC15

E-Class w/ British Quick ConnectNo. T21EC15-B

E-Class w/ Ohio Diamond Quick ConnectNo. T21EC15-OD



Model 903 Micro-Manager Administrator™ (anodized aluminum)

- Constant flow device of 10 lpm for one to five patients simultaneously
- Check valves and threaded barbed fittings with flow-restriction orifices
- Attach to an oxygen regulator capable of delivering 40 to 90 psi
- Provides a 50 psi outlet to operate a demand valve resuscitator or gas-powered suction device
- Can be ordered in any size LPM below

Micro-Manag. with five 10 lpm OrificeNo. R01000/ST# T291903-10

Replacement Packages: Five DISS x Barb lpm fittings

For 2 lpm, 5 per package.....Call for Specifications

For 4 lpm, 5 per package.....No. R06004

For 6 lpm, 5 per package.....No. R06006

For 10 lpm, 5 per package.....No. R06010

For 15 lpm, 5 per package.....No. R06015



Oxygen Supply Hoses Sold Separately

Model 905 Mini-Manager Administrator™ (aluminum alloy)

- Equipped with five flow-control valves
- Able to provide flow rates from 0-25 lpm for one to five patients
- Manifold with DISS Oxygen Inlets
- Comes in a soft carrying case and stores compactly
- 60 month warranty

Model 905 Mini-Manager O₂ Administrator™No. T21905



Oxygen Supply Hoses Sold Separately

Model 908 Multi-Manager Administrator™ (aluminum)

- Equipped with eight flow-control valves with standard DISS
- Able to provide flow rates from 0-25 lpm for one to 8 patients
- Manifold is mounted on a collapsible aluminum alloy tripod
- Can be connected with a second unit to treat up to 16 patients
- Stores compactly, and storage case available (Model R09081)
- 60 month warranty

Model 908 Multi-Manager O₂ Administrator™No. T21908



Oxygen Supply Hoses Sold Separately

Disposable Cuff Mask

Contoured, anatomically-shaped cushion allows gas-tight low-pressure seal. Hypo-allergenic materials. Little or no blow-by during oxygen administration. Available in infant, child, and adult sizes.

Single-Use Cuffed Mask Size 1, Infant..... No. 50510-01
Single-Use Cuffed Mask Size 3, Child/Small Adult... No. 50510-03
Single-Use Cuffed Mask Size 5, Adult..... No. 50510-05



CE

Reusable Silicone Face Masks

- Contoured, anatomically-shaped cushion
- Gas-tight, low-pressure seal with hypo-allergenic materials
- Little or no blow-by during oxygen administration
- Available in pediatric and adult sizes

Reusable Face Mask, Size 0, InfantNo.T50550-00
Reusable Face Mask, Size 1, Infant No. T50550-01
Reusable Face Mask, Size 2, Infant/Child..... No. T50550-02
Reusable Face Mask, Size 3, Child.....No. T50550-03
Reusable Face Mask, Size 4, AdultNo. T50550-04
Reusable Face Mask, Size 5, AdultNo. T50550-05



CE

Model 302 OX-Series Inhalator Valve

- Provides 100% source gas to a breathing patient with minimal respiratory effort
- Compact and lightweight design weighs only three ounces
- Used on spontaneously breathing patients for aquatic injuries, dive accidents, smoke inhalation, and carbon monoxide poisoning
- Demand valve, high flow

Model 302 and ValveNo. T25302
Valve, Inhalator, 1829 mm Hose, and Adult Mask No. T25302-010
Model 302, Inhalator/Exhalation Valve Assembly No. S190014



Model 302-10

CE

Model 301 HFOC™ Oxygen Conserver

- High-flow oxygen conserver delivers 100% oxygen during resuscitation
- Performs function regardless of resuscitator rate and bag stroke volume
- Operates from any standard 50 psi gaseous oxygen source
- Has an integral back pressure relief diaphragm to relieve pressure greater than atmospheric
- Adapters to attach the HFOC™ to the most popular brands of bag valve resuscitators provided
- BVM refill valve
- Comes with 1829 mm (6 ft) O₂ supply hose

301-10 (for NPB PMR-II Adult Bag Resuscitators).....No. T28301-10
301 w/1829mm Hose (for 22mm Bag Inlet Port).....No. T25301

Adapters

15 mm I.D. x 22 mm O.D. Adapter No. T2522003
23 mm I.D. x 28 mm O.D. Adapter No. T2522004
26 mm I.D. x 31 mm O.D. Adapter No. T2522002
Silicon Rubber Adapter (Use with RO3012 Adapter to Connect Bag/Mask Resuscitators w/22 mm Male Inlets).....No. T2522012



Three
Adaptors
Included



CE

DVRx Demand Valve Resuscitator

- Provides 100% oxygen through a mask, endotracheal tube, esophageal airway, or tracheotomy tube to a breathing or non-breathing patient
- Manual triggered flow: 40 LPM. Spontaneous breathing: 160 LPM

DVRx Demand Valve ResuscitatorNo. T10560



Single Patient Use BVM with Medication and Monitoring Port

- Transparent re-breathing valve assembly allows clear viewing of valve
- Lightly-textured PVC bag for sure grip and comfort
- Latex free
- 360° patient valve swivel connection
- Adult size will easily collapse for compact storage
- Comes complete with mask reservoir bag and O₂ tubing
- Bag Valve Mask Resuscitator can be used in conjunction with FERNO₂ HFOC Model 301 to achieve 100% oxygen delivery
- 40 cm H₂O pressure-relief valve standard on pediatric/infant models
- Silicone hand strap included for optional steady grip
- Medication and Monitoring Port on outlet side of BVM

Single Patient Use BVM, AdultNo. T30533
 Single Patient Use BVM, ChildNo. T30532
 Single Patient Use BVM, InfantNo. T30531



CE

Silicone Reusable BVM with Medication and Monitoring Port

- Silicone material provides excellent bag re-expansion
- Superior feel of lung compliance helps reduce risk of over-inflation
- Sized for adult, pediatric (5.5-55 lb), and infant patient ventilation
- Integrated intake/oxygen valve for ease of oxygen delivery
- Easy to disassemble/assemble for efficient cleaning
- See-through mask with unique multi-function mask cover
- 40 cm H₂O pressure-relief valve standard on pediatric/infant models
- BVM's can be used in conjunction with FERNO₂ HFOC Model 301 to achieve 100% oxygen delivery
- Comes complete with mask reservoir bag and O₂ tubing

Adult Complete in CartonNo. T30536
 Child Complete in CartonNo. T30535
 Infant Complete in CartonNo. T30534



CE

CPR Mask

- Reusable mask used for mouth-to-mask ventilation
- Ready to use right out of its ruggled storage case
- Latex-free
- Comes complete with filtered inlet valve, O₂ inlet port, and head strap

FERNO₂ CPR Pocket MaskNo. RO2820



CE

Oxygen Hoses

Green pressure oxygen hose with two female DISS fittings (compatible with LSP Demand Valve, LSP Aspirator, LSP Minilator, and others)

O₂ Hose with 2 Female Fittings, 1.8 m/6 ftNo. RO2600
 O₂ Hose with 2 Female Fittings, 6 m/20 ftNo. RO2620

Green pressure oxygen hose with 1/8in male NPT and one female DISS fitting, (works with FERNO₂ OX Inhalator FERNO₂ HFOC, Elder Demand Valve and LSP Bag Refill Valve)

O₂ Hose w/ 1 male & 1 female fitting, 1.8 m/6 ftNo. RO2610



Aluminum Oxygen Cylinders

- Up to 40% lighter than steel
- Absorb more impact energy
- Have greater resistance to damage from rough handling or accidental dropping
- Contaminants can't be trapped on the smooth, rust-free interior surface of aluminum cylinders
- Folding built-in on/off lever eliminates need for wrench or handwheel
- Available in C, D, Jumbo D, and E sizes

C Size Cylinder (248 liters)No. RO2500
D Size Cylinder (415 liters)No. RO2510
Jumbo D Size Cylinder (637 liters)No. RO2520
E Size Cylinder (682 liters)No. RO2530
M60 Size Cylinder (1.723 liters)CGA 540No. T10220-12
M Size Cylinder (3.452 liters) CGA 540No. T10220



Model 205, 206, 210, 211 DD-Lite® & EE-Lite® Carbon Fiber O2 Bottles

Fully wrapped, carbon-fiber reinforced, aluminum-lined vessels manufactured with the highest-grade aerospace materials. Both products carry DOT regulatory certifications for design and qualification certifications. The DD-Lite® and EE-Lite® can be mounted to a FERNO 35A+, 93H, 35X, or 93-EX Squadmate™ cots and can also be mounted to the back of an EMS bicycle. The significant reduction in weight and greater capacity of these carbon-fiber vessels means you can carry more oxygen to remote locations, onboard helicopters, up flights of stairs, and in your ambulance.

	DD-Lite®	EE-Lite®
Service Pressure:	3000 psi (207 bar)	2216 psi (153 bar)
Volumetric Capacity:	200 in (3.28 liters)	516 in (8.46 liters)
Outer Diameter:	5.83 in (137 mm)	6.63 in (168 mm)
Length:	13.5 in (302 mm)	20.42 in (519 mm)
Weight:	3.7 lb (1.68 kg)	7.3 lb (3.31 kg)
Oxygen Content:	@3000 psi: 717 liters @2000 psi: 533 liters	@2216 psi: 1,377 liters

DD-Lite Model 205 w/ CGA 870 Post Valve and On/Off Toggle.....No. 0819963
DD Lite Model 206 w/ CGA 540 Valve OutletNo. RO2060
EE-Lite Model 210 w/ CGA 870 Post Valve and On/Off ToggleNo. 0819964
EE-Lite Model 211 w/ CGA 540 Valve OutletNo. 0819589
EE-Lite 3k Model 211-3p w/ CGA 540 Valve OutletNo. T10211-3P




OXYGEN VESSEL COMPARISON CHART

	STEEL D	ALUM. D	JUMBO D	ALUM. E	DD-LITE	EE-LITE	EE-LITE 3K
OXYGEN CONTENTS (LITERS)	396	415	637	682	717	1377	1867
WEIGHT	10.3 LB (5 KG)	7.9 LB (3.6 KG)	8.6 LB (4 KG)	8.0 LB (3.6 KG)	3.7 LB (1.7 KG)	7.3 LB (3.3 KG)	9.3 LB (4.2 KG)
DIAMETER	4.5 IN (114 MM)	4.37 IN (111 MM)	5.25 IN (133 MM)	4.37 IN (111 MM)	5.3 IN (135 MM)	6.6 IN (168 MM)	6.63 IN (168 MM)
LENGTH	20 IN (208 MM)	15.5 IN (394 MM)	7.5 IN (191 MM)	25.6 IN (650 MM)	13.5 IN (343 MM)	20.4 (518 MM)	20.7 IN (526 MM)
SERVICE PRESSURE (PSI)	2015	2015	2216	2015	3000	2216	1000

Oxygen System Mounting Bracket

- Securely hold either two EE-Lite 3Ks, two M60s, or a mix of the two cylinders
- Uses each cylinder independently of one another allowing for complete depletion of cylinder before needing to swap
- Wall mounted base provides secure retention system
- Foam bottle holder, and door pad prevent rattling
- Integrated pressure gauges allow for quick assessment of cylinder contents
- 4 high flow outlets grant the ability to treat multiple patients or run complete machines at once

Oxygen System Mounting Bracket (Non-iNTRAXX® version).....No. T70710-N



mounted to iNTRAXX®
Integrated Vehicle
Component System

Model 521 Oxygen Bottle Holder (Universal Bracket Base)

- Designed for steel and aluminum cylinders including D, E and Jumbo D sizes
- Will not rust or corrode
- Universal bracket base adapts to cylinder size
- Neck support bracket can slide up or down with common tools to secure cylinders
- Bracket does not interfere with most oxygen regulator controls
- Heavy-duty nylon strap and metal buckle keep cylinder in place
- Bracket can be mounted vertically or horizontally

Model 521, Oxygen Bottle HolderNo. 0822187



Model 515 and 516 Cylinder Bridges (Floor-Mounted)

- Securely hold either D or E size oxygen cylinders in place
- Floor-mounted base provides secure retention system
- Eliminates swaying, tipping, and rattling oxygen cylinders

Model 515, Cylinder Base, Single.....No. 0815150

Model 516, Cylinder Base, Dual.....No. 0815160



Model 519 and 520 Bottle Base (Wall-Mounted)

- Securely hold either D or E size oxygen cylinders in place
- Wall-mounted base provides secure retention system
- Eliminates swaying, tipping, and rattling oxygen cylinders

Model 519, Bottle Base, Single.....No. 0815190

Model 520, Bottle Base, DualNo. 0815200



Model 514 Oxy-Clip™

- Designed to place the oxygen cylinder on the cot sidearm rather than underneath the cot or between the patient's legs
- Securely holds either steel or aluminum D size cylinders
- Spring-loaded latch enables the Oxy-Clip™ to instantly attach to the cot sidearm (19 mm/0.75 in diameter)

Model 514, Oxy-Clip™ for Any Cot (except Model 28).....No. 0085500

Model 514-1, Oxy-Clip™ for Model 28.....No. 0085520



Emergency Respiratory System

- Provides resuscitation, gas-powered suction, and oxygen therapy in a lightweight package
- Configured using the ERC (Emergency Respiratory Case)
- Made from 600 Denier Cordura
- Can be carried like a backpack or like a bag
- Shoulder straps and waist belt can be tucked away
- System includes:
 - ERC Case
 - Uni-Body brass regulator (0-25 lpm) with constant flow and two high-flow outlets
 - Demand valve with 1.8m/6 ft hose
 - Single patient mask
 - Cuffed mask
 - Gas powered aspirator
 - One D size aluminum oxygen cylinder (415 liters/02) or one EE-Lite carbon fiber oxygen vessel with a capacity of 1377 liters of oxygen



ERS with EE-Lite Carbon Fiber Tank..... Call for Specifications
ERC Backpack OnlyNo. 0819634
ST#2644001

SAR Backpack Portable

- Designed for urban search and rescue and remote wilderness rescue
- Has a technical frame back panel, two internal 6063 aluminum stays, contoured shoulder straps, side compression, and load lifting straps
- Built for proper distribution of the load
- Integrated nylon rain cover with storage pocket
- Large volume main compartment holds D, Jumbo D, or DD-Lite cylinder
- First aid cross is reflective for nighttime visibility
- Padded and breathable mesh shoulder straps w/ hydration tube clip

SAR Backpack Only No. 2644009

Complete SAR Backpack Portable Kit

- DD-Lite carbon fiber oxygen vessel with BRAVO₂ oxygen regulator
- SAR Backpack Portable Case

Complete SAR Portable Kit.....No. 704-0

Deluxe SAR Backpack Portable Kit

- Complete SAR Backpack Portable Kit
- OX-Series Inhalator with oxygen hose
- Adult size Spiracle/MEDS PPV mask

Deluxe SAR Portable Kit..... No. 704-02



Seahorse Portable Airway Kit*

- For emergency respiratory care in pre-hospital, marine, and industrial settings
- Designed to withstand the harshest of environments with a hard shell Pelican™ case and watertight seal
- Kit Includes:
 - DD-Lite carbon fiber oxygen vessel
 - OX Series Inhalator Valve with O₂ supply hose
 - BRAVO₂ Brass Oxygen Regulator
 - Yellow Pelican™ case with custom die cut, closed-cell foam insert, purge valve, and collapsible handle

Seahorse Portable Airway Kit Complete.....No. SPAK702

**Picture shows additional items. Custom configured kits available.*



Model 425 Intubation Kit

- Carrying case
- Miller 1, 2, and 4 fiber-optic blades and Mac 2 and 3a fiber-optic blades
- Handle
- Blades and handle are ISO Green System compatible
- Spare bulb (size C batteries not included)

Kit Model 425No. T22425

Carrying Case OnlyNo. 2244000



Individual Laryngoscope Blades and Handles

- Stainless steel (SS) fiber-optic blades
- Blades autoclaveable
- Blades and handle are ISO Green System compatible
- Spare bulb (size C batteries not included)

Handle Fiber-Optic Laryngoscope, Pediatric.....No. T224291

Handle Fiber-Optic, Standard.....No. T22429



	Size 0	Size 1	Size 2	Size 3	Size 4
BLADES MACINTOSH	T22427-0	T22427-1	T22427-2	T22427-3	T22427-4
MILLER	T22428-0	T22428-1	T22428-2	T22428-3	T22428-4

Guedel Emergency Airway Kit

- Combines six disposable, individually numbered Guedel Airways
- Plastic pouch for easy storage and access
- Large lumen offers free exchange of expired air and rescue breaths
- Each airway is contoured for maximum comfort
- Kit includes six sizes: Infant (50 mm), small child (60 mm), child (70 mm), small adult (80 mm), medium adult (90 mm), and adult (100 mm)



Guedel Emergency Airway Kit, 6 per boxNo. 1046020

Nasopharyngeal Airways

- Robertazzi style airway with fixed flange
- Made of neoprene (latex-free) and designed to minimize entry trauma and increase patient comfort
- For use where patient has a blockage of normal anatomical airway

Latex-Free Naso Airway Kit of 9No. 1046022

Kit of 9 includes nine sizes along with water-soluble sterile lubricant packs:

20, 22, 24, 26, 28, 30, 32, 34, and 36fr. Also available individually.

Kit of 6 excludes: 20, 34, and 36fr.



O2 Control Panel

The O2 Control Panel allows remote location cylinder selection, and provides visual indication of cylinder contents along with regulated low pressure flow indicator.

- Gauges (2) display high pressure supply contents
- Change over valve selects cylinder output
- Visual analog indicator verifies low pressure output
- Intended for wall mount (flush)

O2 Control PanelNo. T70740



MVP Suction Unit

- Robust, lightweight, high-vacuum portable suction unit
- Reusable pistol-style pump
- Comes with disposable 300 ml disposable collection jar, 13 mm adult and 6 mm child disposable suction catheters
- Collection jar rotates for optimal position for suctioning/aspiration
- Designed with an overflow protection mechanism that resists clogging and prevents spilling

MVP Suction Unit, Adult/Child KitNo. T60540

Replacement Canister with Large-Bore Catheter No. S60541-01



MicroVac Suction Unit

- Lightweight unit designed to be attached to any 50 psi DISS outlet
- Unique, color-coded on/off shuttle provides fast actuation of the unit
- Suction catheter can be quickly and easily cleared by covering the unit's exhaust port with one finger, reversing the flow

MicroVac Powered Suction Unit with HoseNo. T10561



Wall-Mounted Blood Pressure Cuff

This clock aneroid sphygmomanometer is perfect for ambulances, hospitals or clinics. The mounting bracket offers cuff storage while enabling the unit to swivel for easy viewing.

- Large easy to read 150 mm (6 in) dial
- 300 mm Hg No Pin Stop Mechanism
- 110 degree rotation for easy viewing
- Nylon Velcro cuff with PVC bladder with nickel-plated air release valve
- 8 foot (when extended) of coil tubing

Wall Mounted Blood Pressure CuffNo. T1046019



PEZO₂ Pulse Oximeter

- Large OLED display has 10 brightness settings and orientation options
- Hard plastic design protects the unit from rigorous daily use

PEZO₂ Pulse OximeterNo. T10565







RESCUE

The interoperability between the various levels of emergency responders has led FERNO to create a portfolio of world class products that address professional rescue programs and the needs of these rescuers.

FERNO Rescue group are well known contributors to the rescue industry with award winning designs and functionality for their product solutions: Traverse Rescue, FERNO Australia, FERNO Italia, FERNO UK, FERNO Norden, Spiracle Technologies and Germa. These key suppliers have developed leading patient extrication, immobilization and transportation products ranging from traditional rescue scenarios through technical rescue and mass casualty/disaster response and treatment.

TITAN RESCUE LITTERS



ACCESSORY



Flotation Collar
No. 11-1024A

Titan Stainless Steel Rescue Litters

The Titan Rescue Litter is a complete rethinking of the classic Stokes military-style stretcher. The top rail is a full one-inch (25 mm) diameter, making the stretcher easier to handle when carried for extended periods. Available in one-piece or two-piece and regular, tapered, or extra-wide models.

- Patented StratLoad™ attachment points for secure attachment of lifting bridles
- Replaceable HDPE netting allows water and air flow plus a durable UHMW-PE back support
- Designed to surpass the US Military specification MIL-L-37957A. Tested to and beyond a 1,134 kg (2500 lb) static load test threshold
- Titan litters are compatible with any FERNO backboard
- Tapered features enables easier access in confined areas

Titan SS One-Piece, RegularNo. RE11019999
Titan SS One-Piece, TaperedNo. RE11009999
Titan SS Two-Piece, RegularNo. 0107975
Titan SS Two-Piece, TaperedNo. RE11049999
Titan SS One-Piece, Extra-WideNo. RE11029999



ONE-PIECE REGULAR	L x W x H	WEIGHT	Load Limit
IMPERIAL	83.5 X 23.4 X 7.4 IN	31.8 LB	2500 LB
METRIC	212 X 58 X 19 CM	14.43 KG	1134 KG
TWO-PIECE REGULAR			
IMPERIAL	83.5 X 24.5 X 7.5 IN	33.3 LB	2500 LB
METRIC	212 X 62 X 19 CM	15.1 KG	1134 KG
ONE-PIECE EXTRA-WIDE			
IMPERIAL	83.5 X 32.4 X 7.4 IN	42.4 LB	2500 LB
METRIC	212 X 81 X 19 CM	19.24 KG	1134 KG
ONE-PIECE TAPERED			
IMPERIAL	83.5 X 23.4 X 7.4 IN	31.34 LB	2500 LB
METRIC	212 X 59 X 19 CM	13.77 KG	1134 KG
TWO-PIECE TAPERED			
IMPERIAL	83.5 X 24.25 X 7.5 IN	33 LB	2500 LB
METRIC	212 X 62 X 19 CM	15 KG	1134 KG

Titan Titanium Rescue Litters

For the ultimate in strength to weight ratio, Titan Titanium Rescue Litters set a new standard for rescue litters. The ASTM Grade 2 titanium tubing is light weight, making them suited for applications where weight saving is your ultimate goal.

- Patented StratLoad Attachment Points for secure bridle connection, protect connected hardware from rock and cliff face damage
- Split baskets are supplied with four steel double-bar restraints and a patented Locsafe triple safety system which securely locks the outer rails to prevent collars from loosening during deployment
- HDPE netting allows water and air flow, moulded UHMW-PE back support

Titan Ti Two-Piece, Regular w/Stratload Rescue Litter No. 11-0115SL
Titan Ti One-Piece, Regular w/Stratload Rescue Litter No. 11-0116SL
Titan Ti One-Piece, Tapered w/StratLoad Rescue Litter No. 11-0118SL
Titan Ti Two-Piece, Tapered w/ StratLoad Rescue Litter No. 11-0119SL



ONE-PIECE REGULAR	L x W x H	WEIGHT	LOAD LIMIT
IMPERIAL	83.5 X 23.25 X 7.4 IN	17.8 LB	2500 LB
METRIC	212 X 59 X 19 CM	8.1 KG	1134 KG
TWO-PIECE REGULAR			
IMPERIAL	83.5 X 23.75 X 7.7 IN	19.5 LB	2500 LB
METRIC	212 X 60 X 19 CM	8.85 LB	1134 KG
ONE-PIECE TAPERED			
IMPERIAL	83.5 X 23.25 X 7.4 IN	17.8 LB	2500 LB
METRIC	212 X 59 X 19 IN	8.1 KG	1134 KG
TWO-PIECE TAPERED			
IMPERIAL	83.5 X 23.75 X 7.7 IN	19.4 LB	2500 LB
METRIC	212 X 60 X 19 CM	8.8 KG	1134 KG


Pinnacle Titanium Rescue Litter

The world's lightest rigid stretcher for confined space rescue.

- StratLoad™ Feature for vertical lifting
- LocSafe triple safety feature ensures connections are secure throughout any operation
- Narrow design allows for entry into and egress from most confined spaces
- HDPE netting allows water and air to pass through the patient compartment but is fine enough to minimize snagging on debris
- UHMW-PE Back Support is extremely durable and splinter-free
- All TIG welded frame construction litter
- Titanium material is extremely strong and durable
- LockSafe feature on Split-Apart Litters

Traverse Pinnacle Titanium Rescue Litter, One Piece No. 0153254

Traverse Pinnacle Titanium Rescue Litter, Split Apart No. 0153255



Traverse Rated
900 lb



StratLoad™ feature



LocSafe triple safety
feature



Gazelle Series Carbon Steel Rescue Litters

The Gazelle Rescue litter is intended for basic rescue and first response. The Gazelle series is not designed for aeromedical use of any sort per hoist/short haul operations.

- Designed to be used in basic rescue raise/lower operations
- All-carbon-steel, MIG-welded frame construction
- Tubular 3/4 in (19 mm) top frame and lower rails
- Two flat carbon steel supports at the bottom of the stretcher
- Polyethylene netting does not corrode and is easy to replace
- Regular model fits any style 16 in or 18 in backboard
- Tapered model allows easier access into confined areas
- Confined Space model allows access into smaller and narrower spaces

Gazelle Stretcher, Tapered No. 110106

Gazelle Stretcher, Regular No. 110105

Gazelle Stretcher, Confined Space No. 110107



Traverse Rated
900 lb



Tapered



Regular



Confined Space




Advantage Rescue Litter

- Heavy-duty, stainless steel frame construction and a HDPE shell make this stretcher ideal for any rescue situation
- The design allows the stretcher to glide smoothly over various types of terrain and surfaces
- Internal secondary rail is completely accessible and provides unlimited options for tying-in a patient for any type of rescue operation
- Replaceable patient pad is made of closed-cell foam which will not absorb fluids
- StratLoad™ attachment points

Advantage Rescue Litter with SS frame No. RE11250399

Dust Cover for Advantage Rescue Litter No. 0822069



Traverse Rated
2500 lb



StratLoad™ attachment point



LITTER	IMPERIAL L x W x H	IMPERIAL WEIGHT	METRIC L x W x H	METRIC WEIGHT	IMPERIAL LOAD LIMIT	METRIC LOAD LIMIT
PINNACLE ONE-PIECE	82.5 X 19 X 7 IN	16 LB	210 X 48 X 18 CM	7.1 KG	900 LB	408 KG
PINNACLE TWO-PIECE	82.5 X 19.5 X 7.25 IN	17 LB	210 X 50 X 18 CM	7.7 KG	900 LB	408 KG
GAZELLE TAPERED	82.5 x 24.5 x 7 IN	32.8 LB	210 X 62 X 18 CM	14.9 KG	900 LB	408 KG
GAZELLE REGULAR	82.5 x 24.5 x 7 IN	33.1 LB	210 X 62 X 18 CM	15 KG	900 LB	408 KG
GAZELLE CONFINED SPACE	82.5 X 18.25 X 7 IN	31.25 LB	210 X 46 X 18 CM	14.2 KG	900 LB	408 KG
ADVANTAGE	85 X 24 X 7.4 IN	34.4 LB	216 X 61 X 19 CM	15.6 KG	900 LB	408 KG

Model 71 Basket Stretcher

- One-piece basket stretcher
- High-density polyethylene shell is strong and resistant to chemicals, UV, rust, and corrosion
- Heavy-duty aluminum frame with molded-in runners and handholds
- Brass grommets provide fast connection to Model 418-1 Adjustable Lifting Bridle
- Closed-cell foam pad is easily replaced
- Radiolucent for arms, legs, and chest
- Includes four restraints



CE

Model 71 Basket Stretcher, One-Piece No. 0107100
Model 387-A, Orange Storage Case for Model 71 No. 0311800

Model 71-S Split Basket Stretcher

- Includes the same great features as the Model 71 basket stretcher
- Separates in half for backpacking to a rescue site or for compact storage



CE

Model 71-S Split Stretcher, Two-Piece No. 0107101
Model 387-B, Storage Case, Orange, Lettered No. 0311820
Model 387-B, Storage Case, Orange, Unlettered No. 0311830

Model 71-M Non-Metallic Basket Stretcher

One piece, non-metallic version for use in subways and mining areas where electrical hazards or sparks could hamper rescue efforts. Features plastic-coated aluminum frame, plastic rivets, wooden runners, and hook-and-loop restraints.



CE

Model 71-M Non-Metallic One-Piece No. 0107104

71W Wheel Kit for Model 71 Basket Stretcher

This compact wheel kit attaches to the foot section of the Model 71 basket stretcher with four quick-release fasteners. The wheel kit is ideal for remote transport or rescues over longer distances.

Large 260mm (10¼ inch) pneumatic wheels with all-terrain tyres are suitable for all indoor and outdoor surfaces.

Basket sold separately.



Wheel Kit 71W No. RÄDER-KIT 71W
Order from FERNO Transportgeräte T: +49 2241 94830 | E: info@ferno.de

ACCESSORIES



471 Floatation Collar
No. 0313943



Model 513-4 IV Pole
No. 0085480



Model 418-1 Bridle
No. 0312390 (orange bag)
No. 0314112 (black bag)


MODEL	LENGTH	WIDTH	DEPTH	WEIGHT	LOAD LIMIT
MODEL 71 IMPERIAL	86 IN	24 IN	8 IN	23 LB	600 LB
MODEL 71 METRIC	218 CM	61 CM	19 CM	10 KG	272 KG
MODEL 71-S IMPERIAL	86 / 46 CM (SPLIT)	24 IN	8 / 10 CM (SPLIT)	23 LB	600 LB
MODEL 71-S METRIC	118 / 117 CM (SPLIT)	61 CM	19 / 26 CM (SPLIT)	11 KG	272 KG
MODEL 71-M IMPERIAL	86 IN	24 IN	9.8 IN	28.7 LB	600 LB
MODEL 71-M METRIC	218 CM	61 CM	25 CM	13 KG	272 KG

Spartan Split-Apart Rescue Litter

The Spartan frame has a 2500 lb (1134 kg) strength rating while providing a completely smooth sliding surface on the bottom to handle rough terrain. The outer high density polyethylene (HMWPE) shell is securely attached to the middle rail leaving the top rail completely exposed to provide unencumbered access for multiple rescuers to grab the rail at any location. This eliminates the need for rescuers to find hand cutouts and makes the rail easy to grasp even while wearing thick gloves.

- Split-apart feature with LocSafe™ connectors provide fail-safe connection and allows the stretcher to be assembled in about 15 seconds
- StratLoad™ attachment points provide secure bridle attachment with any size carabiner
- Available with titanium frame
- LockSafe feature on Split-Apart Litters

Spartan Split-Apart Rescue LitterNo. 11-0127A
Spartan Titanium Rescue LitterNo. 11-0127TI



Smooth Sliding Surface on the bottom provides better handling over rough terrain



LocSafe™ connectors provide fail-safe connection



StratLoad™ attachment points provide secure bridle attachment



Traverse Rescue® Bradco Stretcher

- Heavy-duty, all-aluminum frame construction and a high-density, polyethylene shell with a suspension patient support and restraint system make this stretcher ideal for any rescue situation
- Patient support bed holds the patient several inches off the bottom frame, which provides a smooth and comfortable ride
- Double flap cover and patient restraint strap system allows patient to be transported in almost any position in maximum comfort and security
- Polyethylene shell allows stretcher to glide smoothly over various types of terrain and surfaces.
- Resistant to chemical agents such as chlorine and petroleum products
- UV inhibitors reduce fading and deterioration from long-term exposure to direct sunlight
- The Bradco Stretcher System comes complete with rescue litter, patient support and restraint system, and four lifting straps
- Optional dust/storage cover available

Bradco Stretcher System No. RE01230499

Order from Traverse Rescue T: +905 615 0909 | E: info@traverserescue.com



	LENGTH	WIDTH	DEPTH	WEIGHT	LOAD LIMIT
SPARTAN SPLIT-APART IMPERIAL	86 IN	24.5 IN	7.5 IN	35 LB	2500 LB
SPARTAN SPLIT-APART METRIC	218 CM	62 CM	19 CM	16 KG	1134 KG
SPARTAN TITANIUM IMPERIAL	86 IN	24.5 IN	7.5 IN	25 LB	2500 LB
SPARTAN TITANIUM METRIC	218 CM	62 CM	19 CM	11 KG	1134 KG
BRADCO IMPERIAL	80.4 IN	24.3 IN	8.6 IN	44 LB	2500 LB
BRADCO METRIC	204 CM	62 CM	22 CM	20 KG	1134 KG

Mule II Litter Wheel

Mule design accommodates all Traverse Rescue Litters and most styles of other rescue basket stretchers. For the FERNO Model 71 series the larger S Hooks are required as noted at the time of order. Mule II available with eight position handles or without handles.

- Designed to be "universal" and accept any type of rigid litter
- All-terrain, single-wheel design allows for ease of movement in rough terrain
- Travels easily over logs, ruts, roots, rocks, snow, and slopes
- Two securing straps (two hooks per strap) are rated to 4500 kg
- The unique uni-support design allows for the wheel to be quickly and easily removed for more compact storage and transport
- New, improved handles with eight positions for greater user flexibility
- Handles lock in down position, allowing the Mule and Litter to stand free of operator

Mule II Litter Wheel, w/ Eight-Position Handles, Black..... No. 11-2220

Mule II Litter Wheel, without Handles, Black..... No. 11-2210

Mule II Litter Wheel Tie-down Straps w/Hooks..... No. 04-0127

Mule II Ratchet Tie-Down Strap with Larger "S" hooks..... No. 04-0129



CE

Porter Transport System

- Compact, easy storage, two wheels fit inside frame
- Hooks on securing straps have a one-inch diameter opening and can be attached to any style litter
- Universal design, compatible with any type and style of rigid litter
- Eight position adjustable handles
- Fast ratchet securing system locks rescue litter with two straps and two rubberized steel hooks/strap to cinch it down
- Quick release pins on each side of the handle locks them into position with ease; each pin has a wire lanyard
- Design allows the wheels to be quickly and easily removed for compact storage and transport

Traverse Porter..... No. 112224



CE

	LENGTH (MAX)	LENGTH (MIN)	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
MULE II (WITHOUT HANDLES) IMPERIAL	—	33 IN	26 IN	29 IN	36 LB	500 LB
MULE II (WITHOUT HANDLES) METRIC	—	840 MM	66 CM	74 CM	16 KG	227 KG
MULE II (WITH HANDLES) IMPERIAL	96 IN	—	27.5 IN	29 IN	46 LB	500 LB
MULE II (WITH HANDLES) METRIC	245 CM	—	70 CM	74 CM	21 KG	227 KG
PORTER IMPERIAL	37.5 IN	—	71 IN	19.5 IN	41 LB	500 LB
PORTER METRIC	95 CM	—	28 CM	50 CM	18.5 KG	227 KG

Tirol Kit

A lightweight and versatile patient transportation system ideal for long haul retrieval and technical rescue with ergonomic operation on even the most difficult terrain. At an incredibly lightweight 10.8 kg the Tirol Kit can be backpacked individually or divided amongst rescuers and quickly set up and utilized by a single rescuer.

The Tirol Kit is designed for a modified Tirol Titan Titanium split basket stretcher with purpose built head and foot plates (sold separately). The combination of these two lightweight products makes it possible to operate in the most hostile and inaccessible areas. The Tirol Kit comes complete with four articulating and removable handles, two attachable side rail/wheel axle arms, one lightweight wheel, two shoulder harnesses and a carry bag. The custom Tirol Titan Titanium Split Basket is sold separately.

- Attached or removed quickly with the patient in stretcher, even by a single rescuer
- Lightweight 10.8 kg, back packable and divisible between rescuers
- 12 position adjustable carry handles match the rescue team or terrain requirements
- Carry handles become legs to provide an elevated, stationary position to attend the patient
- Anti-wear treatment of metal parts to guarantee extended durability. 225 kg capacity
- Tirol Traverse Titanium Split Basket (sold separately) 9.9 kg

Complete Tirol Kit.....No. 21-0120-023
Single Litter Wheel System (Light Mule Only).....No. 21-0120-021

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it



Tirol Kit with optional
Tirol Titan Titanium Split Basket



Tirol Kit with optional
Tirol Titan Titanium Split Basket

CE

SAERBAG 3

Designed for the rescue and transport of patients in difficult environments, the SAERBAG's outer bag allows space for an immobilized patient on a scoop, backboard, or vacuum mattress. Featuring clear windows for patient monitoring during transport, the SAERBAG includes an integrated bridle system to enable horizontal lifting by winch or ropes in challenging situations.

- **SAERBAG 3 for patient lifting and transport.** Compatible with Scoop EXL Stretcher and backboards. Includes two anti-rotation sails, patient cover, transport bag, and storage bag

SAERBAG III (For lifting & transport) No. SAERBAG III-Y

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it

- **SAERBAG 3 for helicopter rescue.** Kit includes the SAERBAG 3, Scoop EXL stretcher (773), Head Immobilizer (365-E), WizLoc cervical collar (449-i), 1 single-patient high protection blanket (MW1002), transport bag, and storage bag.

SAERBAG III (Complete Kit for helicopter rescue)..... No. KIT-FLYING III-Y
Bag/backpack specifically for KIT FLYING III, black..... No. FLYING-BAG III
Transport/storage bag for SAERBAG III No. BAG SAERBAG III-Y
Transport/storage bag for Head Immobilizer No. 10-9900-005
Single-patient high protection blanket No. MW1002
Orange anti-rotation sail for basket stretchers.....No. EARS

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it



CE

Blacktail Descender

The BlackTail device is designed to connect to a users harness or anchor point to regulate friction for a controlled descent.

Blacktail Descender.....No. 25-0868-001

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it



CE

Vertical Rescue Stretcher (VRS)/ Traverse Rescue Stretcher (TRS)

The Rescue Stretcher's roll-up, compact and lightweight design makes it ideal for high angle, confined space, horizontal or vertical rescue. When deployed the stretcher wraps around and becomes rigid to give the patient a feeling of security as well as protecting limbs and body from further injury during evacuation procedures. The Vertical Rescue Stretcher is fitted with many carry handles as well as six lifting slings that provide a good variety of options for transportation and lifting.

Also supplied standard is an integrated, comprehensive, color-coded full body restraint system that includes a padded head restraint, six over body restraints, shoulder and groin straps along with a generous foot strap to assist with vertical lifts. When not in use the TRS rolls up and is easily housed within the Cordura storage bag which doubles as a backpack. Also available in military colors.

VRS/TRS 6-Point Lift Bridle

For convenience and faster deployment, the optional VRS/TRS Lift Bridle features 6 adjustable, color-coded arms which are clearly identified to ensure correct placement. Rated to 25kN.

Traverse Rescue StretcherNo. 010-7977
Vertical Rescue Stretcher (Order from Australia) No. VRES STRETCH
VRS/TRS 6-Point Lift Bridle..... No. 0374916



CE

VRS/TRS 6-Point Lift Bridle

LifeSaver Rescue Stretcher®

- Modern version of the traditional Neil Robertson stretcher, the LifeSaver provides patient immobilization and packaging in confined conditions where minimum bulk is a consideration
- Ideal for mine rescue, wilderness search/rescue, construction sites, building collapse, and confined-space rescue
- Provides quick, easy use in horizontal/vertical lift situations
- Includes integral leg and torso flaps, simple head restraint, five built-in patient restraints, and long foot strap
- Compact roll-up design makes transport easy



LifeSaver Rescue Stretcher No. 17FLS
LifeSaver Rescue Stretcher, Camo* No. FWELS-C
* Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au

Res-Q-Mate Litter

- Res-Q-Mate litter with optional shoulder harness and carry handles
- Specially designed for use in restricted-access areas, including building collapse, mine rescue, quarry accidents, high-angle rescue, and confined-space rescue
- Constructed of quality synthetic materials and stainless steel
- Resistant to rot and corrosion, unaffected by long-term storage
- Easily adjustable color-coded restraints secure the chest, thighs, and lower legs
- Impervious to water, oil, grease, and other petroleum products
- Four-point lifting bridle is fixed in length for even weight distribution and supplied with four lightweight carabiners
- NATO Stocking Number: 6530-66-158-4325



Shown with optional carry handles and shoulder harness

Res-Q-Mate Litter with Carry Case and Lift Bridle.....No. 015-3259
Res-Q-Mate Shoulder Harness Pair No.037-4923
Res-Q-Mate Carry Handles Pair No.083-2289

PRODUCT	LENGTH	WIDTH	DEPTH	WEIGHT	LOAD LIMIT
VRS / TRS IMPERIAL	80 IN	38 IN	—	18 LB	HORIZONTAL 772 LB/VERTICAL 551 LB
VRS / TRS METRIC	202 CM	84 CM	—	8 KG	HORIZONTAL 350 KG/VERTICAL 250 KG
LIFESAVER IMPERIAL	60 IN	41 IN	1 IN	11 LB	350 LB
LIFESAVER METRIC	153 CM	104 CM	3 CM	5 KG	159 KG
RES-Q-MATE IMPERIAL	73 IN / 39.5 IN (PACKED)	11 IN	4 / 7 IN (PACKED)	38.5 LB	397 LB
RES-Q-MATE METRIC	185 / 100 CM (PACKED)	28 CM	10 / 18 CM (PACKED)	17.5 KG	180 KG

Paraguard™ Excel Rescue Stretcher

Paraguard™ has been the official NATO rescue stretcher since WWII, and it is used extensively in underground, earthquake, and other emergency situations. It can be used for horizontal and vertical lifting and is ideal in various scenarios and situations; for underground, confined space and at-height rescue. Both lightweight and compact, the Paraguard is not only easy to carry but also easy to use and can be made ready to use in seconds. Folding in half makes it compact and easy to carry and store.

- Made from high-quality aluminum and materials resistant to flame, corrosion, and rotting
- Impervious to water, grease, and oils
- Color-coded casualty restraints for easy deployment
- Can be carried using four integrated side handles that clip out of the way when not in use
- Attachable head-end & foot end metal carry handles available, for 2-rescuer carrying
- Optional 4-point sling for horizontal lifting, dedicated lifting points incorporated within Paraguard's design
- Includes head-end metal O-ring for attaching vertical lifting equipment, foot-end O-ring for connecting guide rope
- Supplied with backpack carry/storage bag
- Various accessories available, including shoulder harness, foul-weather sheet
- Certifications: NSN ref 6530-99-446-9403



Paraguard Excel Rescue Stretcher	No. 010795401
Paraguard Four Point Lifting Sling	No. 010773001
Paraguard Slot In Carry Handles	No. 010772700
Paraguard Shoulder Harness	No. 010772801
Paraguard Foul Weather Sheet	No. 010772900

Neil Robertson Stretcher

Designed for both horizontal and vertical evacuation of casualties, Neil Robertson is the industry standard stretcher, widely used in Navy, Military, Mining & Construction industries but also for general confined space rescue in a range of industrial sectors. With a traditional design that is robust and durable, made from wooden slats, durable rot-proof cotton materials and strong manilla rope, the Neil Robertson stretcher has a dependable service life.

Wrap-around design combined with long restraint straps ensures that casualties of all shapes and sizes can be safely and securely moved.

- Robust design for long service life
- Long straps to support casualty up to width/diameter of approx. 750mm (27.5 in)
- Four side-handles with protective grip for carrying
- Strap for supporting casualty's head
- Head-end metal O-ring for vertical lifting and foot-end guide rope
- Attachable neck/head support pillow for casualty comfort and support
- Storage/carry bag also available



Deployed



Neil Rob Neil Robertson Stretcher.....	No. 010779910
Neil Robertson Stretcher with neck/head pillow	No. 010779920
Carrying Case for Neil Robertson Stretcher	No. 031347500
Neck/head pillow for Neil Robertson Stretcher.....	No. 010779940

PRODUCT	LENGTH	LENGTH (FOLDED)	WIDTH	DEPTH	DEPTH (FOLDED)	WEIGHT	LOAD LIMIT
PARAGUARD IMPERIAL	71.6 IN	36.2	10.6 IN	2.9 IN	5.9 IN	18 LB	300 LB
PARAGUARD METRIC	182 CM	92 CM	72 CM	8 M	15 CM	11.5 KG	136 KG
NEIL ROBERTSON STRETCHER IMPERIAL	60.2 IN	—	39.3 IN	1.5 IN	7 MM	17.6 LB	300 LB
NEIL ROBERTSON STRETCHER METRIC	153 CM	—	100 CM	4 CM	18 CM	8 KG	136 KG

Large Steel Carabiner

- Large swing gate opening with screw lock closure
- High tensile steel
- 40 kN/8992 lb rating
- Meets ANSI Z359.1-2007/Z359.12-2009

Large Steel Carabiner.....No. 0822420



Spreader Bar

- Used in confined space situations and rescue scenarios
- Attaches to confined space pick-up points on harness shoulder straps
- AS/NZS 1891.1:2007 approved

Spreader Bar.....No. VAI SPREADER SHA
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



Traverse Rescue® 540° Rescue Belay

- A self-locking belay device that meets demanding drop-test criteria. Built-in release lever releases the tension on the belay rope, eliminating the need for a release hitch
- Large 540° rescue belay (blue): 11.5 mm to 13 mm Kernmantle
- Small 540° rescue belay (green): 11 mm to 11.5 mm Kernmantle
- Weight: 1.5 lb (680 g)
- MBS 27kN (Large), 23kN (Small)
- UL® Certified to NFPA 1983 (2017 Ed.) General Use

540° Rescue Belay, Small, Green.....No. RR01009900
540° Rescue Belay, Large, Blue.....No. RR01009902
Order from Traverse Rescue T: +905 615 0909 | E: info@traverserescue.com



RR01009902 large belay

RR01009900 small belay

Traverse Adjustable Lifting Bridle

- Litter bridles intended for use with any style litter
- Hardware meets NFPA and military specifications
- O-ring for top tie-in point is rated 134 kN (30,000 lb)
- Parachute buckles allow independent adjustment to set the best basket angle for patient comfort
- Rated strength for bridle is 22kN (5,000 lb)/2,268 kg
- CE Certified

Traverse 4pt Hard Eye Adjustable Lifting Bridle.No. 031-3897
Traverse 4pt Soft Eye Adjustable Lifting Bridle.....No. 031-3898




Rescue Boat Sea Scoopa

Designed for the rescue and retrieval of a patient overboard in a horizontal or vertical position, Sea Scoopa enables two crew members to complete the rescue operation without entering the water.

Favoured by coast guard and water rescue agencies, the Sea Scoopa includes an integral stretcher that clips on to the rescuers' safety harness, allowing the patient to be stretchered immediately after water retrieval. This eliminates unnecessary handling of the patient.

Sea Scoopa..... No. VRES SEASCOOP 4.3
 Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



The SeaScoopa deploys in under two minutes. The bright, reflective net has a rigid outer batten with floats and handgrips to aid lifting. The crew hold this batten away from the vessel with two poles attached to its fore and aft ends to form a scoop shape.

Capture the patient while the boat is in motion and has steerage. SeaScoopa's unique patented scoop net prevents the patient from being swept out the aft end during capture.

Once scooped and netted, the patient is brought on board using a rolling and lifting motion called parbuckling by two crew – first using the handgrips on the outer floating batten, then the six handgrip sets incorporated in the body of the net.

SeaScoopa's design and 2:1 mechanical advantage of the rolling lift reduces the lift load by 50%, improves the operators' lifting techniques, reduces their risk of back injury and is better for the patient by reducing the risk of circulatory collapse during the rescue process.

The patient is received into SeaScoopa's integrated, lightweight stretcher once he or she is raised over the gunwale. The outer pole of the stretcher is supported during this process by clipping onto the rescuers' life jacket D-ring.

The inner side of the stretcher is then detached from SeaScoopa's net by releasing two snap shackles and the patient is either lowered to the deck or transferred elsewhere after being restrained to the stretcher.



	WIDTH FOLDED	WIDTH UNFOLDED	HEIGHT FOLDED	HEIGHT OPEN	WEIGHT	LOAD LIMIT
SEA SCOOPA IMPERIAL	81 IN	72 IN	20.67 IN	175 IN	44 LB	661 LB
SEA SCOOPA METRIC	205 CM	444 CM	53 CM	444 CM	20 KG	300 KG

FERNO® FDU

Ideal for personal rescue, emergency escape, rescue operations, or specialized rope work as a friction control, double-stop descending system. The system gradually releases its load when the handle is moved towards the central position. The double-stop mode locks should a panic grab happen but unlocks progressively when the handle is released. The FERNO FDU is available with a friction rack for rescue loads (two persons). Extensively tested and certified to AS/NZS 4488.1:1997 with 11 mm rope.

FDU100 with Friction Rack.....No. FWE-FDU100
FDU200 without Friction RackNo. FWE-FDU200
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



Res-Q-Link Recovery Pole

The Res-Q-Link is a unique and multi-functional rescue pole that allows a fast and agile means of encapsulating a suspended worker on to the Recovery/Rescue System.

- Large alloy double-action hook compatible with most recovery systems and allows two configurations to provide versatility when rescuing a fall victim
- Extendable from 150 cm to 280 cm (59 to 110 in)
- Fiberglass outer pole and rubber-coated handle for maximum grip and control in long reach scenarios
- Flashlight holder, for low light scenarios, which is compatible with most slim line flashlights
- Rope and web cutting knife to cut victim free once a recovery system is attached
- Additional double action hook available (Code VCT L3536201)

Res-Q-Link Recovery Pole..... No. FWE2090
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



Res-Q-Link incorporates a web cutting knife, positioned for operational efficiency



Large alloy hook with torch and torch holder (torch not supplied)

Ralf Rescue Retrieval System

RALF Rescue Systems are an ideal means of entry and rescue recovery for workers in confined space, towers, masts, wind turbines, and various construction applications. The mechanical advantage pulley system is packaged ready for fast deployment for lowering or raising single or multiple workers from height, confined space, and rescue scenarios.

The RALF rescue locking pulley features an integral brake in case of accidental release of rescuers rope. To cater to varying weights and rescue scenarios the RALF Rescue System is available with 5:1 or 3:1 mechanical systems. Each is available standard with 15 m of working length with customized lengths available.

- 250 kg maximum WLL-1 person working or 2 person rescue
- Components certified to ANSI Z359:4:2007, EN 12278
- Rope MBS 29.4kN

5:1 RALF.....No. FWE-RRK
3:1 RALF.....No. FWE-RRK 3:1
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au

SYSTEM	KIT CONTENTS
5:1	RALF PULLEY, 2 DOUBLE PULLEYS, 2 CARABINERS, MAILLON RAPIDE, ROUND SLING, 80M KERNMANTLE ROPE AND ROPE BAG
3:1	RALF PULLEY, 2 SINGLE PULLEYS, 2 CARABINERS, MAILLON RAPIDE, ROUND SLING, 50M KERNMANTLE ROPE AND ROPE BAG

RALF 3:1 SYSTEM

RALF 5:1 SYSTEM



IndustriPOD® / IndustriPOD+

The IndustriPOD® series tripods are well built, versatile and exceptionally strong. The heavy-duty design is suited for confined-space work and rescue where guaranteed performance is critical. For added versatility, IndustriPOD® is compatible with many of the FERNO Arachnipod Total Edge Management System accessories.

Industripod

The Industripod allows for a 550 kg load off the centre eyebolt and 360 kg load off the side plate attachment points, making it one of the strongest tripods on the market.



Industripod+

The more advanced Industripod+ includes two pulleys for fibre or wire rope enabling two devices to be used simultaneously, plus three side plate attachment points.

Common and Optional Features

- Rectangular, fully-adjustable legs with quick action lock leg pins
- One piece fabricated steel head
- Newly designed dual-purpose feet with aggressive non-slip tread pattern for flat / sloping surfaces and pointed tips for rockier surfaces
- Adjustable foot tether strap
- Three tie off points for rigging or stabilization
- Optional heavy-duty rip-stop vinyl IndustriPOD carry bag
- Optional hold-down stake for soft ground conditions
- Optional foot step for easy access to tripod head
- Optional equipment bracket
- Optional fall arrest block adaptors

IndustriPOD®No. FWE-INPOD
IndustriPOD+No. FWE-INPOD+
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



Arachnipod

The FERNO Arachnipod is the world's most versatile modular total edge management system (TEMS). Components can be added or removed to suit structural or natural features.

The unique design of the patent-pending modular head allows the Arachnipod to be constructed into many configurations, including a ginpole/monopole, bipod, tripod, quadpod, bridge system, and handrail recovery monopole. Its versatility makes it an ideal system for workers in industries such as rescue and emergency services, construction, military, utility services, mining, film, and maintenance. Approved to CE Standard EN 795B.

The Arachnipod flat packs for simple and convenient storage. There are numerous kits available, ranging from the basic tripod through to a total edge management system (TEMS).

Arachnipod Contact FERNO Australia
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



Take a deeper look at how the Arachnipod can solve your access or edge management needs.

Scan the QR code or visit:
WWW.FERNO.COM.AU


Eagle Nest 3

Eagle Nest 3, wholly manufactured in titanium and aluminum is included in the category of type B anchor device and is certified in accordance with EN 795 regulation. The high resistance of this device, together with its low weight, provide extreme reliability combined with ease of assembly (can be fully assembled and disassembled by a single operator). The wide base opening ensures high stability and a large working area.

- Mountain and industrial Rescue
- Backpackable and divisible
- Carrying bag for backpack transportation
- Tested by Dolomiticert and TÜV Austria
- Feet compatible with snow pickets, ice screws and rock expansion bolts
- Certifications: EN 795, CE/TS 16415:2013 (certified to lifting 3 people)



Eagle Nest 3



Eagle Nest 3 (3 POLES).....No. 21-0150-007

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it



Eagle Nest 2


Eagle Nest 2, wholly manufactured in titanium and aluminium, is included in the category of type A anchor device and is certified in accordance with EN 795 regulation. The two legs can work independently. This also allows them to be arranged on two different floor levels, equally ensuring stability and safety to the entire structure. The two-leg conformation allows you to work on large walls, crevasses, in hostile environments and large facades in an urban environment.

Transforming eagle nest 2 into eagle nest 3 is possible simply by purchasing an extra pole.

- Mountain and industrial Rescue
- Backpackable and divisible
- Carrying bag for backpack transportation
- Tested by Dolomiticert
- Feet compatible with snow pickets, ice screws and rock expansion bolts
- Certifications: EN 795, CE/TS 16415:2013 (certified to lifting 3 people)



Eagle Nest 2



Eagle Nest 2 (2 POLES).....No. 21-0150-006

Order from FERNO ITALIA T: +39 051 6860028 | E: info@ferno.it



	HEIGHT MIN	HEIGHT MAX	WEIGHT	LOAD LIMIT
EAGLE NEST 3 IMPERIAL	73.78 IN	160.37 IN	44 LB	661 LB
EAGLE NEST 3 METRIC	187 CM	270 CM	23 KG	300 KG / 3KN
EAGLE NEST 2 IMPERIAL	71.3 IN	103 IN	35 LB	661 LB
EAGLE NEST 2 METRIC	181 CM	262 CM	16 KG	300 KG

Vertical Rescue Triangular Harness

The Vertical Rescue Triangular Harness is a simple-yet-robust patient lifting sling designed for all forms of rapid vertical extrications. The simple design allows the harness to be applied easily and quickly. This harness is not suitable for patients with suspected spinal injuries.

Vertical Rescue Triangular Harness No. VRES TRI HARN
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



FERNO Walk Belt

The FERNO Walk Belt is designed for paramedics and emergency healthcare professionals to assist patients while walking.

The FERNO Walk Belt secures around a patient's waist and is fitted with eight handles, four horizontal and four vertical, as well as two leg straps that substantially reduce the effort required to assist a patient while walking.

Walk Belt No. FWE-WB-LS
Order from FERNO AUSTRALIA T: +61 7 3881 4999 | E: info@ferno.com.au



Kigali Backpacks

Kigali backpacks are available in three sizes: 30, 35 and 45 liters. Each pack includes two external pockets with double elastic loops to organize small items. The large top-opening main compartment has additional pockets for large dressings and hydration systems. Each pack has enough space for a BVM, small blankets, dressings and collars.

- Removable white cross
- Built-in rain cover
- Easy-grab zipper pulls with large #10 YKK® zipper

Kigali 30 (30 liter)

Features a molded back support, padded shoulder strap, web waist belt, and a rubber-grip grab handle.

Kigali 30, Red No. RE00300399

Kigali 35 (35 liter)

Features a molded back support, padded shoulder strap, a padded waist belt, and a rubber-grip grab handle.

Kigali 35, Red No. RE00350399

Kigali 35, Black No. RE00350999

Kigali 45 SAR Backpack (45 liter)

- Advanced, adjustable harness system with two aluminum stays
- Designed to carry one D cylinder oxygen system
- Heavily-padded waist belt
- Designed to carry heavy loads
- Available in black and red

Kigali 45, Red No. RE00450399

Kigali 45, Black No. RE00450999



contents not included

MORTUARY

FERNO has been offering quality mortuary products to fit all aspects of your job since 1955. The first call cots provide numerous features to fit your specific needs during removal and transport.

Our lift, operating and dressing tables make your job easier during preparation. The durable, easy-to-clean construction of Ferno's church trucks keeps them looking like new with minimal maintenance. Our quality is held to the highest standards in the industry, and our innovations enable you to provide services with dignity and ease.

24-miniMAXX® Mortuary Cot

The 24-miniMAXX® features true independent legs with multi-level adjustment, six-inch wheels, dual hand controls, and a distinguished, durable gloss-black powder-coated finish. An industry-leading 1000 lb Load Limit allows users to handle large bodies with ease. The narrow bed surface gives the 24-miniMAXX® increased maneuverability and allows two cots to be placed side-by-side in the rear of most vehicles.

The 24-miniMAXX® comes complete with a one-inch mattress and restraints. Compatible with most FERNO covers and pouches.

24-miniMAXX Mortuary Cot.....No. 0032501
24-miniMAXX with SidearmsNo. 0032502
24-miniMAXX with Side Lift Handles.....No. 0032503

24H-miniMAXX Cot specifically designed for high-floor vehicles (150 mm/6 in higher loading height).

24H-miniMAXX Mortuary Cot..... No. 0032504
24H-miniMAXX with SidearmsNo. 0032505
24H-miniMAXX with Side Lift Handles No. 0032506
24-miniMAXX Mattress.....No. 0314042



24-MAXX® Mortuary Cot

The 24-MAXX allows you to transport bodies weighing up to 1000 pounds while reducing the risk of back injuries. The cot allows easy maneuverability in tight areas and down stairs, and has a powder-coated frame and stylish design.

The 24-MAXX® comes complete with a one-inch mattress and restraints.

24-MAXX Mortuary Cot.....No. 0032498
24-MAXX with Sidearms No. 0032500
24-MAXX with Side Lift Handles..... No. 0032499
24-MAXX Mattress.....No. 0313998



	LENGTH	WIDTH	HEIGHT (MAX)	HEIGHT FOLDED	LOADING HEIGHT	WEIGHT	LOAD LIMIT
MINIMAXX IMPERIAL	76 IN	24 IN	34 IN	9 IN	26 IN	76 LB	1000 LB
MINIMAXX METRIC	193 CM	60 CM	85 CM	23 CM	66 CM	34 KG	454 KG
24-MAXX IMPERIAL	76 IN	26 IN	34 IN	9 IN	26 IN	78 LB	1000 LB
24-MAXX METRIC	193 CM	66 CM	85 CM	23 CM	66 CM	35 KG	454 KG

Model 24 Mortuary Cot

- Roll-In technology allows just one person to perform retrieval
- Multi-level feature allows body to be moved easily from bed to cot
- Special release levers make it possible to raise and lower the cot without assuming the full weight of the cot and body
- Load-end legs unfold and lock automatically when unloading the cot
- Slides down stairs with built-in stair glides
- Includes mattress and restraints

Model 24 w/ Footrest, without Sidearms..... No. 0032400
Model 24 w/ Sidearms & Footrest.....No. 0032410
Model 24 w/ 2 Wheel Locks & Footrest.....No. 0032450
Model 24 w/ 2 Wheel Locks, Sidearms & FootrestNo. 0032487

Model 24-H Cot specifically designed for high-floor vehicles
 (102 mm/4 in higher loading height)

Model 24-H w/ Footrest, without SidearmsNo. 0032420
Model 24-H w/ Sidearms & Footrest..... No. 0032490
Model 24-H w/ 2 Wheel Locks & Footrest No. 0032488
Model 24-H w/ 2 Wheel Locks, Sidearms & Footrest No. 0032486



Model 27-1 Mortuary Cot

- Very maneuverable in close quarters with four swivel wheels, tapered loading-end and folding end section to shorten the cot
- The multi-level undercarriage provides flexibility in retrieval
- The loading-end wheels can be locked when necessary
- Includes mattress and restraints

Model 27-1 Mortuary Cot, without Sidearms No. 0032485
Model 27-1 Mortuary Cot, with Sidearms No. 0032484



Model 23 Mortuary Cot

- Extra long wheel base provides exceptional stability
- Slide-action leg lock securely locks both sets of legs simultaneously when folded
- With legs folded and locked, the Model 23 can be used as a two-wheeled stretcher
- Stair glides reduce wear on the cot and promote smooth movement down stairs
- Wide enough to accommodate a portable stretcher
- Includes mattress and restraints

Model 23 Mortuary Cot, without Sidearms..... No. 0032300
Model 23 Mortuary Cot, with Sidearms No. 0032489



	LENGTH	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	LOADING HEIGHT	WEIGHT	LOAD LIMIT
24 IMPERIAL	77 IN	20.5 IN	33.5 IN	11 IN	26 IN	51 LB	400 LB
24 METRIC	196 CM	52 CM	85 CM	29 CM	66 CM	23 KG	181 KG
27-1 IMPERIAL	79 IN	24 IN	34 IN	10 IN	25 IN	62 LB	400 LB
27-1 METRIC	201 CM	61 CM	86 CM	25 CM	64 CM	28 KG	181 KG
23 IMPERIAL	76 IN	21 IN	32 IN	10 IN	24-26 IN	44 LB	400 LB
23 METRIC	192 CM	53 CM	80 CM	24 CM	62-67 CM	20 KG	181 KG

Model 11-T Emergency Stretcher with Track

The 11-T has an innovative built-in track system that allows safe evacuation down stairs in the supine position.

- Sturdy and lightweight with two front wheels for easy maneuvering
- Narrow track-to-ground clearance provides easier movement over all surfaces, even with tracks deployed
- Heavy-duty vinyl coated cover for ease of cleaning
- Folds in half for compact storage
- Includes footrest
- Locking spring hinge for extra rigidity
- Includes two 1524 mm (5 ft) quick-release patient restraints



Model 11-T, BurgundyNo. 0108026

CE

Retaining Bracket for Model 11-T

Unique fixing bracket to allow a Model 11-T to be transported on top of a Model 24, 24-miniMAXX® or Model 27 cots. Allows both stretchers to be used together during transportation.



Retaining Bracket for Model 24No. 069579600

Retaining Bracket for Model 24-miniMAXX®No. 069579800

Retaining Bracket for Model 24-MAXX®No. 069579900

Retaining Bracket for Model 27No. 069579700

Model 135 Stretcher/Body Bag

- Folds compactly and completely conceals the body
- Six durable, permanently-blocked, formed handles
- Water-repellent top closes with a sturdy slide fastener
- Two-ply, vinyl-coated nylon construction
- Resists stains and does not absorb moisture or bodily fluids
- Flame resistant



Model 135 Stretcher/Body Bag, Center ZipNo. 031348448

Model 135 Stretcher/Body Bag, Side ZipNo. 031348500

CE

Model 135-B Stretcher/Body Bag

- Folds compactly and completely conceals the body
- Six durable, permanently-blocked, formed handles
- Water-repellent top closes with a sturdy slide fastener
- Two-ply, vinyl-coated nylon construction
- Resists stains and does not absorb moisture or bodily fluids
- Flame resistant



Model 135-B Stretcher/Body Bag, Center ZipNo. 031348550

CE

	LENGTH (OPEN)	LENGTH (FOLDED)	WIDTH (OPEN)	WIDTH (FOLDED)	HEIGHT (UNFOLDED)	HEIGHT (FOLDED)	WEIGHT	LOAD LIMIT
11 IMPERIAL	74 IN	37 IN	20 IN	—	8 IN	3 IN	13 LB	350 LB
11 METRIC	187 CM	94 CM	50 CM	—	20 CM	8 CM	6 KG	159 KG
135 IMPERIAL	79 IN	—	28 IN	—	—	—	17 LB	450 LB
135 METRIC	200 CM	—	72 CM	—	—	—	8 KG	159 KG
135-B IMPERIAL	79 IN	—	43 IN	—	—	—	26 LB	551 LB
135-B METRIC	200 CM	—	110 CM	—	—	—	12 KG	250 KG

Mortuary Scoop EXL®

- Two halves made from smooth, lightweight, molded polyethylene, for easy application and smooth transfers.
- Twin Safety Lock® at each end provides fast, easy, nonbinding locking and unlocking
- Narrow control-end frame for handling in confined spaces
- Easy-to-clean surface
- Control-end extends to four length options to accommodate different patient heights
- Folds for storage
- Includes two Model 430, two-piece, 1524 mm (5 ft) burgundy restraints
- Additional colors available, see page 38



Mortuary Scoop EXL, Gray with RestraintsNo. 0107965

	LENGTH (MAX)	LENGTH (MIN)	LENGTH (FOLDED)	WIDTH	DEPTH (OPEN)	DEPTH (FOLDED)	WEIGHT	LOAD LIMIT
IMPERIAL	79 IN	65 IN	47 IN	17 IN	3 IN	3 IN	18 LB	350 LB
METRIC	2007 MM	1650 MM	1193 MM	432 MM	70 MM	80 MM	8 KG	159 KG

Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch

- Electronically-welded seams, totally sealed edges
- Vinyl shell resists abrasions, acid, formaldehyde, blood stains
- Withstands extreme temperatures
- Will not leak, deteriorate or mildew
- 2286 x 966 mm (90 x 38 in) with center opening



Disposable Pouch with U-Shaped ZipperNo. 0314043

Side Extension Panels (SEP)

The SEP provides a new dimension to the operating table. Each sturdy extension panel may be attached to any existing FERNO operating table to expand the surface, allowing the embalmer to work on larger bodies. Another key feature of this extension panel is the ability to be used as a splash guard for general washing. The panels can be used on one or both sides of the operating table, providing the embalmer increased flexibility. These features, along with the ability to easily install, remove, clean, and store the SEP, provide the opportunity to customize the table based upon individual needs.

- Stainless steel panel
- Fastens to any FERNO embalming table
- Easy to clean
- Storage bracket available for Model 101-H or Model 103



Table sold separately



SEP Panel Only, 1 EachNo. 0695796
SEP Storage Bracket, 1 EachNo. 0695797
SEP Kit, with 2 Panels and 2 Storage BracketsNo. 000SEPKIT

Model 101-H Hydraulic Table

- Hydraulic foot pedals for tilting and height adjustments
- Lower or raise either end of table from 724 to 1029 mm (28.5 to 40.5 in) above the floor
- Convex shaped top drains fluids away from the body
- Drain is located in the center of the control-end to quickly eliminate fluids from the table
- Four 203 mm (8 in) swivel wheels lock instantly with a single foot pedal or one wheel locks directionally for easy rolling
- Type 304 stainless steel with #3 finish ensures easy maintenance
- Solid surface base eliminates crevices where liquids can coagulate
- Accessory: Model 38-BB, Body Bridge (elevates body)



Model 101-H Hydraulic Mortuary Table.....No. 0661010

Model 102 Folding Operating Table

- Folded table can stand on one end for storage behind a door or in a closet
- Combination table is ideal for embalming and transferring
- Exclusive one-hand release adjusts either end of table from 826 to 978 mm (32.5 to 38.5 in)
- Ends are independently adjustable
- 152 mm (6 in) wheels lock to keep table stationary while in use
- Accessory: Model 38-BB, Body Bridge (elevates body)



Model 102 Folding Mortuary TableNo. 0661020

Model 103 Combination Operating Table

- Ideal for embalming and transferring
- Each end can be adjusted independently
- Durable and rigid stainless steel top features a convex surface and deep side troughs for efficient, no-splash drainage
- 152 mm (6 in) wheels lock to keep table stationary while in use
- Table is shipped ready for easy assembly for lower freight costs
- Accessory: Model 38-BB, Body Bridge (elevates body)



Model 103 Combination Mortuary Table.....No. 0661030



	LENGTH	WIDTH	HEIGHT (MAX)	HEIGHT (MIN)	WHEEL BASE	WEIGHT	LOAD LIMIT
101-H IMPERIAL	80 IN	30 IN	40.5 IN	28.5 IN	25.5 X 48.5 IN	158 LB	600 LB
101-H METRIC	203 CM	76 CM	103 CM	72 CM	622 X 123 CM	72 KG	272 KG
102 IMPERIAL	80 IN	30 IN	39 IN	33 IN	27 X 64 IN	87 LB	1000 LB
102 METRIC	205 CM	77 CM	98 CM	83 CM	69 X 163 CM	40 KG	454 KG
103 IMPERIAL	80 IN	30 IN	37.5 IN	31.5 IN	27 X 53 IN	80 LB	1000 LB
103 METRIC	205 CM	77 CM	95 CM	80 CM	69 X 135 CM	36 KG	454 KG

Model 88 Church Truck

Designed for those who prefer a compact church truck, the Model 88 extends to 1181 mm (47 in) long. The church truck is constructed of the same rectangular, anodized aluminum tubing used on the Model 87 church trucks. Features 6 in (152 mm) wheels and three locking frame positions. Available in onyx, blue-grey, silver, bronze, or gold finish.

Model 88 Church Truck, Clear	No. 0618870
Model 88 Church Truck, Bronze	No. 0618871
Model 88 Church Truck, Gold	No. 0618872
Model 88 Church Truck, Blue/Grey	No. 0618873
Model 88 Church Truck, Onyx	No. 0618874
Model 88-H Church Truck	No. 0618875




CE

Model 87 Church Truck

- Rectangular aluminum tubing with anodized finish
- Rubber rest helps secure casket
- 152mm (6 in.) swivel wheels with rubber tires
- Four positions allow a wide range of casket sizes
- Maximum load 454 kg (1000 lb.)
- Available in silver, gold, bronze, blue-gray, and onyx
- Extends to 1549 mm (61 in.)

Model 87 Church Truck, Clear	No. 0618860
Model 87 Church Truck, Bronze	No. 0618861
Model 87 Church Truck, Gold	No. 0618862
Model 87 Church Truck, Blue Gray	No. 0618863
Model 87 Church Truck, Onyx	No. 0618864
Model 87-H Church Truck w/ handles	No. 0618865
Model 87-HB Church Truck, Bronze	No. 0618866
Model 87-HG Church Truck, Gold	No. 0618867
Model 87-HBG Church Truck, Blue Gray	No. 0618868
Model 87-HO Church Truck, Onyx	No. 0618869



CE


Cemetery Church Truck

- The cemetery church truck is designed for use over grass and rougher terrain
- 203 mm (8 in) pneumatic wheels
- Two locking swivel wheels opposite corners and two swivel wheels
- Four side handles for lifting over curb
- Maximum load 454 kg (1000 lb)
- Available in onyx, blue-grey, silver, bronze, or gold finish

Cemetery Church Truck, Onyx	No. 0618887
Cemetery Church Truck, Blue-Grey	No. 0618886
Cemetery Church Truck, Silver	No. 0618883
Cemetery Church Truck, Bronze	No. 0618884
Cemetery Church Truck, Gold	No. 0618885



CE



AVIATION & MILITARY

Standard emergency and patient handling equipment doesn't always meet the needs of air transport.

Products that are light in weight yet durable are required to enable medical professionals to secure or adapt their equipment to meet these special needs.

FERNO Aviation - a FERNO Group Company - provides bespoke solutions plus a range of innovative equipment designed and built to satisfy the unique requirements and stringent demands of aeromedical transfer.

Model FTS

The FERNO Aviation Folding Transport System (FTS) is designed to support ground patient movement associated with side loading medical aircraft. The FTS folds into a compact size for storage in the aircraft baggage compartment. It is easy to deploy and has no requirement for FAA certification. The FTS base chassis is designed to be customized with additional provisions to meet customer specific litter systems. Custom interfaces available: Heli-Dyne Dual Pivoting Litters|Standard FERNO Aviation Aero Litters|Air Methods Aero Litters|LifePort Aero Litters|Agusta Westland Aero Litters. An optional FTS Powered Lifter is also available. The Power Lifter allows flight crew to raise patient to most loading heights.



Folding Transport System No. Model FTS
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com

MTLS (Modular Litter Transport System)

Our NEW Modular Transport Litter System (MTLS) is designed for critical care transport, where it is necessary to transport patients along with an extensive selection of medical equipment. The system consists of a base platform employing our patent pending Tube-Track, that provides an integrated track mounting system throughout the perimeter frame. A wide selection general purpose and product specific track-mounting solutions are available. The MTLS can be configured for multi-mission advanced care applications.



MTLS (Modular Litter Transport System) No. FA845A110
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com

ALSL (Advanced Life Support Litter)

The Advanced Life Support Litter (ALSL) is designed for advanced care during the entire transition of pre-hospital care, including long Air or Ground EMS transport. In addition to providing patients with shock mitigation, the litter includes mounting solutions for an array of medical devices, including on board E sized Oxygen cylinders and Saros Concentrators. Integrated track accepts "D" rings to tie down the ALSL like cargo while the truss type design provides superior strength.



ALSL (Advanced Life Support Litter) No. FM842A100
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com

Baby POD with Aviation Restraint Kit (ARK)

The Baby Pod 20 is designed to safely transport infant sized pediatric patients up to 17.5 lbs. The Baby Pod 20 is a lightweight carbon fiber outer shell lined with a shock absorbent foam inner layer, with an internal patient positioning vacuum mattress, transparent shields and internal safety straps to secure the infant inside the Pod. The Baby Pod 20 includes a Co2 Evacuation System to reduce Co2 buildup in the patient compartment. Our Aviation Restraint Kit (ARK) is for EMS or HEMS operations with Baby Pod 20's and replaces the factory supplied restraints with an FAA TSO approved restraint system.

Baby POD w ARK (Aviation Restraint Kit)..... No. FA851A100
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com



Medical Headwall Tripod System (MHTS) Two Pod

The Medical Headwall Tripod System (MHTS) is designed to support Medical Surge capabilities by providing a stable "headwall" to secure medical devices in temporary medical shelters or ad-hoc medical facilitators for patient spillover. The system can be used with our Compact Treatment Station, typical surge beds or NATO litter stands. The MHTS is compatible with our Universal Pole Clamp (UPC) to secure medical devices directly to the telescoping tubing and out of the way of providers. The modular system can be rapidly deployed, configured and stowed as needed. Sold as 5 Headwall systems per Pelican 0550 case. A single tripod system is also available.

Medical Headwall Tripod System (TPHS) Two Pod No. FM001A500-TP
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com



Medical Headwall Tripod System (MHTS) Single Pod

The Single Tripod Headwall System is a single Tripod variant of the MHTS. The Single Pod variant is designed to support temporary medical shelters or ad-hoc medical facilities for patient spillover. The system can be used with our Compact Treatment Station, typical surge beds or NATO litter stands. The Single Pod is compatible with our Universal Pole Clamp (UPC) to secure medical devices directly to the telescoping tubing and out of the way of providers. The modular system can be rapidly deployed, configured and stowed as needed.

Medical Headwall Tripod System (TPHS) Single Pod..... No. FM001A500-SP
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com



Compact Treatment Station (CTS)

FERNO Military Systems' Compact Treatment Station (CTS) is specifically designed with packability, mobility and immediate deployment in mind. Our Compact Litter Stands fold small enough to fit into multiple deployment hard cases and various Load Out Bags. The compact size of the (CTS) provides US Forces with a readily available station for casualty treatment. The CTS Kit includes (4) mounting brackets, (1) folding mayo stand, (1) Mayo tray and (2) IV poles for advanced treatment. FMS Litter Stands are load and cycle tested in pairs and will support 500 lbs. FMS Compact Litter stands will accept all rigid NATO litters. Optional transport case can store CTS Kit, SOF-Litter (quad-fold litters) and is compatible with current SOCOM TCCC CASEVAC sets. NSN 6530-01-618-7884 (DOES NOT INCLUDE LITTER)

Compact Treatment Station (CTS) No. FM840A128

Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com



Ferno-Track (standard series)

FMS Standard Ferno-Track serves as an alternate base plate for the 10.G system. Ferno-Track can be installed to any vertical or horizontal structurally appropriate surface (including overhead surfaces) and is designed for both Law Enforcement and Military vehicle applications. Ferno-Track allows for either vertical or horizontal adjustability of mounted items inside the vehicle and is available in pre-cut or custom lengths as needed. NSN 2590-01-857-3862

Ferno-Track (standard series)..... No. FA643E134

Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com



10.G NATO Litter Arm

FMS 10.G Low Profile Litter Arms are a lightweight, 10.G load-tested and blast tested in pairs. The 10.G Low Profile Litter Arm, replaces our original 10.G Litter Arm. This modular 10.G system creates a rapidly deployable Casualty Evacuation System compatible with multiple vehicle platforms. FMS Litter Arms are specifically designed to secure (1) critical casualty over rough terrain. The 10.G system can be installed in most military vehicles, providing an immediate CASEVAC mission configuration. One hand capture and release system is designed for use with any NATO litter. NSN 2590-01-587-3869 (Arm) 2590-01-587-3866 (pivot assembly)

10.G NATO Litter ArmNo. FA643A200

Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com



20.G NATO Litter Arm

FMS 20.G Litter Arms are a more robust version of our 10.G Litter Arm evacuation system and compatible with FMS Interior Vehicle MOLLE, Ferno-Track (in vertical orientation) or our 20.G Fixed Position Plate. Originally designed for MRAP applications, the 20.G Litter Arm can be used in various LE or Military vehicles providing immediate CASEVAC capability. Integrated one-hand capture and release allows the 20.G arm to be compatible with any NATO style litter (pending vehicles interior space). Quick-release provisions allow the 20.G Litter Arm to be rapidly installed, stowed or placed in "flat" configuration when not in use. Each pair of FERNO Military 20.G Litter Arms are tested to secure one casualty over rough terrain. NSN 2590-01-614-7335


20.G NATO Litter ArmNo. FM644A200

Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com



Mantis Tri-Fold Evacuation Board

The Mantis Tri-Fold Evacuation Board is ideal for confined space or vehicle extraction because of its light weight, compact size and rapid deployment. Generous hand holds accept most common strap systems. An optional set of FMS Tactical Restraints are available. The Mantis has passed operational testing and selected during user field evaluations as the Evac-Board of record integrated into the USSOCOM (TCCC) Casualty Evacuation (CASEVAC) sets.



Mantis Tri-Fold Evacuation Board No. FM840A106
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com

Pro-Series Med Rail (Zoll Impact Ventilator)

The Pro-Series Med Rail for ZOLL Ventilators is designed for use with typical medical rail (SAE or Metric). The (2) piece kit includes an adaptor for the ZOLL ventilator and a variation of our ProV receiver. Once the receiver is secured in place on existing Med-Rail, a quick-release provision allows the device to be installed or removed from receiver as needed.



CE

- Certifications: RoHS Compliant, EN 1789

Pro-Series Med Rail (Zoll (Impact) Ventilator)..... No. FA903A765
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com

Criticool Mini Surface Mount

The Criticool Mini surface mount can be used in ground or aviation applications. The 2 stage system includes a base plate and device tray that can be rapidly secured or removed as needed. The device tray includes an integrated handle to allow medics to carry the device when moving patient from transport platform to facility.



CE

- Certifications: RoHS Compliant, EN 1789

Criticool Mini Surface Mount No. FA905A700
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com

Tempus Pro Litter Clamp

Our Tempus Litter Clamp allows the Tempus to be attached to any NATO litter, vertical or horizontal pole. Design features allow side to side adjustability while keeping the unit at a prescribed angle in order to optimize the internal camera's point of view. A single quick release allows the unit to be rapidly installed or removed from the mount as needed and includes an anti-rattle feature. CNC machined from aircraft aluminum.



CE

- Certifications: RoHS Compliant, EN 1789

Tempus Pro Litter Clamp No. FM400A111
Order from FERNO Aviation & Military T: +770 521 1005 | E: info@fernoam.com

	LENGTH (MAX)	LENGTH (MIN)	WIDTH	HEIGHT	WEIGHT	LOAD LIMIT
MANTIS IMPERIAL	72 IN	25 IN	16 IN	—	5.8 LB	500 LB
MANTIS METRIC	1830 MM	635 MM	41 MM	—	13 KG	227 KG

UNI-ClipDoc System™

The UNI-ClipDoc System™ was developed to create seamless patient transfers between ground and air transport. This highly engineered interface allows equipment, such as the LifePort AeroSled TS platform and incubator interfaces, to be directly transferred from aircraft to ambulance trolley. The UNI-ClipDoc mirrors the aircraft/helicopter floor, providing a smooth process for patient handling

- Compatible with a range of FERNO ambulance trolleys, the Uni-ClipDoc gives complete interchangeability across various transportation platforms
- Lightweight yet incredibly strong – manufactured from aluminium and stainless steel
- Universal and adaptable – a Ratchet Clamp System locks UNIClipDoc to traditional tubular-framed trolleys such as Pegasus, Megabus and Harrier, a Quick Release Clamp system attaches UNI-ClipDoc to the side interface rails on the latest generation of trolleys such as iNX® and POWERX™
- Saves vital rescue and transfer time – now a patient can remain safe and secure in the equipment they were originally transported in, eliminating the need to carry out transfers from one platform to another, reducing time and potential manual handling risks
- Each UNI-ClipDoc System is custom made and will require an individual technical assessment to determine pin centers and whether a bridging piece is needed between trolley and aircraft to aid loading/unloading
- Easily assembled and stored. The UNI-ClipDoc System comes in two halves with a sturdy carrying case
- Certifications: EN 1789, CE



UNI-ClipDoc Base Kit (platform, fixation brackets and straps for trolleys)

..... No. 031379000

Load/unload extension platformNo. TBC

Part number may vary according to pin-centers/accessories required

Order from FERNO UK T: +44 (0) 1274 851 999 | E: sales@ferno.co.uk



LifePort Aerosled on Pegasus using Uni-ClipDoc



Incubator attached to Pegasus using Uni-ClipDoc



Uni-ClipDoc interface shown attached to POWERX



Optional Load/Unload extension platform



Carrying Case for easy handling and storage



	LENGTH	WIDTH	DEPTH	WEIGHT	FULL KIT FOLDED IN CARRY CASE
UNI-CLIPDOC SYSTEM IMPERIAL	76.9 IN	23 IN	8 IN	70.9 LB	47.2 X 3.1 X 8.2 IN
UNI-CLIPDOC SYSTEM METRIC	1955 MM	585 MM	205 MM	32.2 KG	1200 X 800 X 210 MM

COT RESTRAINT / IV POLE MATRIX

MODEL	RESTRAINTS										IV POLES								
	417-1 (Black)	417-1 (Orange)	417 (Black)	429 Kit (Black)	430, 2pc, 5' (Black)	430, 2pc, 5' (Orange)	430, 2pc, 7' (Black)	430, 1pc, 7' (Black)	5126 Kit (Black)	See product page	X-Restraints	513-11	513-10 HD NM	513-11 HD NM	513-13	Mondial Monobloc	Mondial RS Mount	IV Pole	Three-Stage
iNX®					●					●									●
POWER X1™					●					●									●
POWER X™					●					●									●
35X PROFlexx®		●	●		●			●					●		●				
Model 35A	●	●			●	●	●	●					●		●				
Mondial® Monobloc					●		●			●						●			
Mondial RS2			●		●			●									●		
F2 Monobloc	●	●			●	●	●	●										●	
F2 Transporter/Stretcher																		●	
Model 25/25i	●	●			●	●	●	●							●				
Model 26	●	●			●	●	●	●					●						
Model 26B PROFlexx®	●	●							●									●	
Model 26S	●	●			●	●	●	●							●				
Model 26AS	●	●			●	●	●	●							●				
Model 5126EL	●	●			●	●	●	●					●		●				
PRO 28Z™					●														
Model 28 PROFlexx®	●				●						●								
Model 28	●	●			●	●													

EMERGENCY

OXYGEN

RESCUE

MORTUARY

AVIATION

COT MATTRESS MATRIX

MODEL	MATTRESSES															
	Mondial Ext. Bolster (Blk)	Lift-Off Stretcher (Black)	360 Flat (Orange)	360 Flat (Burgundy)	460 Bolstered (Orange)	460 Bolstered (Burgundy)	359-8, 2pc (Orange)	359-8, 2pc (Burgundy)	359-11 (Orange)	359-11 (Burgundy)	359-20/22 (Orange)	35-X (Black)	2-Section AB-PR	F2 Monobloc Mattress	iNX Mattress	POWER X1 Bolster
iNX®															●	
POWER X1™																●
POWER X™														●		
35X PROFlexx®											●					●
Model 35A		●	●	●												
Mondial® Monobloc	●															
Mondial® RS2	●															●
F2 Monobloc													●			
F2 Transporter/Stretcher																
Model 25		●	●	●	●											
Model 26		●	●	●	●											
Model 26-B																●
Model 26S		●	●	●	●											
Model 26AS		●	●	●	●											
Model 5126EL																●
PRO 28Z™																●
Model 28 PROFlexx®																●
Model 28																●

COT FASTENER MATRIX

[illegible]

* Also compatible with Stryker® Performance-LOAD™, and both FERNO and Stryker antler-and-rail fasteners.

PRODUCT INDEX

A		Cots		G	
ALS Litter	90	CCT-PX Critical Care Trolley.....	28	Guedel Emergency Airway Kit	65
Ampoule Card	55	F2 Monobloc	17	H	
Arachnipod	79	F2 Transporter & Stretcher.....	17	Harness, Vertical Rescue Triangular	81
B		iNX Integrated Transport & Loading System.....	6, 7	Head Immobilizers	
Backboards		Model 25 Cot	19	CHI - Combi Head Immobilizer.....	43
AquaBoard	41	Model 25i Cot	19	Head Immobilizer 365-E	43
Carbon Fiber Spineboards	40	Model 26 Cot	19	Model 445 Universal Head Immobilizer.....	43
Millennia Boards	40	Model 26AS Cot	20	Model 455 HeadHugger Head Immobilizer	43
Model 60 Aluminum Backboards.....	39	Model 26-B PROFlexx Cot.....	21	Headwall Tripod Systems	91
NAJO Lite Board	42	Model 26S Cots	20	I	
NAJO RediHold	42	Model 28 Chair Cot	25	Incubator Transporters	
NAJO RediWide	42	Model 28Z PROFlexx	24	35X Incubator Transporter	27
NAJO Sports Board	42	Model 35-A Cot	18	Baby Pod	91
PBX Pool Extrication Board	41	Model 35X PROFlexx	12, 13	iNX Incubator Transporter.....	26
Backrest Pouch	9, 23	Model 5126EL	22	ITU-PX Incubator Transporter	27
Bags		Mondial Monobloc	16	POWER X1 Incubator Transporter	26
Emergency Respiratory Care Backpack.....	53	POWERX	10, 11	IndustriPOD	79
Model 5100 Airway Management/Oxygen Bag	54	POWER X1	8, 9	Inhaler Valve	60
Model 5103 Trauma Responder II Bag	52	PRO 28Z Chair Cot	23	Intubation Kit Model 425	65
Model 5107 Professional Trauma Bag	52	CPR Mask	61	ITC-thermo Cradles Interface	21
Model 5108 Professional ALS Bag	52	Criticool Mini Surface Mount	93	IV Poles	
Model 5110 Trauma Airway Management Bag II	53	Cycle Tracker.....	9, 13, 14, 16	26-B IV Pole.....	21
Model 5111 Trauma/Airway Management Bag III	53	D		F2 IV Pole	17
Model 5113 First-In Trauma Bag	52	Disaster Pouches		Model 513-10	13, 18, 22
Model 5114 Medication Mini-Bag	55	Model 347-1 Disposable Heavy-Duty	86	Model 513-11 NM.....	24, 25
Model 5115 Intubation Mini-Bag	55	Vinyl-Coated Nylon Stretcher/Body Bag	85	Model 513-13	13, 18, 20, 22
Model 5116 Intravenous Mini-Bag	55	Disposable Cuff Mask	60	Mondial Monobloc IV Pole.....	16
Model 5117 Trauma Mini-Bag	55	DVRx Demand Valve Resuscitator	60	Mondial RS Mount IV Pole.....	15
Model 5120 Oxygen Carry Bag.....	54	E		Three-Stage IV Pole	7, 9, 11, 15, 16
Model 5121 Oxygen Carry Bag.....	54	Eagle Nest	80	K	
Model 5122 Oxygen Carry Bag.....	54	Eagle Nest 2	80	KangooFix	7, 9, 11, 13, 18, 23, 48
Model 5130 Intubation Ultra Mini-Bag	55	E-Class Flowmeter	59	KED, Model 125	44
Bariatric Tow Package	13	Emergency Respiratory System	64	KED PRO	44
Bariatric Push/Pull Handles.....	10, 13, 28	Equipment Bracket	13, 18	Kigali Backpacks	81
Basket Stretchers		Equipment Mount	7, 29, 30	L	
Advantage Rescue Litter.....	69	Equipment Pole System	7, 9	Laryngoscope Blades & Handles.....	65
Model 71 Basket Stretcher.....	70	EZ-Glide with POWERTraxx Stair Chair	29	LBS Jr. Bariatric Board & Mattress.....	9, 13
Model 71-M Non-Metallic Basket Stretcher.....	70	EZ-Glide Headrest	29, 30	Lift Handles.....	7, 11, 24, 25
Model 71-S Split Basket Stretcher	70	EZ-Glide Headrest Pouch.....	29, 30	Litter Arms	92
Pinnacle Titanium Rescue Litter	69	EZ-Glide IV Pole	29, 30	M	
Spartan Rescue Litter	71	EZ-Glide Mounts	29, 30	Manta Transfer Sheet	37
Titan Stainless Steel Rescue Litter	68	EZ-Glide Rear Lift Handles	29, 30	Mantis Tri-Fold Evacuation Board	93
Titan Titanium Rescue Litter.....	69	F		Med Rail	93
Traverse Rescue Gazelle Series Carbon Steel Rescue Litter.....	100	Fasteners		MicroVac Suction Unit	66
Gazelle Series Carbon Steel Rescue Litters	69	2-Part Lock	11, 28	Modular Litter Transport System	90
Traverse Rescue Bradco Stretcher	71	FL-1 Fastener	16	Mortuary Cots	
Belay		iNLINE Fastening System	7	Model 23 Mortuary Cot.....	83
Traverse Rescue® 540° Rescue Belay	76	Model 5-14 Cot Fastener	53	Model 24 Mortuary Cot.....	84
Blacktail Descender	73	Model 173 Universal Mount Kit	23	Model 24-MiniMAXX Mortuary Cot	83
Bridle, Adjustable Lifting	76	Model 173 Standard Mount Kit	23, 24, 25	Model 24-MAXX Mortuary Cot	83
Blood Pressure Cuff - Mounted	69	Model 173 Universal Floor Plate Kit.....	23, 24, 25	Model 27-1 Mortuary Cot.....	84
BVM (Single-Use)	61	Model 175 Universal Floor Mount.....	9, 13, 18, 20	Model 11-T Stretcher with Track	85
BVM (Reusable)	61	Model 175 Universal Wall Mount.....	9, 13, 18, 20	Mule II Litter Wheel.....	72
C		Model 175 Standard Floor Mount.....	9, 13, 18, 20	MVP Suction Unit	66
Carabiner	76	Model 175 Standard Wall Mount.....	9, 13, 18, 20	N	
Cervical Collars		Model 175 Universal Floor Plate Kit.....	9, 13, 18, 20	Nasopharyngeal Airways	65
Model 449 WizLoc Cervical Collar	44	Model 185 StatTrac	13	Neil Robertson Stretcher	75
WizLoc Jungle Cervical Collar	44	PRO F1	9	NeoMate.....	7, 9, 11, 13, 18, 23, 48
Church Trucks		Saferider Restraint & Pocket Lock.....	31		
Cemetery Church Truck	88	Slam Series Fasteners.....	17, 20, 21, 22		
Model 87 Church Truck	88	SlideLock	11, 28		
Model 88 Church Truck	88	Three-Point Fastener.....	17		
Compact Treatment System	92	FDU	78		
		Flow Control Valves.....	59		
		Folding Transport System.....	90		

O		
Operating Tables		
Model 101-H Hydraulic Table.....	87	
Model 102 Folding Operating Table.....	87	
Model 103 Combination Operating Table.....	87	
Oxy-Clip Bottle Holder.....	13, 15, 18, 20, 22, 24, 25, 63	
Oxy-Clip2 Bottle Holder.....	29, 30, 31	
Oxygen Bottles.....	62	
Oxygen Bottle Holder.....	63	
Oxygen Cylinders, Aluminum.....	62	
Oxygen Hoses.....	61	
Oxygen Administrators		
Model 903 Micro-Manager.....	59	
Model 905 Mini-Manager.....	59	
Model 908 Multi-Manager.....	59	
Oxygen Control Panel.....	66	
Oxygen Conserver.....	60	
Oxygen Mounts		
Oxygen Bottle Holder (head-end).....	9	
Oxygen Bottle Holder (foot-end).....	9, 13, 18	
Oxygen Bottle Holder (backrest).....	13	
Model 515 and 516 Cylinder Brackets.....	63	
Model 519 and 520 Bottle Base.....	63	
Oxygen Regulators		
BRAVO ₂ Brass Oxygen Regulators.....	58	
ORO ₂ Oxygen Regulators.....	57	
Oxygen System Mounting Bracket.....	63	
P		
PacRac (274-S).....	13, 18, 21, 23, 24, 25	
PacRac+.....	7, 9, 11, 16	
Patient Shield.....	7, 9, 11, 13, 15, 16, 17, 18, 20	
Pediatrics		
Baby Pod.....	91	
KangooFix.....	7, 9, 11, 13, 18, 23, 48	
Model 78 Pedi-Pac.....	49	
Model 676 MEDkids Baby Board.....	49	
Model 677 MEDkids Pedi-Sleeve.....	49	
NeoMate.....	7, 9, 11, 13, 18, 23, 48	
Pedi Mate +.....	7, 9, 11, 13, 18, 23, 48	
PEZO ₂ Pulse Oximeter.....	66	
Porter Transport System.....	72	
POWER X1 Cot.....	8, 9	
POWERX Cot.....	10, 11	
R		
Ralf Rescue Retrieval System.....	78	
Res-Q-Link Recovery Pole.....	78	
Rescue Litters/Stretchers		
Blacktail Descender.....	73	
Lifesaver Rescue Stretcher.....	74	
Model 70 Series Basket Stretchers.....	70	
Neil Robertson Stretcher.....	75	
Paraguard Excel Rescue Stretcher.....	75	
Res-Q-Mate Litter.....	74	
SAERBAG 3.....	73	
Spartan Split-Apart Rescue Litter.....	71	
Titan Stainless Steel Litters.....	68	
Titan Titanium Rescue Litters.....	68	
Traverse Bradco Stretcher.....	71	
Vertical Rescue Stretcher.....	74	
Rescue Seat.....	29, 30	
Restraints		
Harness Restraint.....	16	
iNX Restraints.....	7	
Kwik Klip Restraint System.....	29, 30	
Model 417-1 Harness Restraint.....	13, 15, 17, 18, 20, 21,	
	24, 25	
Model 430 Cot Restraints.....	7, 13, 15, 16, 17, 18, 20, 23, 24, 25, 29, 30	
Model 430-1-N Restraints.....	21	
Model 430-2-N Restraints.....	21	
Model 430-P Restraints.....	29	
Model 5126-EL Restraints.....	23	
Restraint Extenders.....	13	
S		
SAR Backpack Portable.....	64	
Scoop Stretchers		
Model 65 Scoop Stretcher.....	39	
Mortuary Scoop EXL.....	86	
Scoop EXL Stretcher.....	7, 11, 38	
Sea Scoopa.....	77	
Seahorse Portable Airway Kit.....	64	
Side Extension Panels.....	86	
Silicone Face Masks.....	60	
Silicone Reusable BVM.....	61	
Single Patient Use BVM.....	61	
SPED II.....	46	
Splints		
Air Splint Kit Model 663.....	47	
Model AS190 Vacuum Splint Extremity Kit.....	47	
441, 443, 444 FERNO Trac Traction Splints.....	46	
Spreader Bar.....	76	
Stair Chairs		
Compact 2 Carry Chair.....	33	
Compact 2 Track Chair.....	33	
EZ-Glide LBS Stair Chair.....	31	
EZ-Glide LBS POWERTraxx Stair Chair.....	31	
EZ-Glide PowerTraxx Stair Chair.....	29	
Model 40 Stair Chair.....	32	
Model 42 Stair Chair.....	32	
Model 48 Stair Chair.....	32	
Model 59T EZ-Glide Stair Chair.....	30	
StatTrac Fastener.....	13	
Storage Net Foot-end Storage.....	7	
Storage Net Head-end Storage.....	7, 9, 11, 13, 18, 23	
Storage Net Head-end-Leg Storage.....	7	
Storage Tray.....	15, 16	
Storage Tray (lower).....	13, 23	
Stretchers		
Combination Stretcher/Body Bag.....	59	
Emergency Stretchers		
Model 9 Emergency Stretcher.....	34	
Model 11 Emergency Stretcher.....	34	
Model 12 Emergency Stretcher.....	35	
Model 12-C Emergency Breakaway Stretcher.....	35	
Lift-Off Stretchers		
F2 Stretcher.....	17	
Mondial RS2 Lift-Off Stretcher.....	15	
Pole Stretchers		
Model 108 Single-Fold Pole Stretcher.....	36	
Model 108-A Single-Fold Pole Stretcher.....	36	
Model 108-AF Double-Fold Pole Stretcher.....	36	
Model 108-D Disaster Litter.....	37	
Model 108-T Tactical Litter.....	37	
Stretcher Chairs		
Model 107 Stretcher Chair.....	35	
Model 107-C.....	35	
SX Surface Xtender.....	7, 9, 11, 23, 28	
T		
Tempus Pro Litter Clamp.....	93	
Tirol Kit.....	73	
Transfer Board.....	7, 9, 11, 13, 18	
Transporters		
F2 Transporter.....	17	
Mondial Transporter.....	14	
Track (equipment mounting).....	50, 51, 92	
U		
Uni-ClipDoc System.....	94	
Universal Floorplate.....	9, 13, 18, 20, 23, 24, 25	
V		
Vacuum Mattresses, Model 192.....	47	
Vertical Rescue Triangular Harness.....	81	
Vial Card.....	55	
W		
Walk Belt.....	81	
Wall Mounted Blood Pressure Cuff.....	66	
X		
XT.....	45	

MODEL INDEX

9 Stretcher.....	34	430 Restraints.....	7, 13, 15, 16, 17, 18, 20, 23, 24, 25, 29, 30	Compact 2 Track.....	33
11 Stretcher.....	34	441 Traction Splints.....	46	Compact Treatment System.....	92
11-T Emergency Stretcher.....	85	443 Traction Splints.....	46	CPR Mask.....	61
11-T Retaining Bracket.....	85	444 Traction Splints.....	46	Criticool Mini Surface Mount.....	93
12-C Stretcher.....	35	445 Head HeadHugger.....	43	Cycle Tracker.....	9, 13, 14, 16
12 Stretcher.....	35	445 Head Immobilizer.....	43	Dialysis Kickstand.....	13
23 Mortuary Cot.....	84	449 WizLoc.....	44	Directional Wheel Locks.....	7, 9
24-MAXX Mortuary Cot.....	83	513-10 IV Poles.....	13, 18, 22	Disposable Cuff Mask.....	60
24-miniMAXX Mortuary Cot.....	83	513-11-NM IV Pole.....	24, 25	DVRx Demand Valve Resuscitator.....	59
24 Mortuary Cot.....	84	513-13 IV Pole.....	13, 18, 20, 22	E-Class Flowmeter.....	59
25i Cot.....	19	514 Oxy-Clip.....	13, 15, 18, 20, 22, 24, 25, 63	Eagle Nest 2.....	80
26AS Cot.....	20	515 Cylinder Bracket.....	63	Eagle Nest 3.....	80
26S Cot.....	20	516 Cylinder Bracket.....	63	Emergency Respiratory Care (ERC) Backpack.....	53
26-B Cot.....	21	519 Bottle Case.....	63	Emergency Respiratory System.....	64
27-1 First-Call Cot.....	84	520 Bottle Case.....	63	Equipment Bracket.....	13, 18
28Z - PROFlexx Chair Cot.....	24	521 Oxygen Bottle Holder.....	63	Equipment Mount.....	7, 29, 30
28Z - PRO 28Z Chair Cot.....	23	663 Air Splint Kit.....	47	Equipment Pole System.....	7, 9
28 - FERNO-Flex Roll-In-Chair Cot.....	25	676 Baby Board.....	49	ERC Backpack.....	64
35A Cot.....	16	677 Pedi-Sleeve.....	49	EZ-Glide Headrest.....	29, 30, 31
35X Incubator Transporter.....	27	804 Oxygen Regulator.....	57	EZ-Glide IV Pole.....	29, 30
35X Cot.....	12, 13	818 Oxygen Regulator.....	57	EZ-Glide LBS.....	31
40 Stair Chair.....	32	819 Oxygen Regulator.....	57	EZ-Glide LBS POWERTraxx.....	31
42 Stair Chair.....	32	830 Oxygen Regulator.....	58	EZ-Glide Lift Handles.....	29, 30
48 Stair Chair.....	32	831 Oxygen Regulator.....	58	EZ-Glide Mounts.....	29, 30
59T EZ-Glide.....	30	832 Oxygen Regulator.....	58	EZ-Glide PowerTraxx Stair Chair.....	29
60 Aluminum Backboards.....	39	833 Oxygen Regulator.....	58	F2 Transporter & Stretcher.....	17
65EXL Scoop.....	38	903 Micro-Manager.....	59	F2 Monobloc.....	17
65 Scoop.....	39	905 Mini-Manager.....	59	FDU.....	78
71 Basket Stretcher.....	70	908 Multi-Manager.....	59	FL1 Fastener.....	16
71-M Basket Stretcher.....	70	2020 Equipment Bracket.....	13, 18	Flow Control Valves.....	59
71-S Basket Stretcher.....	70	5100 Bag.....	54	Folding Transport System.....	90
78 Pedi-Pac.....	49	5103 Bag.....	52	Gazelle.....	69
87 Church Truck.....	88	5107 Bag.....	52	Guedel Emergency Airway Kit.....	65
88 Church Truck.....	88	5108 Bag.....	52	Headwall Tripod Systems.....	91
101-H Table.....	87	5110 Bag.....	53	iINLINE Fastening System.....	7, 23
102 Table.....	87	5111 Bag.....	53	iNX Integrated Transport & Loading System.....	7, 8
103 Table.....	87	5113 Bag.....	52	IndustriPOD.....	79
107-C Stretcher.....	35	5114 Bag.....	55	iNTRAXX.....	50, 51
107 Stretcher.....	35	5115 Bag.....	55	ITC Incubator Transporter Interface.....	26, 27
108-AF Stretcher.....	36	5116 Bag.....	55	ITC-thermo Cradles Interface.....	21
108-F Stretcher.....	36	5117 Bag.....	55	ITU Incubator Transporter Unit.....	26, 27
108-A Stretcher.....	36	5118 Vial Card.....	55	KangooFix.....	7, 9, 11, 13, 18, 23, 48
108-D Litter.....	37	5120 Bag.....	54	KED PRO.....	44
108 Stretcher.....	37	5121 Bag.....	54	Kigali 30 Backpack.....	81
108-T Litter.....	37	5122 Bag.....	54	Kigali 35 Backpack.....	81
125 KED.....	44	5126EL Cot.....	22	Kigali 45 Backpack.....	81
132 Manta.....	37	5130 Bag.....	55	Laryngoscope Blades & Handles.....	65
135-B Stretcher/Body Bag.....	85	Advantage Rescue Litter.....	69	LBS Jr.....	9, 13
135 Stretcher/Body Bag.....	85	ALS Litter.....	90	Lifting Bridle.....	76
173 Cot Fasteners.....	23, 24, 25	Aluminum Oxygen Cylinders.....	62	Lift-Off Stretcher.....	15
175 Cot Fasteners.....	9, 13, 18, 20	AS190 Vacuum Splints.....	47	Lifesaver Rescue Stretcher.....	74
185 StatTrac.....	13	Arachnipod.....	79	Litter Arms.....	92
190 Vacuum Splint Extremity Kit.....	47	Aquaboard.....	41	Lower Storage Tray.....	13
192 Vacuum Mattress.....	47	Baby Pod.....	91	Manta Transfer Sheet.....	37
205 Bottle.....	62	Backrest Pouch.....	9, 23	Mantis Tri-Fold Evacuation Board.....	93
206 Bottle.....	62	Bariatric Push/Pull Handles.....	10, 13, 28	Med Rail.....	93
210 Bottle.....	62	Bariatric Tow Package.....	13	MicroVac Suction Unit.....	66
211 Bottle.....	62	Belay 540° Large.....	76	Modular Litter Transport System.....	90
274 PacRac.....	13, 18, 23, 25	Blacktail Descender.....	73	Millennia.....	40
301 HFOC.....	60	Bradco Stretcher.....	71	Mondial RS2 Stretcher.....	15
302 OX-Series Inhalator Valve.....	60	BRAVO ₂ Brass Oxygen Regulators.....	58	Mondial Transporter.....	14
347-1 Disaster Pouch.....	86	BVM.....	61	Mortuary Scoop EXL.....	86
365-E Head Immobilizer.....	43	Carbon Fibre Spineboard.....	40	Mule II Litter Wheel.....	72
417-1 Harness Restraint.....	3, 15, 17, 18, 20, 21, 24, 25	Carobiner.....	76	MVP.....	66
425 Intubation Kit.....	65	CCT-PX Critical Care Trolley.....	28	NAJO.....	42
430-1-N Restraints.....	21	Cemetery Church Truck.....	88	Nasopharyngeal Airways.....	65
430-2-N Restraints.....	21	CHI - Combi Head Immobilizer.....	43	Neil Robertson Stretcher.....	75
430-P Restraints.....	29	Compact 2.....	33	NeoMate.....	7, 9, 11, 13, 18, 23, 48

ORO2 Oxygen Regulators.....	57
Oxy-Clip	13, 15, 18, 20, 22, 24, 25, 63
Oxy-Clip2	29, 30, 31
Oxygen Cylinder Holder.....	46
Oxygen Bottle Holder - Head End	7, 9, 11
Oxygen Bottle Holder - Foot End.....	7, 9, 11, 18
Oxygen Hoses	61
Oxygen System Mounting Bracket	63
PacRac (274-S)	13, 18, 21, 23, 24, 25
PacRac+.....	7, 9, 11, 16
Paraguard	75
Patient Shield.....	7, 9, 11, 13, 15, 16, 17, 18, 20
PBX Pool Extrication Board	41
Pedi Mate +.....	7, 9, 11, 13, 18, 23, 48
PEZO ₂ Pulse Oximeter	66
Pinnacle Titanium Rescue Litter	69
Porter Transport System	72
POWER X1	8, 9
POWERX.....	10, 11
PRO F1	9
Ralf Rescue Retrieval System.....	78
-Q-Mate Litter	74
Res-Q-Link Recovery Pole.....	78
SAERBAG 3	73
Saferider Restraint & Pocket Lock.....	31
SAR BackPacks	64
Scoop Stretchers.....	7, 11, 38, 39, 86
Scoop Extender Kit	7
Sea Scoopa	77
Seahorse Portable Airway Kit.....	64
Side Extension Panels	86
Silicone Face Masks	60
Silicone Reusable BVM	61
Slam Series Fasteners.....	17, 20, 21, 22
SlideLock Fastener	11, 28
SPED II.....	46
Spartan Rescue Litter	71
Spreader Bar	76
Storage Net Foot-end Storage.....	7
Storage Net Head-end Storage	7, 9, 11, 13, 18, 23
Storage Net Head-end-Leg Storage	7
Storage Tray	15, 16
Storage Tray (lower).....	13, 23
Tempus Pro Litter Clamp	93
Tirol Kit	73
Titan Rescue Litters.....	68
Track (equipment mounting).....	50, 51, 92
Transfer Board.....	7, 9, 11, 13, 18
Uni-ClipDoc System.....	94
Universal Floorplate	9, 13, 18, 20, 23, 24, 25
Vacuum Mattress	47
Vacuum Splints.....	47
Vertical Rescue Stretcher	74
Vertical Rescue Triangular Harness	81
Walk Belt	81
Wall Mounted Blood Pressure Cuff	66
WizLoc Jungle Cervical Collar	44
XT	45

NOTES

NOTES



EMS

Rescue

Oxygen

Aviation

Military

Mortuary

Ferno Distributor

Products depicted in images and product specifications are subject to change. Contents herein are trademarks or registered trademarks of Ferno-Washington, Inc. Power-PRO XT, Performance-PRO XT, Power-LOAD, and Performance-LOAD are trademarked products of Stryker Corporation. Ferno is not associated with Stryker Corporation.